Mon. Not. R. Astron. Soc. **000**, 1–?? ()   Printed 25 January 2010   (MN LaTeX style file v2.2)

The CoNFIG Catalogue - II. Comparison of Space Densities in the FR Dichotomy.

M. A. Gendre[1]*, P. N. Best[2] and J. V. Wall[1]
[1] *Department of Physics and Astronomy, The University of British Colombia, 6224 Agricultural Rd, Vancouver, BC, V6T 1Z1, Canada*
[2] *Institute for Astronomy, Royal Observatory, Blackford Hill, Edinburgh EH9 3HJ, United Kingdom*

arXiv:1001.4514v1 [astro-ph.CO] 25 Jan 2010

Accepted . Received ; in original form

ABSTRACT
This paper focuses on a comparison of the space densities of FRI and FRII sources at different epochs, with a particular focus on FRI sources.
First, we present the concluding steps in constructing the Combined NVSS-FIRST Galaxy catalogue (CoNFIG), including new VLA observations, optical identifications and redshift estimates. The final catalogue consists of 859 sources over 4 samples (CoNFIG-1, 2, 3 and 4 with flux density limits of $S_{1.4\mathrm{GHz}}$ =1.3, 0.8, 0.2 and 0.05 Jy respectively). It is 95.7% complete in radio morphology classification and 74.3% of the sources have redshift data.
Combining CoNFIG with complementary samples, the distribution and evolution of FRI and FRII sources are investigated. We find that FRI sources undergo mild evolution and that, at the same radio luminosity, FRI and FRII sources show similar space density enhancements in various redshift ranges, possibly implying a common evolution.

Key words: Surveys - Radio Continuum: Galaxies - Galaxies: Active - Galaxies: Statistics - Galaxies: Luminosity Function

1 INTRODUCTION

Radio AGN are classified in various ways such as luminosity, spectral type or morphology. The Fanaroff-Riley (FR) classification (Fanaroff & Riley 1974) provides a classification of extended radio sources. The FRI objects have the highest surface brightness along the jets and core, reside in moderately rich cluster environments (Hill & Lilly 1991) and include sources with irregular structure (Parma et al. 1992). In contrast, FRII sources show the highest surface brightness at the lobe extremities, as well as more collimated jets, are found in more isolated environments and generally display stronger emission lines (Rawlings et al. 1989; Baum & Heckman 1989).

The FRI/FRII dichotomy is based purely on the appearance of the radio objects and, although some hypotheses exist (e.g. Bicknell 1995), the mechanisms differentiating the two populations are still unknown. If sources with different FR classes undergo different evolution, this might imply that their fundamental characteristics, such as the black hole spin or jet composition, are different too. However, the cut between FRI and FRII is somewhat ambiguous: hybrid sources showing jets FRI-like on one side and FRII-like on the other have been observed (Capetti et al. 1995).

In an initial modeling of the space density of radio AGN, Wall & Jackson (1997) and Jackson & Wall (1999) assumed that the cosmic evolution of radio loud AGN was based on a division of the radio sources into a high-luminosity component ($P_{178-\mathrm{MHz}} > 10^{25}\,\mathrm{WHz^{-1}sr^{-1}}$) corresponding to FRIIs and a low-luminosity component showing no cosmic evolution, corresponding to FRIs. With the advent of large-scale redshift surveys for nearby galaxies, many authors, including Snellen & Best (2001), Willott et al. (2001), Sadler et al. (2002) and Rigby, Best & Snellen (2008), found significant evolution for low power sources – but mild evolution in comparison with that of the high-luminosity sources. Rigby, Best & Snellen (2008) argued that if FRIs and FRIIs have similar evolution, the dual-population scheme could be reduced to a single-population model. Their sample was however confined to a small number of low flux density sources.

A dedicated study and comparison of FRI and FRII sources and their evolution, using large samples of sources of each type, is the key to understanding these populations and determining if the FR classification is valid or if a different classification, such as whether they display high or low excitation emission lines, is physically more relevant.

A further motivation for studying the cosmic behaviour

---

* E-mail: mgendre@phas.ubc.ca

of radio AGNs is to assess their contribution to feedback processes. The current paradigm for galaxy formation, hierarchical build-up in a Cold Dark Matter (CDM) universe, implies that the most massive galaxies in the local Universe ought to be the largest and bluest and have the highest star forming rate of all galaxies. Yet, observations show that they are red, old galaxies, and the bulk of star formation is observed at earlier epochs. This is known as downsizing, first described by Cowie et al. (1996).

AGN negative feedback, in which the ignition of the nucleus in a star-forming galaxy ejects the gas into the inter-galactic medium, is a possible way to understand this phenomenon. AGNs jets could indeed be responsible for reducing or even stopping star formation, breaking the hierarchical buildup (Silk & Rees 1998; Granato et al. 2001; Quilis et al. 2001). AGN can also have a positive feedback effect, whereby pressure from the jets compresses the inter-stellar medium and induces star formation (van Breugel et al. 2004; Klamer et al. 2004). However, modeling of jet power and its relation to star formation have shown that the overall effect is a decrease in star formation rate (Antonuccio-Delogu & Silk 2008).

If AGN feedback from the heating and ejection of gas in the ISM possibly suppresses star formation, it is reasonable to think that it should be related to the energy output from the jets. Best et al. (2006) studied the output energy from AGNs and concluded that heating dissipated in the host galaxy is dominated by low-luminosity radio sources, which tend to be confined predominantly to the size of the galaxy and its halo. Such sources also stay ‘on’ for a longer period of time than high luminosity sources, allowing heat to be supplied pseudo-continuously. Schawinski et al. (2009) investigated the relation between the amount of molecular gas and AGN activity in galaxies and concluded that a low luminosity AGN episode was sufficient to suppress residual star formation in early type galaxies.

Establishing the potential space-density behaviour of radio AGN is thus important in studying the precise role of the feedback mechanisms. Could feedback be linked to source morphology as it is to luminosity? Do FRI sources have a higher impact on star formation rate than typically more powerful FRII sources?

The lack of a large comprehensive catalogue of morphologically-classified radio sources has been a limiting factor in all these studies. This is the goal of the CoNFIG catalogue, which we propose to use in modeling the radio luminosity function of AGN.

This is the second paper in a series studying extended radio galaxies and their role in AGN feedback. Paper I (Gendre & Wall 2008) outlined the initial construction of the Combined NVSS-FIRST Galaxy (CoNFIG) sample. This paper describes the complete catalogue, including optical identifications and redshift estimates, as well as a preliminary study of FRI and FRII space densities.

The structure of this paper is as follows. The construction of the catalogue is explained in §2 while §3 describes how the morphologies were determined. Optical identifications and redshift information are discussed in §4 and an overall summary of the catalogue is given in §5, along with the introduction of complementary datasets that will be used in the modelling. §6 describes the morphology-dependent luminosity distributions and the FRI/FRII source counts, as well as cosmic evolution of the radio luminosity function. Finally, §7 summarizes the results.

Throughout this paper, we assume a standard ΛCDM cosmology with H_0=70 km s^{-1} Mpc^{-1}, Ω_M=0.3 and Ω_Λ=0.7.

2 THE CONFIG CATALOGUE

2.1 Catalogue definition

The CoNFIG Catalogue consists of 4 samples, CoNFIG-1, 2, 3 and 4, which include all sources selected from the NVSS catalogue with $S_{1.4\mathrm{GHz}} \geqslant$1.3, 0.8, 0.2 and 0.05 Jy respectively in defined areas (see Fig. 1 and Table 1).

The NRAO-VLA Sky Survey (NVSS; Condon et al. 1998) is a 1.4-GHz continuum survey covering the entire sky north of $\delta = -40^\circ$ (corresponding to an area of 10.3 sr). The completeness limit is ∼2.5 mJy/beam with an rms of ∼0.45 mJy/beam. The catalogue from the survey contains over 1.8 million sources, implying a surface density of ∼50 sources per square degree. It was carried out with the Very Large Array (VLA) in D and DnC configuration (the D configuration being the most compact VLA configuration with a maximum antenna separation of ∼1 km), providing an angular resolution of about 45 arcsec FWHM.

Since the median angular size of faint extra-galactic sources at the CoNFIG flux density levels is $\lesssim$10 arcsec (Condon et al. 1998), most sources in NVSS are unresolved, and the flux density measurements are quite accurate. However, the large beam size does not reveal precise structure of sources or determine positions accurate enough to establish unambiguous optical counterparts.

Very large sources resolved in NVSS within the initial samples, such as a few 3CRR sources (Laing, Riley & Longair 1983), need to be considered. In some of these cases, two or more NVSS ‘sources’ with $S_{1.4\mathrm{GHz}}> S_{lim}$ are actually components of a much larger resolved source. Multi-component sources in which each component has $S_{1.4\mathrm{GHz}}< S_{lim}$ but with a total flux density $S_{1.4\mathrm{GHz}}\geqslant S_{lim}$, also need to be considered. For this purpose, NVSS sources with $S_{1.4\mathrm{GHz}}< S_{lim}$ were selected and, if any other source in the catalogue was located within 4 arcmin of the listed source, the combination was set aside as a candidate extended source. The final decision on whether or not the sources were actually components of a resolved source was made by visual inspection of the NVSS contour plots.

A summary of each sample is given in Table 2. Because the area of the CoNFIG-2, 3 and 4 samples overlap with CoNFIG-1, all statistics estimated from CoNFIG 2, 3 and 4 use only sources with $S_{lim} < S_{1.4\mathrm{GHz}}<$ 1.3 Jy.

2.2 Spectral indices

In order to compute the radio luminosity, the spectral index α (defined as $S_\nu \propto \nu^\alpha$) of each source needs to be determined. To achieve this, flux densities at different frequencies for each source were compiled and the spectral index



Figure 1. Map of the sample regions. Each sample is located in the North field of FIRST (grey area). CoNFIG-1 (red contour), CoNFIG-2 (green hatched), CoNFIG-3 (blue diagonally cross-hatched) and CoNFIG-4 (pink vertically cross-hatched) have flux density limits of 1.3, 0.8, 0.2 and 0.05 Jy respectively. Definition of the regions and details of the samples can be found in Tables 1 and 2.

Table 1. Region corners for the CoNFIG samples ({RA; DEC} in {HRS; deg}) as shown in Fig.1.

C-1	C-2	C-3	C-4
{17.7; 64.0}	{ 9.30; 60.0}	{14.7; 30.0}	{14.1; 3.0}
{ 7.0; 64.0}	{13.35; 60.0}	{16.0; 30.0}	{14.7; 3.0}
{ 7.3; 30.0}	{13.35; −5.0}	{16.0; 10.0}	{14.7; −3.5}
{17.3; 24.8}	{ 9.30; −5.0}	{14.7; 10.0}	{14.1; −3.5}
{15.5; −8.0}			
{ 9.1; −8.0}			

computed following the relation:

$$\alpha = \frac{\Delta \log(S)}{\Delta \log(\nu)} \tag{1}$$

A summary of the different frequencies and corresponding surveys used to retrieve the flux density information can be found in Gendre & Wall (2008). We were able to compute the low-frequency spectral index (with 178 MHz $\leqslant \nu \leqslant$ 1.4 GHz) for 99.6%, 97.7%, 89.3% and 52.7% of the sources in CoNFIG-1, 2, 3 and 4 respectively.

3 MORPHOLOGY

3.1 Initial classification

The initial morphologies were determined either from previously referenced work or following the procedure described by Gendre & Wall (2008), primarily by looking at FIRST and NVSS contour plots.

Table 2. Characteristics of the CoNFIG samples, as described in section 2.

	S_{lim} (Jy)	Area (deg^2)	# of sources	# not in C1
C-1	1.30	4924	273	-
C-2	0.80	2915	243	132 (*54.3%*)
C-3	0.20	370	286	270 (*94.4%*)
C-4	0.05	52	185	184 (*99.4%*)



Figure 2. FIRST contour plot of a characteristic example of an FRII source, 3C 223. The hot spots are located at the ends of the aligned lobes.



Figure 3. FIRST contour plot of a characteristic example of an FRI source, 3C 272.1 (M84). The regions of highest surface brightness are located along the jets.

The Faint Images of the Radio Sky at Twenty-cm survey (FIRST; White et al. 1997) is another 1.4-GHz continuum survey with the VLA, covering an area of ∼9030 deg^2 including the North Galactic Pole. The completeness limit is ∼1 mJy/beam with a typical rms of 0.15 mJy/beam. The survey yielded ∼811,000 sources, implying a surface density of ∼90 sources per square degree. It was carried out in B configuration (the B configuration having a maximum antenna separation of ∼10 km), which provides an angular resolution of about 5 arcsec FWHM. This survey complements the NVSS survey well, providing a beam size small enough to resolve the structure of most nearby extended radio sources and source positions to better than 1 arcsec to enable cross-waveband identification.

If the FIRST/NVSS contour plot displays distinct hot spots at the edge of the lobes (as in Figure 2), and the lobes are aligned, the source was classified as FRII. Sources with collimated jets showing hot spots near the core and jets were classified as FRI (see Figure 3). Wide angle tail sources (WAT; Leahy 1993) as well as most irregular-looking sources (Parma et al. 1992) were also classified as FRI. Sources of size smaller than 1 arcsec or previously classified as QSOs were classified as ‘compact’ while extended sources for which the FRI/FRII classification was impossible to determine were classified as ‘uncertain’.

3.2 VLA observations

In addition to the observations described by Gendre & Wall (2008), radio observations of 213 extended CoNFIG sources with previously uncertain morphological classification were made at 1.4-GHz using the VLA in A configuration. These observations included polarization measurements for 31 sources as preliminary work for a possible study of the morphology-dependent polarized source count.

The A-configuration, the most extended VLA configuration with a maximum antenna separation of ∼36 km, provides a synthesized beam of 1.4 arcsec FWHM at 1.4-GHz. Three frequency bands were used: (1) two IFs of 1464.9 and 1385.1-MHz, with a bandwidth of 50-MHz (2) two IFs of 1372.5 and 1422.5-MHz, with a bandwidth of 25-MHz and (3) two IFs of 1425.5 and 1397.5-MHz, with a bandwidth of 25-MHz. Frequency bands 2 and 3 were used in the polarization measurements.

The exposure time was computed for each source such as to provide a signal-to-noise ratio of at least 5, and the exposures were split into two or three separate integrations to improve *uv* coverage. The primary calibrator 3C286 (1331+305) was observed several times during the run. Nearby secondary calibrators were observed approximately every 30 min to provide phase calibration. All data were reduced using standard procedures incorporated within the AIPS software provided by NRAO.

3.3 Final classification

62.5% of sources in the CoNFIG sample were classified either as FRI (I) or FRII (II). Following the unified model of AGN (Jackson & Wall 1999) core-jet sources were classified as FRII. Hybrid sources, showing jets FRI-like on one side and FRII-like on the other (Capetti et al. 1995), were classified according to the characteristics of the most prominent jet. Extended sources for which FRI/FRII identification was ambiguous were classified as uncertain (U). Sources with size smaller than 3 arcsec were classified as compact (C) or (C*), depending on whether or not the source was confirmed compact from the VLBA calibrator list (see Beasley et al. 2002; Fomalont et al. 2003; Petrov et al. 2006; Kovalev et al. 2007) or the Pearson-Readhead survey (Pearson & Readhead 1988). Finally, sources of type (S*) correspond to confirmed compact sources which show a steep ($\alpha \leqslant -0.6$) spectral index. These are probably compact steep-spectrum (CSS) sources.

The final classification for each source is shown in Appendix A and the distribution of morphological types is presented in Table 3. Contour plots of extended sources, including the VLA observation presented in §3.2, are presented in Appendix B. In order to study the evolution of the space density of FRI and FRII sources accurately, each extended source was assigned a sub-classification - confirmed (c) or possible (p) - depending on how clearly the source showed either FRI or FRII characteristics.

The complete catalogue consists of 859 sources, with 71 (8.3%) FRIs (50 confirmed, 21 possible), 466 (54.2%) FRIIs (390 confirmed, 76 possible), 285 (33.2%) compact sources and 37 (4.3%) uncertain sources.

Table 3. Morphology of the sources in the CoNFIG samples. The morphology of each source was determined by looking at FIRST and NVSS contour plots or from VLA observations as described in §3.1 and §3.2. Sources of size smaller than 3 arcsec or previously classified as QSOs were classified as 'compact' (C) while extended sources for which the FRI/FRII classification was impossible to determine were classified as 'uncertain' (U). In each cases, the corresponding percentage of sample is given in *italic.*

	C-1	**C-2**	**C-3**	**C-4**	**Tot.**
			% of sample		
FRI	25	7	22	17	71
	9.2	*5.3*	*8.1*	*9.2*	*8.3*
FRII	149	75	152	90	466
	54.6	*56.8*	*56.3*	*48.9*	*54.2*
C	86	47	88	64	285
	31.5	*35.6*	*32.6*	*34.8*	*33.2*
U	13	3	8	13	37
	4.8	*2.3*	*3.0*	*7.1*	*4.3*

4 OPTICAL IDENTIFICATIONS AND REDSHIFTS

A preliminary search for counterparts was performed using the unified catalogue of radio objects of Kimball & Ivezić (2008)[1], and optical identifications were obtained, principally from the Sloan Digital Sky Survey (SDSS; York et al. 2000).

The SDSS, with the 2.5 meter telescope at Apache Point Observatory, New Mexico, has imaged one quarter of the entire sky in *ugriz* magnitudes[2], as well as performing a spectroscopic redshift survey. The seventh data release (DR7; Abazajian et al. 2009) imaging survey contains a total of 357 million objects over 11,663 deg^2 while the spectroscopic survey contains 1.6 million objects over 9380 deg^2 .

K_s band photometric information was obtained from 2MASS. The Two Micron All Sky Survey (2MASS; Skrutskie et al. 2006) is a near-infrared survey using 1.3 m telescopes at Mount Hopkins in Arizona and CTIO in Chile. It aimed at imaging the entire sky in J, H and K_S magnitudes. The now-complete catalogue, divided into a point source and an extended source (semi-major axis >10" in size) catalogue, contains 472 million sources over 99.998% of the sky.

A summary of the number of identified optical counterparts is given in Table 4.

4.1 Spectroscopic and photometric redshifts

Spectroscopic redshifts were obtained for 45.5% of the catalogue (see Table 5) using either the SIMBAD[3] database or the SDSS DR7 catalogue.

---

[1] http://www.astro.washington.edu/akimball/radiocat/

[2] The limiting magnitudes at the detection limit given in Abazajian et al. (2009) correspond to a 95% detection repeatability for point sources. However, for galaxies, these are typically between half a magnitude and a magnitude brighter at the same signal to noise ratio (from SDSS project book: http://www.astro.princeton.edu/PBOOK/camera/camera.htm)

[3] http://simbad.u-strasbg.fr/simbad



Figure 4. The SDSS magnitude-redshift relations were computed by finding the best fit (solid lines) to data from CoNFIG non-QSO sources having both spectroscopic redshift and SDSS magnitude information (dots). The relations (Equ.2-4) were used to estimate photometric redshifts for sources not in the *photoz2* catalogue, but with an SDSS counterpart.

Table 4. Numbers of SDSS and 2MASS optical identifications for the CoNFIG samples. In each cases, the corresponding percentage of sample is given in *italic*.

	SDSS					2MASS
	All	FRI	FRII	C	U	All
			% of sample			
C-1	233	25	125	73	10	117
	85.3	*100*	*83.9*	*84.9*	*76.9*	*42.9*
C-2	108	6	62	37	3	44
	81.8	*85.7*	*82.7*	*78.7*	*100*	*33.3*
C-3	190	20	111	53	6	47
	70.4	*90.9*	*73.0*	*60.2*	*75.0*	*17.4*
C-4	110	17	52	37	4	22
	59.8	*100*	*57.8*	*57.8*	*30.8*	*12.0*
Tot.	641	68	350	200	23	230
	74.6	*95.8*	*75.1*	*70.2*	*62.2*	*26.8*

Because redshift information is essential to computing space densities and examining their evolution, we estimated redshifts for sources with no spectroscopic data available.

For a number of sources with an SDSS counterpart identified but with no spectroscopic information available, photometric redshifts were retrieved from the SDSS *photoz2* catalogue (Oyaizu et al. 2008), which covers SDSS galaxies with $r \leqslant 22.0$. For other galaxies (excluding the 285 sources identified as 'compact', which are most likely QSOs), redshifts were estimated using a magnitude-redshift relationship computed from SDSS-identified CoNFIG non-compact (i.e. non-QSO) sources with spectroscopic redshifts:

$$log(\mathrm{z}) = -3.599 + 0.170i \tag{2}$$

$$log(\mathrm{z}) = -3.609 + 0.175z \tag{3}$$

$$log(\mathrm{z}) = -3.660 + 0.169r \tag{4}$$

The relations are shown in Fig. 4 and were used to estimate photometric redshifts for 73 sources.

K_S-z relations were also obtained using data from CoNFIG non-compact sources having both spectroscopic redshifts and K_S-band information from the 2MASS extended and point source catalogues.

$$log(\mathrm{z}) = -3.515 + 0.204K_S \quad \text{2MASS extended sources} \tag{5}$$

$$log(\mathrm{z}) = -4.800 + 0.279K_S \quad \text{2MASS point sources} \tag{6}$$

The relations, shown in Fig. 5, provide good estimates of redshifts up to $K_S = 15.5$. They were used to estimate photometric redshifts for 6 sources which had no SDSS spectroscopic or photometric redshifts available but had 2MASS counterparts ($K_S \leqslant 15.5$).

Overall, 74.3% of the sources in the CoNFIG catalogue have spectroscopic or photometric redshift information available, with mean and median redshifts of $\mathrm{z}_{mean} = 0.714$ and $\mathrm{z}_{med} = 0.588$. The redshift distributions, by samples and morphological types, is shown in Fig. 6.

4.2 Sources with no redshift information

A total of 221 sources in the CoNFIG catalogue, mostly in CoNFIG-3 and 4, have no redshift information available. 104 of these sources are of morphological type I, II or U (we will ignore sources of type C for the time being, being only interested in the study of extended radio sources). One way to include these sources in the space density modelling is to assign an estimated redshift to each of them (by the procedures described below), compute the RLF, repeat the procedure and average the results.

Based on SDSS non-detection we can determine a lower redshift limit for these sources. The *i*-band being effectively the deepest SDSS band for objects with the typical colours of high-redshift radio galaxies, Equ.2 was used to determine the lower limit, yielding a value of $\mathrm{z}_{lim} \simeq 1.0$. To account for the spread in the *i*-z relation, the estimate of the limit was drawn randomly from a Gaussian of variance 0.1, centered on z_{lim}=1.0.

Our next step was to use the (admittedly naive) assumption that the redshift of the radio source could be estimated from the distribution of measured or estimated

Table 5. Distribution and ranges of redshifts for the CoNFIG samples. Spectroscopic redshifts are retrieved either from the SIMBAD database or from the SDSS catalogue. Photometric redshifts are either obtained from the SDSS *photoz2* catalogue or estimated using either the SDSS *mag*-z relation defined by Equ. 2-4 or the K_S-z relation defined by Equ. 5-6. In each cases, the corresponding percentage of sample is given in *italic*.

		C-1	C-2	C-3	C-4
Total Number of Sources in Sample					
		273	132	270	184
Redshift types					
% of sample					
Spectro.		226	67	54	44
		82.8	*58.8*	*20.0*	*23.9*
Photo.	*photoz2*	29	33	71	35
		10.6	*25.0*	*26.3*	*19.0*
	sdss *mag*-z	5	13	38	17
		1.8	*5.3*	*13.3*	*9.2*
	K_S-z	3	1	2	0
		1.1	*0.8*	*0.7*	*0.0*
Total		263	114	165	96
		96.3	*86.4*	*61.1*	*52.2*
	FRI	25	7	21	17
		100	*100*	*95.4*	*100*
	FRII	145	65	112	52
		97.3	*86.7*	*73.7*	*57.8*
	C	80	39	26	23
		93.0	*83.0*	*29.5*	*35.9*
	U	13	3	6	4
		100	*100*	*75.0*	*30.8*
Redshift ranges		**C-1**	**C-2**	**C-3**	**C-4**
	min.	0.003	0.011	0.018	0.006
All	max.	3.530	2.707	2.408	2.677
	mean	0.711	0.760	0.623	0.828
	med.	0.555	0.599	0.564	0.695
	min.	0.003	0.011	0.032	0.006
FRI	max.	0.269	0.309	1.847	1.531
	mean	0.071	0.128	0.264	0.261
	med.	0.049	0.099	0.116	0.150
	min.	0.036	0.098	0.062	0.138
FRII	max.	2.183	1.711	2.408	2.677
	mean	0.637	0.660	0.674	0.938
	med.	0.523	0.566	0.604	0.800
	min.	0.034	0.160	0.018	0.133
C	max.	3.530	2.707	1.764	2.235
	mean	1.024	1.050	0.665	1.026
	med.	0.880	0.795	0.580	0.725

redshifts for sources of similar flux density. For each of the 113 sources, we derived the sample of sources with redshift information available and flux densities within the range of a tenth to ten times the flux density of the source with no redshift. The redshift distribution of this sample was computed and fit with a polynomial; the region of this polynomial above the calculated redshift limit was then normalized to determine the redshift probability distribution for the source.



Figure 5. The K_S-z relation was computed by finding the best fit (solid pink and dot-dashed red lines respectively) to data from CoNFIG non-QSO sources having both spectroscopic redshift and K_S-band information from the 2MASS extended (blue triangles) and point source (orange dots) catalogues. The relations (Equ.5-6) were used to estimate photometric redshifts for sources with a magnitude $K_S \leqslant 15.5$, which corresponds to an upper estimated redshift limit of z=0.43 (dotted lines) from the extended source relation. For comparison, the K-z relations from CENSORS (Brookes et al. 2006) and (Willott et al. 2003) are shown in light and dark grey dashed lines respectively.

To complete the catalogue redshift distributions, we determined that each source with no redshift will contribute a fraction to each redshift bin, following its assigned probability distribution. For space densities computation (see §6), approximated redshifts were assigned to each source by making random realizations following the probability distribution, repeating the process in a Monte-Carlo manner.

Because most of the approximate redshifts are greater than z=0.3, the redshift upper-limit used to define the local universe, the results of the local radio luminosity function (LRLF) are completely unaffected by redshift uncertainties. As the redshift lower-limits used in the computation of the approximate redshifts are mostly z⩾1.0, results out to z∼1.0 are also not significantly affected. Over the range 1.0⩽z⩽2.0, the results are likely to be impacted. Nevertheless, the fact that the redshift distribution is well determined over that range implies that the impact is perhaps not severe. Beyond z=2.0, results would be unreliable as the redshift distribution is not well determined and the use of approximate redshifts may have introduced significant biases.

5 CATALOGUE SUMMARY AND COMPLEMENTARY SAMPLES

The CoNFIG catalogue (Appendix A1) consists of 859 sources over 4 samples, CoNFIG-1, 2, 3 and 4 with flux density limits $S_{1.4\mathrm{GHz}}$=1.3, 0.8, 0.2 and 0.05 Jy respectively. Spectral indices were computed for 86.0% of the sources using flux densities at different frequencies for each source.

The catalogue is 95.7% complete for radio morphologies and 74.3% complete for redshift information.

Sources were morphologically classified into 6 categories, using NVSS, FIRST and VLA 1.4GHz A-configuration observation contour plots as well as previously referenced information. Sources of type I and II correspond to Fanaroff & Riley (1974) morphologies; extended sources for which FRI/FRII identification was uncertain were classified as type U; sources with size smaller than 1 arcsec were classified as C type or C*-type, depending on whether or not the source was confirmed compact; sources of S* type correspond to confirmed compact sources which show a steep spectral index.

Optical counterparts were obtained from the SDSS and 2MASS catalogues for 74.6% and 26.8% of the sources respectively. Spectroscopic redshift information was retrieved from SDSS and the SIMBAD database, while photometric redshifts (or redshift estimates) were compiled from the SDSS *photoz2* catalogue, or using the K_S-z or SDSS *mag*-z relations (Equ.2-6).

To improve the flux density coverage of the catalogue, three complementary samples were appended (Appendix A2, A3 and A4):

- The 3CRR (Third Cambridge Revised) catalogue (Laing, Riley & Longair 1983) is complete to $S_{178\mathrm{MHz}}$=10 Jy and contains 173 sources over an area of 4.2 sr. The conversion from $S_{178\mathrm{MHz}}$ to $S_{1.4\mathrm{GHz}}$ with $\alpha = 0.8$ yield a flux density limit of $S_{1.4\mathrm{GHz}}\approx$1.92 Jy. In order to maximize the completeness of the sample at 1.4-GHz, we increased the flux density limit to $S_{1.4\mathrm{GHz}}$=3.5 Jy. The compiled spectral indices were used in the conversion for each 3CRR source. After excluding sources already present in the CoNFIG samples, 38 sources were selected to complement the CoNFIG catalogue. All sources were morphologically classified, either using the classification of Laing, Riley & Longair (1983) or following the method described in §3, and the sample includes 8 FRI, 24 FRII and 6 compact sources.
- The CENSORS (Combined EIS-NVSS Survey Of Radio Sources) sample (Best et al. 2003) is complete to $S_{1.4\mathrm{GHz}}$=7.2 mJy and contains 136 sources selected from NVSS over the 6 deg^2 of the ESO Imaging Survey (EIS) Patch D. The sample has spectroscopic redshifts for 68% of the sources, and optical or near-IR identifications (giving redshift estimates) for almost all of the remainder.

Little radio morphological classification of the CENSORS sources has been done as the image resolution is often not high enough to identify the source morphology. For this reason, the VLA observation program described in §3.2 also included 40 CENSORS sources, allowing us to morphologically classify 84.5% of the CENSORS sources. The sample includes 13 FRI, 64 FRII, 38 compact and 21 uncertain sources.

- The Lynx & Hercules sample (Rigby, Snellen & Best 2007) is complete to a catalogue flux limit of $S_{1.4\mathrm{GHz}}$=0.5 mJy ,from radio images with inital flux density limits of 0.07-0.09 mJy/bm It contains 81 sources within an area of 0.6 deg^2 . It is complete in redshift estimation (49% spectroscopic and 51% photometric) and 95.6% of the sample members have morphological classification, including 57 FRI, 18 FRII and 6 uncertain sources.

The final list, including the complementary samples, contains 1114 sources and is 75.9% complete for redshift information and 94.2% complete for radio morphologies. It includes a total of 136 FRI (78 confirmed, 58 possible) and 571 FRII (477 confirmed, 94 possible) sources, making it one of the largest, most comprehensive databases of morphologically-classified radio sources and an important tool in the study of AGN space-densities.

6 SOURCE STATISTICS AND EVOLUTION

The main goal of CoNFIG is to produce a comprehensive catalogue of morphologically-classified radio sources to be used in the modeling of the radio luminosity function of AGN, in order to investigate their evolution and the role of the different types in feedback processes. For this purpose, we computed the luminosity distributions and source counts based on morphological classification, to be used in the RLF modeling.

6.1 Luminosity distribution and the P-z plane

The luminosity distribution is computed for each morphological type (FRI, FRII, C and U) for sources with available redshift information, using the 1.4-GHz flux density and spectral index values of each source. When the latter was unavailable, a value of $\alpha = -0.8$ was used. This introduced a minimal bias in the results, since extended sources in the CoNFIG samples have a median spectral index of -0.75 and less than 6% of them have $\alpha \geqslant -0.5$. Finally, sources with no redshift information were included, with redshifts as estimated in §4.2, and the resulting distributions are shown in Fig. 7.

A wide coverage of the P-z plane is essential to any modeling of the radio luminosity function (Rawlings 2002). The combination of CoNFIG, 3CRR, CENSORS and the Lynx & Hercules samples covers a large range of luminosity and redshift (Fig. 8 and 9), providing a powerful basis from which to study FRI and FRII sources.

6.2 Source counts

The morphologically-dependent source counts (Fig. 10) were compiled as described by Gendre & Wall (2008), from the CoNFIG and complementary samples.

As seen in Fig. 7, uncertain sources (which are extended but uncertain to whether they are FRI or FRII) have a luminosity distribution closer to that of FRII sources than FRI sources. Thus, we make the assumption to include uncertain sources into the FRII morphology group for the source count. This inclusion does not make any significant change from the source count of FRII sources only.

The FRII sources dominate the total count, except at low flux densities (log$S_{1.4\mathrm{GHz}}\lesssim -1.6$), where the FRI sources suddenly take over, constituting a significant portion of the mJy and sub-mJy sources in contrast to FRII sources. Since



Figure 6. Redshift distribution of the sources in the CoNFIG catalogue for each morphological type. Sources with spectroscopic, photometric *photoz2*, K_S-z estimated and SDSS *mag*-z estimated redshifts are represented by the red solid, blue cross-hatched, green solid and purple diagonally hatched columns. The estimated contribution from sources with no redshift information available (§4.2) is shown in black vertically hatched columns.

Table 6. CoNFIG-1 Data Table (example)

(1)	(2)		(3)	(4)	(5)	(6)		(7)	(8)	(9)	(10)		(11)	(12)	(13)	(14)	(15)	(16)
1	07 13 38.15	+43 49 17.20	B0710+439	2011.4	0.82	C*		0.5180	0.0010	S	07 13 38.10	+43 49 17.00^{o}						
2	07 14 24.80	+35 34 39.90	B0711+35	1467.1	0.41	C*		1.6260		S	07 14 24.82	+35 34 39.80^{o}						
3	07 16 41.09	+53 23 10.30	4C 53.16	1501.4	−0.63	II	p	0.0643	0.0001	S	07 16 41.21	+53 23 09.60						10.2^{e}
4	07 35 55.54	+33 07 09.60	4C 33.21	2473.1	−0.56	C		0.7010	0.0939	P	07 35 55.57	+33 07 09.59	21.9	21.1	20.5	19.6	19.7	
5	07 41 10.70	+31 12 00.40	J0741+3111	2284.3	0.38	C*		0.6300	0.0014	S	07 41 10.71	+31 12 00.22	17.0	16.5	16.6	16.6	16.7	14.0
6	07 45 42.13	+31 42 52.60	4C 31.30	1357.8	−0.55	II	c	0.4608	0.0004	S	07 45 41.67	+31 42 56.70	15.7	15.5	15.6	15.4	15.3	12.9
7	07 49 48.10	+55 54 21.00	DA 240	1660.4	−0.44	II	c	0.0360	0.0001	S	07 48 34.70	+55 48 59.00^{o}						
8	07 58 28.60	+37 47 13.80	NGC 2484	2717.9	−0.68	I	c	0.0408	0.0002	S	07 58 28.11	+37 47 11.87	15.7	13.8	12.9	12.5	12.2	9.9^{e}
9	07 59 47.26	+37 38 50.20	4C 37.21	1691.2	−0.84	II	c											
10	08 01 35.32	+50 09 43.00	TXS 0757+503	1471.7	−1.02	II	p	0.4855	0.0419	P	08 01 35.35	+50 09 43.99	22.2	21.6	20.6	20.0	19.3	
11	08 05 31.31	+24 10 21.30	3C 192	5330.6	−0.67	II	c	0.0600		S	08 05 35.00	+24 09 50.36	18.1	16.2	15.4	14.9	14.6	12.4^{e}
12	08 10 03.67	+42 28 04.00	3C 194	2056.6	−0.78	II	c	1.1840		S	08 10 03.60	+42 28 04.00^{o}						
13	08 12 59.48	+32 43 05.60	4C 32.24	1522.5	−0.68	II	c	0.4306	0.0047	I	08 13 0.27	+32 42 43.71	22.0	20.7	19.8	19.0	18.4	
14	08 13 36.07	+48 13 01.90	3C 196	15010.0	−0.75	II	c	0.8710		S	08 13 36.07	+48 13 02.64	18.6	17.9	17.7	17.5	17.3	14.8
15	08 19 47.55	+52 32 29.50	4C 52.18	2104.2	−0.62	II	c	0.1890		S	08 19 47.51	+52 32 27.13	20.7	19.0	17.9	17.4	17.0	
16	08 21 33.77	+47 02 35.70	3C 197.1	1787.1	−0.75	II	c	0.1280	0.0012	S	08 21 33.61	+47 02 37.36	19.1	17.7	16.8	16.3	16.0	13.5^{e}
17	08 21 44.02	+17 48 20.50	4C 17.44	1875.1	−0.57	C		0.2960	0.0002	S	08 21 44.02	+17 48 20.30	21.0	19.6	18.1	17.6	17.2	14.9
18	08 23 24.72	+22 23 03.70	4C 22.21	2272.4	−0.34	C*		2.2103	0.0013	S	08 23 24.76	+22 23 03.30	20.3	19.8	19.3	18.9	18.5	15.4
19	08 24 47.27	+55 52 42.60	4C 56.16A	1449.4	−0.25	C*		1.4181	0.0016	S	08 24 47.24	+55 52 42.71	18.2	18.1	17.9	17.8	17.8	
20	08 24 55.43	+39 16 41.80	4C 39.23	1480.8	−0.56	C*		1.2160	0.0010	S	08 24 55.48	+39 16 41.92	18.3	18.1	17.8	17.6	17.3	14.2
21	08 27 25.40	+29 18 44.80	3C 200	2043.1	−0.92	II	c	0.4580		S	08 27 25.38	+29 18 45.04	21.7	20.4	19.1	18.5	18.0	15.3
22	08 31 10.00	+37 42 09.90	4C 37.24	2259.6	−0.65	C		0.9188	0.0014	S	08 31 10.01	+37 42 09.58	19.2	18.7	18.6	18.6	18.4	
23	08 33 18.80	+51 03 07.80	4C 51.25	1313.5	−0.81	II	c	0.5621	0.0419	P	08 33 18.72	+51 03 06.88	26.9	22.3	20.5	19.6	19.2	
24	08 34 48.37	+17 00 46.10	3C 202	1882.8	−0.72	II	c	0.6237	0.1740	P	08 34 48.22	+17 00 42.44	23.0	22.4	21.7	21.1	21.9	
25	08 34 54.91	+55 34 21.00	4C 55.16	8283.1	−0.01	C		0.2412	0.0014	S	08 34 54.90	+55 34 21.11	19.6	17.9	16.7	16.1	15.8	
26	08 37 53.51	+44 50 54.60	4C 45.17	1528.9	−0.60	II	c	0.2072	0.0009	S	08 37 52.76	+44 50 25.95	20.3	18.4	17.1	16.6	16.2	14.0
27	08 39 06.50	+57 54 13.40	3C 205	2257.7	−0.86	II	c	1.5360		S	08 39 06.54	+57 54 17.06	17.9	17.4	17.0	16.6	16.5	14.5
28	08 40 47.70	+13 12 23.90	3C 207	2613.0	−0.81	II	c	0.6804	0.0010	S	08 40 47.59	+13 12 23.62	18.7	18.1	18.0	17.9	17.7	15.0
29	08 43 31.63	+42 15 29.70	B3 0840+424A	1409.7	−0.41	C*		0.8393	0.1758	P	08 43 31.64	+42 15 29.38	25.6	22.6	21.3	21.3	20.2	
30	08 47 53.83	+53 52 36.80	NGC 2656	1542.3	−0.58	I	p	0.0453	0.0002	S	08 47 53.07	+53 52 34.25	16.3	14.3	13.4	13.0	12.7	10.4^{e}
31	08 47 57.00	+31 48 40.50	4C 31.32	1482.0	−0.52	II	c	0.0673	0.0003	S	08 47 59.05	+31 47 08.34	16.5	14.5	13.6	13.2	12.9	12.8
32	08 53 08.83	+13 52 55.30	3C 208	2364.3	−0.97	II	c	1.1115	0.0014	S	08 53 08.61	+13 52 54.84	17.9	17.9	17.6	17.6	17.8	
33	08 54 39.35	+14 05 52.10	3C 208.1	2163.8	−0.71	II^{c}	p	1.0200		S	08 54 39.32	+14 05 51.86	19.8	19.6	19.3	19.3	19.2	
34	08 54 48.87	+20 06 30.70	PKS 0851+202	1511.8	0.21	C*		0.4190	0.0016	S	08 54 48.87	+20 06 30.71	16.4	15.8	15.4	15.0	14.7	11.8^{e}
35	08 57 40.64	+34 04 06.40	3C 211	1798.4	−0.77	II	c	0.4789	0.0618	P	08 57 40.28	+34 04 04.91	22.8	21.9	20.6	19.8	19.4	
36	08 58 10.07	+27 50 50.80	3C 210	1807.8	−0.83	II	c	1.1690		S	08 58 10.04	+27 50 54.17	23.3	22.6	21.5	21.0	20.2	
37	08 58 41.51	+14 09 43.80	3C 212	2370.8	−0.87	II	c	1.0430		S	08 58 41.45	+14 09 44.78	21.0	20.0	19.1	18.8	18.6	15.3
38	09 01 05.40	+29 01 45.70	3C 213.1	2003.4	−0.58	II	p	0.1940	0.0002	S	09 01 05.26	+29 01 46.92	20.1	18.5	17.6	17.1	16.9	15.2
39	09 03 04.04	+46 51 04.70	4C 47.29	1754.9	−0.39	C*		1.4710	0.0024	S	09 03 04.01	+46 51 04.21	19.3	19.3	18.9	18.7	18.7	
40	09 06 31.88	+16 46 13.00	3C 215	1586.2	−0.95	II	c	0.4115	0.0003	S	09 06 31.80	+16 46 12.00	25.1	22.3	22.6	20.8	21.0	15.5
41	09 07 34.92	+41 34 53.80	4C 41.19	1394.5	−0.70	II	c	0.4783	0.0379	P	09 07 33.18	+41 34 44.10	21.9	20.5	19.1	18.3	18.0	
42	09 08 50.56	+37 48 20.20	3C 217	2086.4	−0.95	II	c	0.8980		S	09 08 50.67	+37 48 19.69	22.3	22.2	21.2	20.3	19.8	
43	09 09 33.53	+42 53 47.40	3C 216	4233.8	−0.77	S*		0.6700	0.0014	S	09 09 33.50	+42 53 46.50	19.9	19.3	18.7	18.3	18.0	14.6
44	09 12 04.00	+16 18 29.70	4C 16.27	1374.6	−0.77	II	c	0.9182	0.4087	P	09 12 03.99	+16 18 29.99	21.6	21.7	21.8	22.0	22.5	
45	09 14 04.83	+17 15 52.40	4C 17.48	1527.3	−0.74	II	c	0.5395	0.0291	P	09 14 5.21	+17 15 54.35	24.3	21.0	19.7	18.6	18.4	
46	09 21 07.54	+45 38 45.70	3C 219	8101.6	−0.79	II	c	0.1744	0.0012	S	09 21 08.62	+45 38 57.39	19.2	17.9	16.7	16.3	16.0	13.1^{e}
47	09 22 49.93	+53 02 21.20	4C 53.18	1597.8	−0.77	II	c	0.5974	0.1361	P	09 22 49.90	+53 02 21.00	23.5	25.3	21.9	20.9	20.2	
48	09 27 03.04	+39 02 20.70	4C 39.25	2884.6	−0.29	C*		0.6967	0.0019	S	09 27 03.01	+39 02 20.87	17.0	16.7	16.6	16.7	16.6	14.0
49	09 30 33.45	+36 01 23.60	3C 220.2	1875.1	−0.68	II	c	1.1570	0.0013	S	09 30 33.54	+36 01 25.18	18.6	18.3	17.8	17.6	17.6	15.8



Figure 7. Luminosity distributions for compact and extended (FRI, FRII and uncertain) sources. The cross-hatched columns represent the estimated contribution to each luminosity bin of sources with no redshift information available, following the method presented in §4.2



Figure 8. P-z plane coverage for the four CoNFIG samples, as well as the 3CRR, CENSORS and Lynx & Hercules samples, by radio-morphological type (limited only to sources with estimated redshifts). The dot-dashed lines show the survey limits for each sample. Sources are identified by their radio morphological classification: FRIs, FRIIs, uncertain and compact sources are represented by blue stars, red circles, green dots and black crosses respectively.

most of the FRI count at low flux densities is composed of low-luminosity sources at low redshift, our results show that FRI objects must undergo some mild evolution. This is consistent with the results of Sadler et al. (2007), who studied low power sources in the 2SLAQ survey (Richards et al. 2005) and found evidence that FRIs undergo significant evolution over $z < 0.7$. Our results also show that FRIs undergo less evolution than FRIIs, and they do not participate much in the source-count “evolution bump” around $S_{1.4\mathrm{GHz}}{\sim}1$ Jy.



Figure 9. P-z plane coverage for the four CoNFIG samples, as well as the 3CRR, CENSORS and Lynx & Hercules samples, by redshift type. The dot-dashed lines show the survey limits for each sample. Sources are identified by their redshift type: spectroscopic, SDSS *photoz2* photometric, K_S-z estimated and SDSS *mag*-z estimated redshift are represented by orange asterisks, blue squares, red triangles and pink circles respectively. Sources with approximated redshifts, as described in §4.2, are represented by purple crosses.



Figure 10. Relative differential source counts $\Delta N/\Delta N_0$ for FRI (blue triangles) and FRII+uncertain (red squares) sources. The count for FRII sources only is shown in orange squares, to illustrate the possible bias due to the inclusion of uncertain sources in the FRII group. Here, the normalization is given by $\Delta N_0 = 3618\Delta(S^{-1.5})$ (Jackson & Wall 1999) and the error bars correspond to $\sqrt{N}$ where N is the number of objects in each bin. The counts are fitted by a polynomial (dashed lines) to indicate the shapes of the counts. A 1.4-GHz source count, compiled from the data of Bridle et al. (1972), Machalski (1978), Hopkins et al. (2003) and Prandoni et al. (2001), is represented with crosses for comparison.

This is in agreement with previous investigations stretching back to Longair (1966).

6.3 The local FRI/FRII RLFs

The radio luminosity functions (RLF) were computed using the $1/V_{max}$ technique, in which, for each P-z bin, the space density of sources is given by:

$$\rho = \sum_{i=1}^{N} \frac{1}{V_i} \qquad \sigma^2 = \sum_{i=1}^{N} \frac{1}{V_i^2} \tag{7}$$

where V_i is the largest volume in which the source could be observe in bin i.

The general local radio luminosity function, defined here as the RLF for z⩽0.3, is displayed in Fig. 11. It is consistent with both the LRLF of the 2dF survey (Sadler et al. 2002) and the SDSS (Best et al. 2005), and extends to significantly larger luminosities, because of the larger area covered by our bright samples.

In addition, the luminosity functions at z=1.0 (in the interval z=[0.8;1.5]) and at z=2.0 (in the interval z=[1.2;2.5]) were computed and compared with modelled RLFs from Dunlop & Peacock (1990) and Willott et al. (2001) at z=1.0. The CoNFIG RLF agrees well with both models.

The LRLFs for each population were computed and fitted, using the method of least-squares, by a broken power law, to provide parametric representations:

$$\rho(P) = \rho_0 \left[\left(\frac{P}{P^*} \right)^{\alpha} + \left(\frac{P}{P^*} \right)^{\beta} \right]^{-1} \tag{8}$$

where log(P^*)=24.0 is the break luminosity, determined by visual inspection of the LRLFs. These LRLF models are plotted in Fig. 12.

The FRI and FRII LRLFs show apparent differences, such as the flattening of the FRII LRLF at lower powers and the steeper slope of the FRI LRLF at higher power.Overall, these LRLFs suggest that, locally, FRI and FRII sources constitute two distinct populations. However, these local



Figure 11. Luminosity function $\rho(P)$ computed from the four CoNFIG samples, as well as the 3CRR, CENSORS and Lynx & Hercules samples. The radio local luminosity function (LRLF) for z<0.3 for all extended sources is represented by green open squares. The LRLF is consistent with both the LRLF of the 2dF survey (Sadler et al. 2002) and the SDSS (Best et al. 2005), shown by solid and dotted lines respectively. In addition, the luminosity functions at z=1.0 (in the interval z=[0.8;1.5]) and at z=2.0 (in the interval z=[1.2;2.5]) are displayed by pink diamonds and purple dots respectively. For comparison, the modelled RLFs from Dunlop & Peacock (1990) and Willott et al. (2001) at z=1.0 are displayed in dot-dashed and triple-dot-dashed lines respectively.



Figure 12. Local luminosity function $\rho(P)$ for FRIs and FRIIs, represented by blue stars and red triangles respectively. The values for both confirmed and possible FRI/FRII are shown by filled symbols and thick error bars, whereas the values for confirmed FRI/FRII only are displayed with open symbols and thin error bars. Data are fitted by a broken power law, described by Equ.8.

space densities do not indicate any sharp luminosity divide between FRIs and FRIIs: at higher power ($logP_{1.4GHz} \gtrsim 25.0$) the FRII LRLF is only a factor of ∼3-4 higher than for FRIs and the two population show a large degree of overlap at intermediate powers.

Because most of the approximate redshifts (§ 4.2) are greater than z=0.3, the results of the LRLF are completely unaffected by redshift uncertainties.



Figure 13. Space density enhancement for confirmed+possible FRI sources for different redshift bins: z=[0.3:0.8] in green triangles, z=[0.8:1.5] in red stars and z=[1.2:2.5] in blue squares. An enhancement of a factor of 7 to 10 is seen at z=1.0 for high luminosity sources ($logP_{1.4\ GHz} \geqslant$24.5 W/Hz/sr), in agreement with Rigby, Best & Snellen (2008). This enhancement appears to continue to higher redshifts.

6.4 FRI/FRII evolution

The RLF for combined confirmed and possible sources for each population was then computed for different redshift bins (z=[0.3;0.8], z=[0.8;1.5] and z=[1.2;2.5]). In order to account for data with no redshift information, the random redshift assignment technique described in §4.2 was used. This process was repeated 1000 times and the final RLF was computed by averaging the results.

For each population, the space-density enhancement above the local value was computed. FRI sources (Fig.13) show an enhancement of a factor of 7 to 10 in the interval z=[0.8;1.5] for high luminosity sources ($logP_{1.4GHz} \geqslant$24.0 W/Hz/sr), in agreement with the results of Rigby, Best & Snellen (2008). This enhancement remains present at redshifts up to 2.5.

A comparison of the space-density enhancement for FRI and FRII sources in the same redshift bins is shown in Fig.14. The overall behaviour of the enhancement with luminosity of FRI and FRII sources is very similar, with little or no enhancement in the interval z=[0.3;0.8] and up to a factor of 10 enhancement for higher luminosity sources in higher redshift bins. Both populations show similar enhancement history, hinting at a common mechanism governing the luminosity-dependent evolution. The RLFs were also computed for confirmed source only, and show the same overall trends.

In Fig. 15, we investigated the impact of the approximate redshift selection method. We compared RLFs in the ranges z=[0.8;1.5] and z=[1.2;2.5] from the CoNFIG FRII sub-sample, where the approximate redshifts were drawn using the distributions in which all sources with no redshift were either distributed homogeneously within the given range (to estimate the maximum space densities) or ignored(equivalent to setting all of them outside this range, hence giving minimum space densities)



Figure 14. Comparison of the space density enhancement between confirmed+possible FRI (blue stars) and FRII (red triangles) sources, for different redshift bins (z=[0.3:0.8], z=[0.8:1.5] and z=[1.2:2.5]). For FRIs with $logP_{1.4\ GHz} \geqslant 26.0$ and FRIIs with $logP_{1.4\ GHz} \leqslant 23.0$ and $logP_{1.4\ GHz} \geqslant 27.0$, the value of the LRLF was extrapolated from the power law fit described in §6.4. Both populations show similar enhancement history, hinting at a common mechanism governing the luminosity-dependent evolution.



Figure 15. FRII RLFs in the ranges z=[0.8;1.5] and z=[1.2;2.5]where the approximate redshifts were drawn using various distributions, in which all sources with no redshift were either approximated as described in § 4.2 (orange stars), distributed homogeneously in the given range (blue dots) or ignored (purple triangles).

In the range z=[0.8;1.5], the RLFs computed using approximate redshifts distributed homogeneously and ignored differ by a factor of 2.5, which is comparable to the size of the error estimates in the LRLF and RLF computed in this paper. The data and method therefore give a reasonably reliable estimate of the RLF in this redshift range, across all radio powers.

In the range z=[1.2;2.5] the approximate redshifts distribution method used in this paper gives results close to the maximal density calculated, whilst the minimal density lies significantly below this at high radio powers. This is because most of the approximated redshifts lie in this redshift range (as expected since the sources have z_{lim} 1) so the minimal density method provides a significant underestimate. The data allow an acceptable estimate of the RLF in this redshift range, but at higher powers ($logP_{1.4GHz} \geqslant 26.0$) significant uncertainties remain.

7 SUMMARY

In this paper, we first described the latest steps in the construction of the CoNFIG catalogue, including new VLA observations. The catalogue now consists of 859 sources in 4 samples (CoNFIG-1, 2, 3 and 4 with flux density limits $S_{1.4\mathrm{GHz}}$=1.3, 0.8, 0.2 and 0.05 Jy respectively) and is 95.7% complete for radio morphologies. 74.3% of the sources have redshift information. Optical counterpart identifications were obtained from the SDSS and 2MASS catalogues for 74.6% and 26.8% of the sources respectively. Spectroscopic redshift information was retrieved from SDSS and the SIMBAD database, while photometric redshifts (or redshift estimates) were compiled from the SDSS *photoz2* catalogue, or using a K_S-z or SDSS *mag*-z relation.

Combining CoNFIG with 3CRR, CENSORS and the Lynx & Hercules samples, the comparative distribution and evolution of FRI and FRII sources were investigated. The conclusions of this preliminary study are as follows:

- The FRII sources dominate the total count, except at low flux densities (log$S_{1.4\mathrm{GHz}} \lesssim -1.6$), where the FRI sources suddenly take over, constituting a significant portion of the mJy and sub-mJy sources in contrast to FRII sources.
- The FRI and FRII LRLFs show apparent differences, suggesting that, locally, FRI and FRII sources constitute two distinct populations. However, they do not indicate any sharp luminosity divide between FRIs and FRIIs.
- The FRI RLF shows an enhancement of a factor 7-10 over the local value, which continues to higher redshifts. This result is in agreement with the findings of Rigby, Best & Snellen (2008).
- The comparison of space density enhancement between FRI and FRII sources at various redshifts does not show any significant differences, suggesting a common mechanism governing the luminosity-dependent evolution.

ACKNOWLEDGEMENTS

This work was supported by the National Sciences and Engineering Research Council of Canada (MAG and JVW). PNB is grateful for support from the Leverhulme Trust.

The National Radio Astronomy Observatory is a facility of the National Science Foundation operated under cooperative agreement by Associated Universities, Inc.

This research has made use of the SIMBAD database,operated at CDS, Strasbourg, France.

This publication makes use of SDSS data products. The SDSS Web Site is http://www.sdss.org/. Funding for the SDSS and SDSS-II has been provided by the Alfred P. Sloan Foundation, the Participating Institutions, the National Science Foundation, the U.S. Department of Energy, the National Aeronautics and Space Administration, the Japanese Monbukagakusho, the Max Planck Society, and the Higher Education Funding Council for England. The SDSS Web Site is http://www.sdss.org/.

This publication makes use of data products from the Two Micron All Sky Survey, which is a joint project of the University of Massachusetts and the Infrared Processing and Analysis Center/California Institute of Technology, funded by the National Aeronautics and Space Administration and the National Science Foundation.

REFERENCES

Abazajian, K. N., et al., 2009, *Astroph. J.Sup. S.*, 182, 543

Antonuccio-Delogu, V. & Silk, J., 2008, *Mon. Not. R. Astr. Soc.*, 389, 1750

Baum, S. A. & Heckman, T. M., 1989, *Astroph. J.*, 336, 681

Beasley, A. J., et al., 2002, *Astroph. J. Sup.*, 141, 13

Best, P. N., Arts, J. N., Röttgering, H. J. A., et al. 2003, *Mon. Not. R. Astr. Soc.*, 346, 627

Best, P. N., Kauffmann, G., Heckman, T. M. & Ivezić, Z., 2005, *Mon. Not. R. Astr. Soc.*, 362, 9

Best, P. N., Kaiser, C. R., Heckman, T. M., & Kauffmann, G., 2006, *Mon. Not. R. Astr. Soc.*, 368, 67

Bicknell, G. V., 1995, *Astron. J.Sup. S.*, 101, 29

Bridle, A. H., Davis, M. M., Fomalont, E. B. & Lequeux, J., 1972, *Astron. J.*, 77, 1401

Brookes, M. H., Best, P. N., Rengelink, R. & Röttgering, H. J. A., 2006, *Mon. Not. R. Astr. Soc.*, 366, 1265

Capetti, A. et al., 1995, *Astron. Astrophys.*, 300, 643

Condon, J. J., et al., 1998, *Astroph. J.*, 115, 1693

Cowie, L. L. et al., 1996, *Astron. J.*, 112, 839

Douglas J. N., et al., 1996, *Astron. J.*, 111, 1945

Dunlop, J. S. & Peacock, J. A., 1990, *Mon. Not. R. Astr. Soc.*, 247, 19

Fanaroff, B. L. & Riley, J. M., 1974, *Mon. Not. R. Astr. Soc.*, 167, 31P

Fomalont, E., et al., 2003, *Astron. J.*, 126, 2562

Gendre, M. A. & Wall, J. V., 2008, *Mon. Not. R. Astr. Soc.*, 390, 819

Granato, G. L. et al., 2001, *Mon. Not. R. Astr. Soc.*, 324, 757

Hill, G. J. & Lilly, S. J., 1991, *Astroph. J.*, 367, 1

Hopkins, A. M., et al., 2003, *Astron. J.*, 125, 465

Jackson, C. A. & Wall, J. V., 1999, *Mon. Not. R. Astr. Soc.*, 304, 160

Kimball, A. E. & Ivezić, Z., 2008, *Astron. J.*, 136, 684

Klamer, I. J., Ekers, R. D., Sadler, E. M. & Hunstead, R. W., *Astroph. J.*, 612, 97

Kovalev, Y. Y., et al., 2007, *Astron. J.*, 133, 1236

Laing, R. A., Riley, J. M. & Longair, M. S., 1983, *Mon. Not. R. Astr. Soc.*, 204, 151

Leahy J. P., 1993, in Rser H.-J., Meisenheimer K., eds, Jets in Extragalactic Radio Sources. Springer-Verlag, Heidelberg, p.1

Longair, M. S., 1966, *Mon. Not. R. Astr. Soc.*, 133, 421

Machalski, J., 1978, *Astron. Astrophys.*, 65, 157

Oyaizu, H., et al., 2008, *Astroph. J.*, 674, 7680

Parma, P., et al., 1992, in Astrophysical Jets, Poster Papers from the Space Telescope Science Institute Symposium, eds. D. Burgarella, M. Livio, and C. O'Dea (Baltimore, Space Telescope Science Institute), p. 30

Pearson, T. J. & Readhead, A. C. S., 1988, *Astroph. J.*, 328, 114

Petrov, L., et al., 2006, *Astron. J.*, 131, 1872

Prandoni, I., et al., 2001, *Astron. Astrophys.*, 365, 392

Quilis, V., Bower, R. G. & Balogh, M. L., 2001, *Mon. Not. R. Astr. Soc.*, 328, 1091

Rawlings, S. et al. , 1989, *Mon. Not. R. Astr. Soc.*, 240, 701

Rawlings, S., 2002, *IAU Symp.*, 199, 34

Richards, G. T. et al., 2005, *Mon. Not. R. Astr. Soc.*, 360, 839

Rigby, E. E., Snellen, I. A. G. & Best, P. N., 2007, *Mon. Not. R. Astr. Soc.*, 380, 1449

Rigby, E. E., Best, P. N. & Snellen, I. A. G., 2008, *Mon. Not. R. Astr. Soc.*, 385, 310

Sadler, E. M., et al., 2002, *Mon. Not. R. Astr. Soc.*, 329, 227

Sadler E. M. et al., 2007, *Mon. Not. R. Astr. Soc.*381, 211

Silk, J. & Rees, M. J., *Astron. Astrophys.*, 331, 1

Schawinski, K., et al., 2009, *Astron. J.*, 690, 1672

Skrutskie, M. F., et al., 2006, *Astron. J.*, 131, 1163

Snellen, I. A. G. & Best, P. N., 2001, *Mon. Not. R. Astr. Soc.*, 328, 897

van Breugel, W. et al., 2004, *Int. Astr. Un. Symp. Proc.*, 222, 485

Veron-Cetty M. P. & Veron P., 1983, *Astron. Astrophys.Sup.*, 53, 219

Wall, J. V. & Jackson, C. A., 1997, *Mon. Not. R. Astr. Soc.*, 290, 17

White, R. L., et al., 1997, *Astroph. J.*, 475, 479

Willott, C. J., Rawlings, S., Blundell, K. M. & Lacy, M., 2001, *Mon. Not. R. Astr. Soc.*, 322, 536

Willott, C. J., Rawlings, S., Jarvis, M. J. & Blundell, K. M., 2003, *Mon. Not. R. Astr. Soc.*, 339, 173

York, D. G., et al. 2000, *Astron. J.*, 120, 1579

APPENDIX A: THE CONFIG CATALOGUE

A1 CoNFIG Samples

Data for the four CoNFIG samples.The RA and DEC gives the NVSS position of the source.

Columns:
(1) CoNFIG number.
(2) NVSS radio position RA and DEC. For sources with several NVSS component, the coordinates correspond to one of the component.
(3) Name.
(4) Flux density $S_{1.4\mathrm{GHz}}$in mJy.
(5) Spectral index α.
The spectral index α (where $S_\nu^\alpha \propto \nu^\alpha$) corresponds to α_{low} as defined in §2.2.
(6) Morphological type.
Designations I and II are Fanaroff & Riley (1974) types. The sources of C* type are confirmed compact sources from the VLBA calibrator list (see Beasley et al. 2002; Fomalont et al. 2003; Petrov et al. 2006; Kovalev et al. 2007) or the Pearson-Readhead survey (Pearson & Readhead 1988). Sources of S* type are confirmed compact sources which show a steep ($\alpha \leqslant -0.6$) spectral index. These are probably CSS sources. Sources of U type have uncertain morphology. They look compact with a steep spectral index, but are most likely extended.
In addition to the main morphological classification, extended sources of type I and II are assigned a sub-classification (confirmed - c - or possible - p) depending on how clearly the source showed either FRI or FRII characteristics.
Superscripts w denotes Wide Angle Tail sources and c possible core-jet sources.
(7) Redshift.
(8) Error in redshift.
(9) Redshift type.
S - spectroscopic redshift; P - SDSS *photoz2* photometric redshift; K - 2MASS K_S-z estimate; I - SDSS *i*-z estimate; Z - SDSS *z*-z estimate; R - SDSS *r*-z estimate; G - SDSS *g*-z estimate.
(10) Optical counterpart RA and DEC. Superscript o denotes sources for which the identification was found in another catalogue than SDSS or 2MASS, such as (Veron-Cetty & Veron 1983).
(11) SDSS u magnitude.
(12) SDSS g magnitude.
(13) SDSS r magnitude.
(14) SDSS i magnitude.
(15) SDSS z magnitude.
(16) 2MASS K_S magnitude. Superscript e denotes sources from the 2MASS extended catalogue.

CoNFIG-1 Data Table

(1)	(2)		(3)	(4)	(5)	(6)		(7)	(8)	(9)	(10)		(11)	(12)	(13)	(14)	(15)	(16)
1	07 13 38.15	+43 49 17.20	B0710+439	2011.4	0.82	C*		0.5180	0.0010	S	07 13 38.10	+43 49 17.00^o						
2	07 14 24.80	+35 34 39.90	B0711+35	1467.1	0.41	C*		1.6260		S	07 14 24.82	+35 34 39.80^o						
3	07 16 41.09	+53 23 10.30	4C 53.16	1501.4	−0.63	II	p	0.0643	0.0001	S	07 16 41.21	+53 23 09.60						10.2^e
4	07 35 55.54	+33 07 09.60	4C 33.21	2473.1	−0.56	C		0.7010	0.0939	P	07 35 55.57	+33 07 09.59	21.9	21.1	20.5	19.6	19.7	
5	07 41 10.70	+31 12 00.40	J0741+3111	2284.3	0.38	C*		0.6300	0.0014	S	07 41 10.71	+31 12 00.22	17.0	16.5	16.6	16.6	16.7	14.0
6	07 45 42.13	+31 42 52.60	4C 31.30	1357.8	−0.55	II	c	0.4608	0.0004	S	07 45 41.67	+31 42 56.70	15.7	15.5	15.6	15.4	15.3	12.9
7	07 49 48.10	+55 54 21.00	DA 240	1660.4	−0.44	II	c	0.0360	0.0001	S	07 48 34.70	+55 48 59.00^o						
8	07 58 28.60	+37 47 13.80	NGC 2484	2717.9	−0.68	I	c	0.0408	0.0002	S	07 58 28.11	+37 47 11.87	15.7	13.8	12.9	12.5	12.2	9.9^e
9	07 59 47.26	+37 38 50.20	4C 37.21	1691.2	−0.84	II	c											
10	08 01 35.32	+50 09 43.00	TXS 0757+503	1471.7	−1.02	II	p	0.4855	0.0419	P	08 01 35.35	+50 09 43.99	22.2	21.6	20.6	20.0	19.3	
11	08 05 31.31	+24 10 21.30	3C 192	5330.6	−0.67	II	c	0.0600		S	08 05 35.00	+24 09 50.36	18.1	16.2	15.4	14.9	14.6	12.4^e
12	08 10 03.67	+42 28 04.00	3C 194	2056.6	−0.78	II	c	1.1840		S	08 10 03.60	+42 28 04.00^o						
13	08 12 59.48	+32 43 05.60	4C 32.24	1522.5	−0.68	II	c	0.4306	0.0047	I	08 13 0.27	+32 42 43.71	22.0	20.7	19.8	19.0	18.4	
14	08 13 36.07	+48 13 01.90	3C 196	15010.0	−0.75	II	c	0.8710		S	08 13 36.07	+48 13 02.64	18.6	17.9	17.7	17.5	17.3	14.8
15	08 19 47.55	+52 32 29.50	4C 52.18	2104.2	−0.62	II	c	0.1890		S	08 19 47.51	+52 32 27.13	20.7	19.0	17.9	17.4	17.0	
16	08 21 33.77	+47 02 35.70	3C 197.1	1787.1	−0.75	II	c	0.1280	0.0012	S	08 21 33.61	+47 02 37.36	19.1	17.7	16.8	16.3	16.0	13.5^e
17	08 21 44.02	+17 48 20.50	4C 17.44	1875.1	−0.57	C		0.2960	0.0002	S	08 21 44.02	+17 48 20.30	21.0	19.6	18.1	17.6	17.2	14.9
18	08 23 24.72	+22 23 03.70	4C 22.21	2272.4	−0.34	C*		2.2103	0.0013	S	08 23 24.76	+22 23 03.30	20.3	19.8	19.3	18.9	18.5	15.4
19	08 24 47.27	+55 52 42.60	4C 56.16A	1449.4	−0.25	C*		1.4181	0.0016	S	08 24 47.24	+55 52 42.71	18.2	18.1	17.9	17.8	17.8	
20	08 24 55.43	+39 16 41.80	4C 39.23	1480.8	−0.56	C*		1.2160	0.0010	S	08 24 55.48	+39 16 41.92	18.3	18.1	17.8	17.6	17.3	14.2
21	08 27 25.40	+29 18 44.80	3C 200	2043.1	−0.92	II	c	0.4580		S	08 27 25.38	+29 18 45.04	21.7	20.4	19.1	18.5	18.0	15.3
22	08 31 10.00	+37 42 09.90	4C 37.24	2259.6	−0.65	C		0.9188	0.0014	S	08 31 10.01	+37 42 09.58	19.2	18.7	18.6	18.6	18.4	
23	08 33 18.80	+51 03 07.80	4C 51.25	1313.5	−0.81	II	c	0.5621	0.0419	P	08 33 18.72	+51 03 06.88	26.9	22.3	20.5	19.6	19.2	
24	08 34 48.37	+17 00 46.10	3C 202	1882.8	−0.72	II	c	0.6237	0.1740	P	08 34 48.22	+17 00 42.44	23.0	22.4	21.7	21.1	21.9	
25	08 34 54.91	+55 34 21.00	4C 55.16	8283.1	−0.01	C		0.2412	0.0014	S	08 34 54.90	+55 34 21.11	19.6	17.9	16.7	16.1	15.8	
26	08 37 53.51	+44 50 54.60	4C 45.17	1528.9	−0.60	II	c	0.2072	0.0009	S	08 37 52.76	+44 50 25.95	20.3	18.4	17.1	16.6	16.2	14.0
27	08 39 06.50	+57 54 13.40	3C 205	2257.7	−0.86	II	c	1.5360		S	08 39 06.54	+57 54 17.06	17.9	17.4	17.0	16.6	16.5	14.5
28	08 40 47.70	+13 12 23.90	3C 207	2613.0	−0.81	II	c	0.6804	0.0010	S	08 40 47.59	+13 12 23.62	18.7	18.1	18.0	17.9	17.7	15.0
29	08 43 31.63	+42 15 29.70	B3 0840+424A	1409.7	−0.41	C*		0.8393	0.1758	P	08 43 31.64	+42 15 29.38	25.6	22.6	21.3	21.3	20.2	
30	08 47 53.83	+53 52 36.80	NGC 2656	1542.3	−0.58	I	p	0.0453	0.0002	S	08 47 53.07	+53 52 34.25	16.3	14.3	13.4	13.0	12.7	10.4^e
31	08 47 57.00	+31 48 40.50	4C 31.32	1482.0	−0.52	II	c	0.0673	0.0003	S	08 47 59.05	+31 47 08.34	16.5	14.5	13.6	13.2	12.9	12.8
32	08 53 08.83	+13 52 55.30	3C 208	2364.3	−0.97	II	c	1.1115	0.0014	S	08 53 08.61	+13 52 54.84	17.9	17.9	17.6	17.6	17.8	
33	08 54 39.35	+14 05 52.10	3C 208.1	2163.8	−0.71	II^c	p	1.0200		S	08 54 39.32	+14 05 51.86	19.8	19.6	19.3	19.3	19.2	
34	08 54 48.87	+20 06 30.70	PKS 0851+202	1511.8	0.21	C*		0.4190	0.0016	S	08 54 48.87	+20 06 30.71	16.4	15.8	15.4	15.0	14.7	11.8^e
35	08 57 40.64	+34 04 06.40	3C 211	1798.4	−0.77	II	c	0.4789	0.0618	P	08 57 40.28	+34 04 04.91	22.8	21.9	20.6	19.8	19.4	
36	08 58 10.07	+27 50 50.80	3C 210	1807.8	−0.83	II	c	1.1690		S	08 58 10.04	+27 50 54.17	23.3	22.6	21.5	21.0	20.2	
37	08 58 41.51	+14 09 43.80	3C 212	2370.8	−0.87	II	c	1.0430		S	08 58 41.45	+14 09 44.78	21.0	20.0	19.1	18.8	18.6	15.3
38	09 01 05.40	+29 01 45.70	3C 213.1	2003.4	−0.58	II	p	0.1940	0.0002	S	09 01 05.26	+29 01 46.92	20.1	18.5	17.6	17.1	16.9	15.2
39	09 03 04.04	+46 51 04.70	4C 47.29	1754.9	−0.39	C*		1.4710	0.0024	S	09 03 04.01	+46 51 04.21	19.3	19.3	18.9	18.7	18.7	
40	09 06 31.88	+16 46 13.00	3C 215	1586.2	−0.95	II	c	0.4115	0.0003	S	09 06 31.80	+16 46 12.00	25.1	22.3	22.6	20.8	21.0	15.5
41	09 07 34.92	+41 34 53.80	4C 41.19	1394.5	−0.70	II	c	0.4783	0.0379	P	09 07 33.18	+41 34 44.10	21.9	20.5	19.1	18.3	18.0	
42	09 08 50.56	+37 48 20.20	3C 217	2086.4	−0.95	II	c	0.8980		S	09 08 50.67	+37 48 19.69	22.3	22.2	21.2	20.3	19.8	
43	09 09 33.53	+42 53 47.40	3C 216	4233.8	−0.77	S*		0.6700	0.0014	S	09 09 33.50	+42 53 46.50	19.9	19.3	18.7	18.3	18.0	14.6
44	09 12 04.00	+16 18 29.70	4C 16.27	1374.6	−0.77	II	c	0.9182	0.4087	P	09 12 03.99	+16 18 29.99	21.6	21.7	21.8	22.0	22.5	
45	09 14 04.83	+17 15 52.40	4C 17.48	1527.3	−0.74	II	c	0.5395	0.0291	P	09 14 5.21	+17 15 54.35	24.3	21.0	19.7	18.6	18.4	
46	09 21 07.54	+45 38 45.70	3C 219	8101.6	−0.79	II	c	0.1744	0.0012	S	09 21 08.62	+45 38 57.39	19.2	17.9	16.7	16.3	16.0	13.1^e
47	09 22 49.93	+53 02 21.20	4C 53.18	1597.8	−0.77	II	c	0.5974	0.1361	P	09 22 49.90	+53 02 21.00	23.5	25.3	21.9	20.9	20.2	
48	09 27 03.04	+39 02 20.70	4C 39.25	2884.6	−0.29	C*		0.6967	0.0019	S	09 27 03.01	+39 02 20.87	17.0	16.7	16.6	16.7	16.6	14.0
49	09 30 33.45	+36 01 23.60	3C 220.2	1875.1	−0.68	II	c	1.1570	0.0013	S	09 30 33.54	+36 01 25.18	18.6	18.3	17.8	17.6	17.6	15.8

CoNFIG-1 Data Table

(1)	(2)		(3)	(4)	(5)	(6)		(7)	(8)	(9)	(10)		(11)	(12)	(13)	(14)	(15)	(16)
50	09 39 50.20	+35 55 53.10	3C 223	3719.0	−0.65	II	c	0.1368	0.0008	S	09 39 52.76	+35 53 58.92	19.4	17.8	16.7	16.3	16.1	14.4
51	09 41 23.62	+39 44 14.10	3C 223.1	1976.8	−0.54	II	c	0.1075		S	09 41 24.02	+39 44 41.86	18.7	17.1	16.1	15.7	15.3	12.7
52	09 42 08.40	+13 51 52.20	3C 225A	1338.5		II	c	1.5650		S	09 42 08.06	+13 51 54.97	20.4	19.3	18.8	18.5	18.5	
53	09 42 15.35	+13 45 49.60	3C 225	3336.4	−1.01	II	p	0.5800		S	09 42 15.39	+13 45 50.51	21.9	21.3	20.0	19.3	19.3	
54	09 43 12.74	+02 43 27.50	4C 02.29	1331.5	−0.43	II	c	0.5920	0.0002	S	09 43 12.81	+02 43 25.86	23.3	22.4	20.9	19.8	19.7	
55	09 44 16.40	+09 46 19.20	3C 226	2393.7	−0.93	II	c	0.8178		S	09 44 16.52	+09 46 16.90	21.6	22.0	21.1	20.5	19.3	
56	09 47 47.27	+07 25 13.80	3C 227	7617.0	−0.64	II	c	0.0865	0.0018	S	09 47 45.15	+07 25 20.57	17.3	16.6	16.1	15.4	15.4	12.4
57	09 48 55.36	+40 39 44.80	4C 40.24	1599.5	−0.25	C*		1.2489	0.0013	S	09 48 55.34	+40 39 44.68	17.7	17.8	17.6	17.5	17.5	15.4
58	09 50 10.77	+14 19 57.30	3C 228	3711.6	−0.84	II	c	0.5520		S	09 50 10.79	+14 20 00.71	21.8	21.2	20.5	19.8	19.8	
59	09 51 58.83	−00 01 26.80	3C 230	3152.1	−0.94	II	c	1.4870		S	09 51 58.61	−00 01 27.37	16.9	15.5	15.0	14.8	14.7	13.5
60	09 52 00.52	+24 22 29.70	3C 229	1788.6	−0.64	II	c	0.3206	0.0187	K	09 52 00.11	+24 22 29.10						15.2
61	09 52 06.14	+28 28 33.20	4C 28.24	1362.7	−0.47	C		0.5554	0.0475	P	09 52 06.10	+28 28 32.41	22.2	22.0	20.1	19.2	18.7	
62	09 57 38.18	+55 22 57.40	4C 55.17	3079.2	−0.36	C*		3.3692	0.0010	S	09 57 38.19	+55 22 57.72	18.2	17.9	17.5	17.4	17.2	14.2
63	10 01 46.73	+28 46 56.50	3C 234	5597.0	−0.83	II	c	0.1849		S	10 01 49.52	+28 47 08.94	18.5	18.0	16.8	16.6	16.8	12.8
64	10 06 01.74	+34 54 10.40	3C 236	3236.6	−0.61	II	c	0.0992	0.0014	S	10 06 01.74	+34 54 10.51	18.1	16.3	15.3	14.8	14.5	12.3
65	10 07 18.92	+44 25 01.40	4C 44.19	1413.7	−0.70	II	c											
66	10 08 00.04	+07 30 16.20	3C 237	6522.1	−0.59	C		0.8800		S	10 08 00.04	+07 30 16.70	21.8	21.5	21.1	20.1	19.8	
67	10 11 00.36	+06 24 40.20	3C 238	2964.2	−0.85	II	c	1.4050		S	10 11 00.40	+06 24 41.00^o						
68	10 11 45.46	+46 28 20.10	3C 239	1557.2	−1.05	II	c	1.7900		S	10 11 45.32	+46 28 19.60	22.1	22.5	21.7	21.5	21.2	
69	10 17 14.15	+39 01 24.00	4C 39.29	1392.2	−0.72	II	c	0.2060		S	10 17 14.11	+39 01 24.17	26.0	22.2	21.3	19.7	18.1	
70	10 20 49.61	+48 32 04.20	4C 48.29A	1700.1	−0.32	II	c	0.0532	0.0002	S	10 20 53.68	+48 31 24.17	18.0	16.0	15.1	14.6	14.3	13.2
71	10 21 54.58	+21 59 30.90	3C 241	1686.2	−0.94	II	c	1.6170		S	10 21 54.55	+21 59 30.75	23.4	23.3	23.1	22.6	21.8	
72	10 23 38.71	+59 04 49.50	4C 59.13	1609.3	−0.81	II	c	0.2398	0.0862	P	10 23 38.77	+59 04 49.37	21.2	20.6	19.9	19.5	19.5	
73	10 27 14.97	+46 03 21.90	4C 46.21	1437.4	−0.72	II	c	0.5367	0.0299	P	10 27 14.84	+46 02 56.73	25.9	21.3	20.0	19.0	18.7	
74	10 33 33.87	+58 14 37.90	3C 244.1	4187.9	−0.78	II	c	0.4300		S	10 33 33.98	+58 14 35.48	20.6	20.0	18.9	18.0	17.8	
75	10 34 17.86	+50 13 30.20	4C 50.30	1545.2	−0.72	U		0.4810	0.0242	P	10 34 17.90	+50 13 29.82	23.1	21.7	19.9	19.1	18.6	
76	10 35 07.04	+56 28 47.30	B1031+567	1801.9	0.01	C*		0.4597		S	10 35 07.05	+56 28 46.81	23.5	22.2	20.3	19.6	18.9	
77	10 41 17.16	+06 10 16.50	4C 06.41	1405.2	−0.10	C*		1.2700		S	10 41 17.16	+06 10 16.86	16.9	16.9	16.8	16.9	17.0	15.0
78	10 41 39.01	+02 42 33.00	4C 03.18	2710.1	−0.52	II	c	0.5350	0.0020	S	10 41 38.99	+02 42 31.43	23.2	22.0	20.1	19.1	18.6	
79	10 42 44.54	+12 03 31.80	3C 245	3305.7	−0.73	S*		1.0293	0.0026	S	10 42 44.60	+12 03 31.21	17.5	17.4	17.2	17.3	17.4	15.3
80	10 52 26.06	+20 29 48.00	4C 20.23	1727.5	−0.17	C		0.3465	0.0477	P	10 52 26.10	+20 29 48.30	22.7	20.9	19.4	18.8	18.3	
81	10 58 17.46	+19 52 09.50	4C 20.24	2143.0	−0.72	II^c	c	1.1100		S	10 58 17.90	+19 51 50.98	17.1	17.1	16.8	16.8	17.0	14.6
82	10 58 29.62	+01 33 58.20	4C 01.28	3220.2	−0.14	C*		1.7847	0.0027	S	10 58 29.61	+01 33 58.79	18.7	18.2	17.8	17.4	17.1	14.1
83	10 58 58.69	+43 01 23.70	3C 247	2875.1	−0.84	II	c	0.7490		S	10 58 58.96	+43 01 24.40	23.0	22.0	20.5	19.6	18.8	
84	11 02 03.91	−01 16 18.30	3C 249	2799.6	−0.88	II	c	0.3110	0.0040	S	11 02 04.00	−01 16 17.00^o						
85	11 08 08.31	+14 35 35.80	4C 14.40	1348.7	−0.42	C					11 08 08.42	+14 35 36.45	24.2	25.4	22.7	23.1	23.4	
86	11 09 46.04	+10 43 43.40	1107+10	1481.3	−0.38	C												
87	11 09 52.06	+37 38 43.90	4C 37.29	2214.1	−0.61	II	c	0.3456		S	11 09 49.91	+37 38 29.44	22.2	20.2	18.7	18.1	17.7	
88	11 11 31.56	+35 40 45.50	3C 252	1336.3	−1.03	II	c	1.1050		S	11 11 33.00	+35 40 42.00^o						
89	11 12 38.36	+43 26 27.10	4C 43.21	1717.0	−0.64	II	c	1.6819	0.0019	S	11 12 39.44	+43 26 00.20^o						
90	11 13 32.13	−02 12 55.20	3C 253	1595.6	−0.77	II	c	0.1251	0.0040	S	11 13 31.90	−02 12 54.00^o						
91	11 14 38.43	+40 37 20.80	3C 254	3127.9	−0.92	II	c	0.7361	0.0016	S	11 14 38.72	+40 37 20.35	17.5	17.1	17.0	17.2	17.0	14.8
92	11 16 34.70	+29 15 20.50	4C 29.41	1927.9	−0.49	I	c	0.0487		S	11 16 34.61	+29 15 17.17	17.3	15.4	14.5	14.1	13.7	11.6
93	11 19 25.22	−03 02 51.60	3C 255	1730.4	−1.00	U		1.3550		S	11 19 25.30	−03 02 52.00^o						
94	11 20 27.81	+14 20 54.40	4C 14.41	2446.9	−0.16	C		0.3620		S	11 20 27.80	+14 20 55.07	23.6	21.7	20.2	19.7	19.1	
95	11 20 43.07	+23 27 55.30	3C 256	1362.0	−0.94	U		1.8190		S	11 20 43.02	+23 27 55.22	21.6	22.1	21.9	21.5	21.8	
96	11 23 09.10	+05 30 20.30	3C 257	1721.1	−0.85	U		2.4740		S	11 23 09.10	+05 30 20.00^o						
97	11 26 23.65	+33 45 27.10	4C 33.26	1376.8	−0.34	C		1.2300		S	11 26 23.70	+33 45 28.00^o						
98	11 31 38.90	+45 14 51.50	TXS 1128+455	2048.8	−0.65	II	p	0.4040	0.0070	S	11 31 38.89	+45 14 51.18	21.9	20.9	19.6	19.0	18.6	

CoNFIG-1 Data Table

(1)	(2)		(3)	(4)	(5)	(6)		(7)	(8)	(9)	(10)		(11)	(12)	(13)	(14)	(15)	(16)
99	11 34 38.46	+43 28 00.50	4C 43.22	1567.1	−0.70	II	c	0.5724		S	11 34 38.47	+43 28 00.30	22.8	22.3	21.0	19.9	19.8	
100	11 35 55.93	+42 58 44.80	TXS 1133+432	1448.8	0.48	C												
101	11 37 16.95	+61 20 38.40	4C 61.23	1314.0	−0.55	II	c	0.1110	0.0008	S	11 37 21.36	+61 20 01.16	19.2	17.8	16.9	16.3	16.1	14.3
102	11 40 27.69	+12 03 07.60	4C 12.42	1527.0	−0.62	I	c	0.0812	0.0002	S	11 40 27.74	+12 03 08.32	17.7	15.7	14.8	14.4	14.1	11.6^{e}
103	11 40 49.54	+59 12 26.00	4C 59.16	2179.4	−0.56	C		0.8162	0.1229	P	11 40 49.57	+59 12 25.60	23.7	22.3	21.9	21.0	20.4	
104	11 41 08.23	+01 14 17.70	4C 01.32	2690.8	−0.60	II	c	0.4430	0.0020	S	11 41 08.31	+01 14 18.17	21.0	20.5	19.2	18.5	18.1	
105	11 43 25.04	+22 06 56.00	3C 263.1	3128.7	−0.91	II	c	0.3660		S	11 43 25.08	+22 06 56.12	22.0	21.2	20.9	20.3	19.5	
106	11 44 34.45	+37 10 16.90	4C 37.32	2065.4	−0.56	II	c	0.1148	0.0002	S	11 44 27.20	+37 08 31.92	19.2	17.3	16.3	15.8	15.4	13.8
107	11 45 05.23	+19 36 37.80	3C 264	5689.0	−0.76	I	c	0.0214		S	11 45 05.03	+19 36 22.86	15.3	13.4	12.6	12.2	11.9	9.5^{e}
108	11 45 31.03	+31 33 37.00	3C 265	2890.9	−0.94	II	c	0.8105		S	11 45 28.96	+31 33 47.20	19.8	19.6	19.1	18.9	17.7	
109	11 45 43.41	+49 46 08.40	3C 266	1424.5	−1.02	II	c	1.2750		S	11 45 43.37	+49 46 07.97	21.7	21.9	21.4	21.4	20.7	
110	11 49 55.54	+12 47 15.90	3C 267	2519.9	−0.86	II	c	1.1440		S	11 49 56.56	+12 47 19.21	22.1	21.9	21.6	20.6	20.4	
111	11 50 43.88	−00 23 54.30	4C -00.47	2773.9	−0.16	C*		1.9760	0.0005	S	11 50 43.87	−00 23 54.17	17.0	17.0	17.0	16.8	16.7	14.8
112	11 53 24.51	+49 31 09.50	4C 49.22	1572.2	−0.62	S*		0.3340	0.0014	S	11 53 24.47	+49 31 08.80	17.1	17.3	17.3	17.3	16.7	13.5^{e}
113	11 54 13.01	+29 16 08.50	4C 29.44	1620.3	−0.71	II	p	0.3292		S	11 54 12.90	+29 16 08.51	21.4	20.3	19.2	18.8	18.4	
114	11 55 26.63	+54 54 13.60	4C 55.22	2195.7	−0.26	II	c	0.0516	0.0002	S	11 55 31.67	+54 53 56.05	17.1	15.1	14.2	13.7	13.4	12.6
115	11 56 03.67	+58 47 05.40	4C 59.17	1591.7	−0.75	U		0.2601	0.0468	P	11 56 3.46	+58 47 05.96	20.3	19.3	18.0	17.5	17.1	
116	11 56 18.74	+31 28 05.00	4C 31.38	2978.3	−0.47	C		0.4180	0.0011	S	11 56 18.75	+31 28 04.76	19.1	18.8	18.5	18.0	17.7	15.4
117	11 59 13.79	+53 53 07.40	4C 54.25	1740.6	−0.56	C		0.7744	0.1657	P	11 59 13.71	+53 53 05.17	21.0	20.4	20.5	20.0	20.5	
118	11 59 31.80	+29 14 44.30	4C 29.45	2030.8	−0.18	C*		0.7245	0.0011	S	11 59 31.84	+29 14 43.84	18.6	18.1	18.0	17.9	17.7	11.5
119	12 00 59.77	+31 33 57.90	3C 268.2	1301.6	−0.93	II	c	0.3620		S	12 00 58.73	+31 33 21.72	20.7	19.6	18.5	18.1	17.6	
120	12 04 02.13	−04 22 43.90	4C -04.40	2141.3	−0.64	II	p	0.1507	0.0097	K	12 04 02.00	−04 22 45.20						13.4^{e}
121	12 06 19.93	+04 06 12.20	4C 04.40	1501.2	−0.83	II	c	0.5267	0.0392	P	12 06 19.65	+04 06 11.34	25.0	22.8	21.0	20.1	19.4	
122	12 09 13.52	+43 39 18.70	3C 268.4	1979.9	−0.81	II	c	1.3971	0.0015	S	12 09 13.62	+43 39 20.95	18.4	18.2	17.6	17.3	17.2	14.9
123	12 12 56.06	+20 32 37.90	4C 20.27	1417.9	−0.76	U		0.3326	0.0031	I	12 12 56.07	+20 32 37.43	22.1	20.6	19.2	18.3	18.5	
124	12 13 32.13	+13 07 20.40	4C 13.46	1344.2	−0.41	C*		1.1391	0.0014	S	12 13 32.17	+13 07 20.89	18.5	18.2	17.9	17.9	17.7	14.9
125	12 14 04.08	+33 09 45.50	TXS 1211+334	1403.6	−0.12	C*		1.5960	0.0017	S	12 14 04.11	+33 09 45.61	17.7	17.6	17.5	17.3	17.2	15.2
126	12 15 29.80	+53 35 54.10	4C 53.24	2755.0	−0.59	II	c	1.0650	0.0017	S	12 15 29.56	+53 35 55.88	18.9	18.5	18.1	18.0	18.0	15.8
127	12 15 55.60	+34 48 15.10	4C 35.28	1506.8	−0.20	C*		0.8570	0.0010	S	12 15 55.61	+34 48 15.30	21.0	20.4	20.4	20.1	19.5	
128	12 17 29.83	+03 36 44.00	4C 04.41	2411.5	−0.76	II	p	0.0772	0.0002	S	12 17 31.44	+03 36 56.48	18.0	16.1	15.1	14.6	14.3	11.6^{e}
129	12 19 15.33	+05 49 40.40	3C 270	10445.0	−0.80	I	c	0.0073		S	12 19 23.22	+05 49 29.73	13.4	11.5	10.7	10.2	9.9	9.9
130	12 20 33.88	+33 43 10.90	3C 270.1	2845.9	−0.78	II	c	1.5328	0.0022	S	12 20 33.87	+33 43 12.00	19.1	18.8	18.4	18.1	18.1	
131	12 24 30.20	+42 06 24.00	3C 272	1352.3	−0.98	II	c	0.9440		S	12 24 28.50	$+42\ 06\ 38.00^{o}$						
132	12 24 54.62	+21 22 47.20	4C 21.35	2094.4	−0.53	C*		0.4350	0.0010	S	12 24 54.46	+21 22 46.42	15.9	15.8	16.0	16.0	15.8	13.1
133	12 25 03.78	+12 52 35.20	M84	6012.8	−0.57	I	c	0.0030		S	12 25 3.74	+12 53 12.88	12.6	10.7	9.9	9.4	9.1	9.8
134	12 27 58.78	+36 35 11.60	B1225+368	2098.4	0.42	C*		1.9730	0.0020	S	12 27 58.73	+36 35 11.80	22.2	21.8	21.4	21.0	21.2	
135	12 29 06.41	+02 03 05.10	3C 273	54991.2	−0.07	C*		0.1583	0.0001	S	12 29 06.70	+02 03 08.60	13.8	12.9	12.8	12.6	13.2	9.9^{e}
136	12 29 51.84	+11 40 24.20	PKS 1227+119	1519.0	−0.85	I^{w}	c	0.0830	0.0002	S	12 29 52.33	+11 40 38.84	17.6	15.3	14.4	13.9	13.6	11.1^{e}
137	12 30 49.46	+12 23 21.60	M87	141949.3	−0.98	I	c	0.0042		S	12 30 50.89	+12 23 21.98	13.8	11.9	11.1	10.7	10.4	
138	12 32 00.13	−02 24 04.10	4C -02.55	1646.7	−0.72	C*		1.0433	0.0019	S	12 32 00.02	−02 24 04.79	17.3	17.0	16.7	16.7	16.8	14.6
139	12 35 22.97	+21 20 18.30	3C 274.1	2918.5	−0.84	II	c	0.4220		S	12 35 26.67	+21 20 34.76	24.2	21.3	19.4	18.6	18.0	
140	12 36 29.13	+16 32 32.10	4C 16.33	1383.9	−0.72	I^{w}	c	0.0684	0.0002	S	12 36 25.78	+16 32 18.30	18.1	16.1	15.2	14.7	14.4	13.2
141	12 42 19.68	−04 46 19.70	3C 275	3672.1	−0.68	II	c	0.4800		S	12 42 19.62	−04 46 19.80	22.2	21.1	19.9	18.8	18.8	
142	12 43 57.63	+16 22 52.70	3C 275.1	2895.8	−0.91	II	c	0.5570	0.0003	S	12 43 57.65	+16 22 53.40	18.5	18.1	18.2	18.0	18.0	
143	12 44 49.18	+40 48 06.50	S4 1242+41	1341.8	−0.32	C*		0.8130	0.0020	S	12 44 49.19	+40 48 06.19	20.9	20.3	20.1	19.8	19.3	
144	12 51 44.47	+08 56 27.80	4C 09.44	1684.4	−0.62	II	c	0.2364	0.0406	P	12 51 42.82	+08 56 17.04	20.6	19.4	18.2	17.9	17.5	
145	12 52 26.33	+56 34 19.70	3C 277.1	2288.3	−0.69	S*		0.3201	0.0011	S	12 52 26.35	+56 34 19.74	17.9	17.8	17.6	17.9	17.1	15.0
146	12 53 03.55	+02 38 22.30	4C 02.34	1604.9	−0.59	II	c	0.2126	0.0357	P	12 53 03.30	+02 38 17.59	21.8	20.1	18.8	18.3	18.0	
147	12 53 32.70	+15 42 27.30	3C 277.2	1952.2	−0.89	II	c	0.7660		S	12 53 33.70	+15 42 35.95	21.8	22.4	21.3	20.5	20.2	

CoNFIG-1 Data Table

(1)	(2)		(3)	(4)	(5)	(6)		(7)	(8)	(9)	(10)		(11)	(12)	(13)	(14)	(15)	(16)
148	12 54 11.68	+27 37 32.70	3C 277.3	2923.9	−0.68	II	c	0.0858	0.0001	S	12 54 12.01	+27 37 33.90	18.4	16.5	15.6	15.1	14.8	
149	12 56 11.15	−05 47 20.10	3C 279	9711.2	−0.37	C*		0.5362	0.0004	S	12 56 11.17	−05 47 21.50						10.9
150	12 56 57.38	+47 20 19.80	3C 280	5099.6	−0.75	II	c	0.9960		S	12 56 57.77	+47 20 19.90	22.1	21.7	21.4	20.7	19.8	
151	13 00 32.87	+40 09 09.20	3C 280.1	1368.9	−1.05	II	c	1.6670	0.0020	S	13 00 33.30	+40 09 07.70	19.0	18.8	18.8	18.4	18.4	
152	13 05 36.05	+08 55 15.90	4C 09.45	1461.8	−0.94	II	c	1.4090	0.0020	S	13 05 35.92	+08 55 14.95	21.6	21.8	21.4	21.3	22.5	
153	13 09 49.66	−00 12 36.60	4C 00.46	1636.7	−0.85	II	p	0.4190	0.0010	S	13 09 49.75	−00 12 35.60	21.0	20.1	19.4	18.8	18.4	
154	13 10 28.70	+32 20 44.30	B1308+326	1686.6	0.28	C*		0.9974	0.0018	S	13 10 28.66	+32 20 43.76	18.3	18.0	17.6	17.3	17.1	14.7
155	13 11 08.56	+27 27 56.50	3C 284	2044.6	−0.85	II	c	0.2400	0.0007	S	13 11 04.67	+27 28 07.23	20.0	18.7	17.5	17.0	16.7	14.5
156	13 13 37.88	+54 58 24.30	CJ2 1311+552	1304.6	−0.17	C*		0.6130	0.0010	S	13 13 37.86	+54 58 23.92	23.0	22.5	20.9	20.0	19.7	
157	13 16 20.51	+07 02 54.30	4C 07.32	1884.2	−0.24	I^{w}	c	0.0507	0.0001	S	13 16 17.02	+07 02 46.66	16.4	14.5	13.6	13.2	12.9	12.4
158	13 19 06.83	+29 38 33.80	4C 29.47	1372.5	−0.28	I	c	0.0729	0.0002	S	13 19 04.16	+29 38 34.85	17.8	15.9	15.0	14.6	14.4	13.5
159	13 19 38.73	−00 49 40.90	4C -00.50	1468.9	−0.56	C*		0.8916	0.0006	S	13 19 38.77	−00 49 40.04	17.7	17.5	17.5	17.5	17.4	15.2
160	13 20 21.45	+17 43 12.40	4C 17.56	1573.2	−0.62	II	c	0.6110	0.1034	P	13 20 21.20	+17 43 08.70	23.0	22.3	21.3	20.5	20.0	
161	13 21 18.84	+11 06 49.40	4C 11.45	2238.0	−0.65	II^{c}	p	2.1832	0.0026	S	13 21 18.84	+11 06 49.97	19.3	19.0	18.9	18.6	18.4	
162	13 21 21.28	+42 35 15.20	3C 285	2085.0	−0.81	II	c	0.0794	0.0001	S	13 21 17.82	+42 35 15.23	18.2	16.7	15.9	15.4	15.1	13.7
163	13 23 21.04	+03 08 02.80	4C 03.27	1385.2	−0.68	I	p	0.2690	0.0007	S	13 23 18.82	+03 08 07.13	20.8	19.1	17.8	17.4	16.9	
164	13 26 16.51	+31 54 09.70	4C 32.44	4861.9	−0.12	C*		0.3700		S	13 26 16.51	+31 54 09.54	22.3	20.5	19.2	18.6	18.0	
165	13 27 31.71	+31 51 27.30	4C 32.44B	1415.1	−0.64	U		0.2272	0.0266	P	13 27 31.68	+31 51 26.35	20.3	18.9	17.6	17.1	16.8	14.0
166	13 30 37.69	+25 09 11.00	3C 287	7052.2	−0.42	C*		1.0550		S	13 30 37.70	+25 09 10.98	18.6	18.3	18.0	17.9	17.8	
167	13 31 08.31	+30 30 32.40	3C 286	14902.7	−0.26	C*		0.8494	0.0011	S	13 31 08.29	+30 30 32.94	17.4	17.3	17.2	17.2	17.0	14.6
168	13 32 56.37	+02 00 46.50	3C 287.1	2648.5	−0.54	II	c	0.2157	0.0010	S	13 32 53.27	+02 00 45.65	18.7	18.3	17.6	17.0	16.9	14.0
169	13 38 08.07	−06 27 11.20	4C -06.35	2958.5	−0.88	II	p	0.6250		S	13 38 07.95	−06 27 11.10						15.5
170	13 38 49.67	+38 51 11.10	3C 288	3358.9	−0.85	I^{w}	c	0.2460		S	13 42 13.28	+60 21 42.84	17.9	17.7	17.5	17.5	17.5	15.7
171	13 42 13.13	+60 21 42.30	3C 288.1	1493.3	−0.88	II	c	0.9642	0.0018	S	13 42 13.28	+60 21 42.84	17.9	17.7	17.5	17.6	17.5	15.5
172	13 42 43.57	+05 04 31.50	4C 05.57	1600.9	−0.61	I	c	0.1362	0.0010	S	13 42 43.62	+05 04 32.23	18.4	17.3	16.4	15.9	15.6	12.6
173	13 44 23.75	+14 09 15.30	4C 14.49	1302.8	−0.82	C												
174	13 45 26.38	+49 46 32.70	3C 289	2398.3	−0.79	II	c	0.9670		S	13 45 26.27	+49 46 32.41	23.0	23.0	21.6	20.8	20.1	
175	13 47 33.42	+12 17 24.10	4C 12.50	5397.2	0.80	C*		0.1212	0.0015	S	13 47 33.36	+12 17 24.32	18.5	16.6	15.7	15.2	15.0	12.2
176	13 52 17.81	+31 26 46.70	3C 293	4844.2	−0.49	I	c	0.0450	0.0001	S	13 52 17.88	+31 26 46.50	16.9	15.1	14.2	13.7	13.4	10.8
177	13 52 56.36	+11 07 07.70	4C 11.46	1537.9	−0.42	C		0.6500	0.0010	S	13 52 56.39	+11 07 07.57	22.2	22.1	21.5	20.5	19.8	
178	13 57 01.51	+01 04 39.70	4C 01.39	2400.4	−0.70	II	c	0.8190	0.0010	S	13 57 01.56	+01 04 39.60	23.3	23.4	21.2	20.1	19.0	
179	13 57 04.37	+19 19 08.10	4C 19.44	2585.6	−0.53	II^{c}	c	0.7200		S	13 57 04.44	+19 19 07.46	16.3	15.9	15.9	16.0	15.8	13.9
180	13 57 53.77	+00 46 32.80	PKS 1355+01	1921.6	−0.70	U		0.6606	0.2132	P	13 57 53.72	+00 46 33.35	22.7	23.1	21.9	21.5	20.4	
181	14 00 28.65	+62 10 38.60	4C 62.22	4307.6	0.14	C*		0.4310		S	14 00 28.65	+62 10 38.60	22.2	21.1	19.7	18.9	18.4	
182	14 06 44.10	+34 11 26.20	3C 294	1316.1	−1.02	II	c	1.7790		S	14 06 44.10	+34 11 26.00^{o}						
183	14 11 20.63	+52 12 09.00	3C 295	22720.1	−0.63	II	c	0.4614	0.0003	S	14 11 20.52	+52 12 09.97	22.9	20.0	18.5	17.7	17.2	13.6
184	14 13 48.34	−05 59 54.20	4C -05.60	1520.8	−0.90	II	c	1.0940	0.0020	S	14 13 48.48	−05 59 56.00^{o}						
185	14 16 04.18	+34 44 36.50	S4 1413+34	1863.7	−0.11	C*												
186	14 16 53.50	+10 48 40.20	NGC 5532	4445.4	−0.52	I	c	0.0240	0.0001	S	14 16 52.99	+10 48 36.07	21.0	20.2	20.1	20.0	20.5	
187	14 17 23.95	−04 00 46.60	3C 297	1687.2	−0.86	U		1.4060		S	14 17 23.90	−04 00 48.00^{o}						
188	14 19 08.18	+06 28 36.30	3C 298	6100.3	−1.02	S*		1.4374	0.0016	S	14 19 08.18	+06 28 34.79	17.3	17.1	16.6	16.4	16.3	14.2
189	14 21 05.73	+41 44 49.70	3C 299	3146.9	−0.65	II	c	0.3670		S	14 21 05.61	+41 44 48.55	21.5	19.8	18.9	18.5	18.0	
190	14 23 00.81	+19 35 22.80	3C 300	3738.8	−0.76	II	c	0.2720		S	14 22 59.86	+19 35 36.64	20.9	19.3	18.1	18.0	17.4	
191	14 24 56.93	+20 00 22.70	4C 20.33	1808.5	−0.70	II	c	0.8710		S	14 24 56.80	+20 00 33.00^{o}						
192	14 25 50.67	+24 04 06.70	4C 24.31	1558.7	−0.77	II	c	0.6532	0.0015	S	14 25 50.72	+24 04 3.40	17.7	17.2	17.1	17.0	17.1	15.0
193	14 28 31.22	−01 24 08.70	3C 300.1	3157.4	−0.73	II	c	1.1590		S	14 28 31.25	−01 24 07.40	22.3	22.7	22.0	21.6	21.2	
194	14 30 03.34	+07 15 01.30	4C 07.36	1719.6	−0.39	I^{w}	c	0.0551	0.0002	S	14 29 55.38	+07 15 12.85	16.6	14.7	13.8	13.4	13.1	12.3
195	14 36 57.07	+03 24 12.30	4C 03.30	2797.3	−0.48	C		1.4380	0.0010	S	14 36 57.23	+03 24 13.43	23.0	22.5	22.2	22.1	21.0	
196	14 38 44.71	+62 11 54.50	B1437+6224	2410.4	−0.14	C*		1.0935	0.0018	S	14 38 44.80	+62 11 54.53	19.3	19.1	18.7	18.7	18.7	

CoNFIG-1 Data Table

(1)	(2)		(3)	(4)	(5)	(6)		(7)	(8)	(9)	(10)		(11)	(12)	(13)	(14)	(15)	(16)
197	14 43 01.45	+52 01 38.20	3C 303	2543.0	−0.73	II	c	0.1410	0.0010	S	14 43 00.99	+52 01 39.40	26.0	21.4	20.8	20.7	20.5	
198	14 45 16.48	+09 58 36.00	TXS 1442+101	2417.6	0.21	C		3.5295	0.0007	S	14 45 16.47	+09 58 36.12	19.4	18.5	17.8	17.8	17.7	15.8
199	14 48 39.98	+00 18 17.90	4C 00.52	1651.5	−0.65	U		0.4381	0.0003	S	14 48 39.94	+00 18 16.70	23.0	20.7	19.0	18.3	17.9	
200	14 49 21.74	+63 16 13.90	3C 305	3006.0	−0.81	I	c	0.0416	0.0001	S	14 49 21.57	+63 16 13.98	16.0	14.2	13.5	13.1	12.8	10.6^{e}
201	14 55 01.43	−04 20 22.50	4C -04.53	2104.3	−0.81	II	c	0.4403		S	14 55 01.43	−04 21 04.50						
202	15 04 09.27	+60 00 55.50	3C 311	1553.1	−0.78	C		1.0220		S	15 04 09.22	+60 00 55.37	20.3	20.2	19.9	19.5	19.9	
203	15 04 19.50	+28 35 34.30	B2 1502+28	1626.5	0.88	I^{w}	c	0.1083	0.0020	K	15 04 15.86	+28 34 11.17	17.2	15.3	14.4	14.0	13.7	12.6
204	15 04 25.03	+10 29 38.50	TXS 1502+106	1774.2	0.15	C*		1.8385	0.0024	S	15 04 24.98	+10 29 39.19	18.7	18.4	18.1	17.8	17.5	14.3
205	15 04 58.98	+25 59 49.00	3C 310	7613.4	−0.97	I	c	0.0535	0.0003	S	15 04 57.12	+26 00 58.46	17.5	15.5	14.6	14.1	13.8	13.6
206	15 10 53.55	−05 43 07.10	4C -05.64	3569.3	−0.53	C		1.1910		S	15 10 53.59	−05 43 07.50						14.7
207	15 10 57.03	+07 51 24.80	3C 313	3799.1	−0.85	II	c	0.4610		S	15 11 0.03	+07 51 50.24	21.8	20.6	18.8	18.0	17.6	
208	15 12 25.35	+01 21 08.70	4C 01.42	2262.7	−0.66	II	c	0.7920	0.0020	S	15 12 25.43	+01 21 07.16	22.6	21.9	20.6	19.7	19.0	
209	15 13 39.90	+26 07 33.70	3C 315	4332.7	−0.71	I	c	0.1080		S	15 13 40.06	+26 07 30.43	19.1	17.5	16.7	16.2	16.1	13.5^{e}
210	15 13 40.20	+23 38 35.30	4C 23.41	1767.5	−0.10	C*		0.6355	0.1557	P	15 13 40.18	+23 38 35.09	24.5	22.5	21.8	20.9	20.8	
211	15 16 40.21	+00 15 02.40	4C 00.56	2593.1	−0.11	II^{c}	p	0.0524	0.0014	S	15 16 40.22	+00 15 01.91	16.9	15.5	14.7	14.3	13.9	11.5^{e}
213	15 16 56.61	+18 30 21.60	3C 316	1335.2	−0.73	U		0.4200	0.0025	I	15 16 56.60	+18 30 21.53	21.2	20.7	20.0	18.9	19.6	
214	15 20 05.50	+20 16 05.70	3C 318	2688.0	−0.76	S*		1.5740	0.0010	S	15 20 05.48	+20 16 05.52	20.9	20.4	19.7	19.2	19.0	
215	15 21 14.51	+04 30 20.00	4C 04.51	3927.2	0.29	C*		1.2960		S	15 21 14.42	+04 30 21.56	22.7	22.8	22.0	21.7	20.1	
216	15 24 05.64	+54 28 18.40	3C 319	2624.0	−0.85	II	c	0.1920		S	15 24 04.91	+54 28 05.30	21.8	19.6	18.5	18.0	17.7	15.2
217	15 25 48.92	+03 08 26.50	4C 03.33	1960.0	−0.45	C		0.5229	0.0959	P	15 25 48.80	+03 08 27.85	26.4	21.7	21.0	20.4	19.8	
218	15 31 25.36	+35 33 40.60	3C 320	1820.7	−0.80	II	c	0.3420		S	15 31 25.36	+35 33 40.25	21.9	19.7	17.9	17.3	16.9	15.3
219	15 31 50.71	+24 02 43.30	3C 321	3577.3	−0.64	II	c	0.0962	0.0003	S	15 31 43.46	+24 04 19.17	17.4	16.1	15.3	14.8	14.6	13.3
220	15 34 52.45	+01 31 03.30	B1532+016	1320.4	0.11	C*		1.4350		S	15 34 52.46	+01 31 04.15	19.4	19.4	19.1	19.0	19.1	
221	15 35 01.27	+55 36 49.80	3C 322	1846.9	−0.85	II	c	1.6810		S	15 35 01.20	+55 36 51.00^{o}						
222	15 37 32.39	+13 44 47.70	4C 13.56	1805.6	−0.65	U		0.6720	0.0796	P	15 37 32.44	+13 44 48.16	21.9	21.0	20.2	19.3	18.9	
223	15 40 49.51	+14 47 46.70	4C 14.60	1386.8	−0.47	C*		0.6050		S	15 40 49.49	+14 47 45.92	18.8	18.3	17.9	17.8	17.3	14.2
224	15 41 45.64	+60 15 36.20	3C 323	1337.4	−0.91	II	p	0.6790		S	15 41 45.66	+60 15 33.80	26.6	22.7	21.4	20.2	20.0	
225	15 46 09.50	+00 26 24.60	TXS 1543+005	1830.3	−0.15	C*		0.5500		S	15 46 09.53	+00 26 24.65	23.3	21.6	20.2	19.1	18.7	
226	15 47 44.23	+20 52 41.00	3C 323.1	2396.2	−0.66	II	c	0.2640	0.0003	S	15 47 43.54	+20 52 16.66	15.6	15.5	15.6	15.5	15.2	12.9^{e}
227	15 49 48.98	+21 25 39.10	3C 324	2522.0	−0.90	II	c	1.2061		S	15 49 48.84	+21 25 38.03	23.5	21.9	21.6	21.1	20.5	
228	15 49 58.54	+62 41 20.90	3C 325	3563.7	−0.74	II	c	1.1350		S	15 49 58.42	+62 41 21.59	22.0	21.2	20.2	19.6	19.2	
229	15 50 35.26	+05 27 10.60	4C 05.64	2303.3	−0.08	C*		1.4220		S	15 50 35.28	+05 27 10.44	18.5	18.4	18.1	17.9	17.6	14.7
230	15 52 26.86	+20 05 01.80	3C 326	3214.1	−0.64	II	c	0.0900		S	15 52 09.19	+20 05 23.20	19.7	17.7	16.6	16.1	15.8	
231	15 56 10.06	+20 04 21.20	3C 326.1	2313.7	−0.63	II	c	1.8250		S	15 56 10.10	+20 04 20.00^{o}						
232	15 56 36.35	+42 57 09.60	4C 43.35	1656.4	−0.74	II	c											
233	16 02 07.27	+33 26 53.10	4C 33.38	2990.6	0.11	C		1.1000		S	16 02 07.20	16 02 07.20^{o}						
234	16 02 17.21	+01 58 19.40	3C 327	8298.7	−0.69	II	c	0.1041	0.0005	S	16 02 27.37	+01 57 56.14	17.9	16.3	15.3	14.7	14.4	13.6
235	16 08 46.13	+10 29 08.20	4C 10.45	1392.0	−0.32	C*		1.2260	0.0010	S	16 08 46.20	+10 29 07.80	18.4	18.2	18.0	17.9	17.9	14.7
236	16 09 13.31	+26 41 29.20	PKS 1607+268	4908.2	0.49	C		0.4730		S	16 09 13.32	+26 41 29.00	22.7	21.7	20.2	19.3	18.9	
237	16 10 07.74	+32 58 35.10	3C 329	2027.1	−0.65	II	c	1.7810		S	16 10 06.29	+32 58 35.80	22.7	23.0	21.6	21.0	19.9	
238	16 12 19.02	+22 22 15.60	3C 331	1401.9	−0.81	U		0.3962	0.0780	P	16 12 18.97	+22 22 15.82	21.8	21.3	20.0	20.0	19.4	
239	16 13 41.08	+34 12 47.70	B1611+3420	4024.1	0.24	C*		1.3994	0.0016	S	16 13 41.06	+34 12 47.81	17.5	17.6	17.3	17.2	17.1	14.7
240	16 16 38.29	+26 47 01.60	PKS 1614+26	1484.4	−0.11	C					16 16 38.33	+26 47 01.32	23.0	23.4	22.0	21.3	20.5	
241	16 17 15.75	+21 07 29.40	3C 333	1748.5	−0.69	II	c	1.3240	0.0772	R	16 17 15.99	+21 07 28.96	24.1	24.1	22.3	21.8	20.9	
242	16 17 38.89	+35 00 48.00	NGC 6109	1706.2	−0.38	I	c	0.0298	0.0002	S	16 17 40.54	+35 00 15.12	15.9	14.0	13.2	12.7	12.5	12.3
243	16 17 43.28	+32 23 02.40	3C 332	2598.5	−0.63	II	c	0.1517	0.0002	S	16 17 42.54	+32 22 34.32	18.2	17.5	16.8	16.1	16.1	13.7
244	16 20 21.40	+17 36 29.30	3C 334	1993.9	−0.84	II	c	0.5550	0.0005	S	16 20 21.82	+17 36 23.98	16.9	16.6	16.8	16.7	16.8	14.1
245	16 24 39.42	+23 45 17.50	3C 336	2612.7	−0.73	II	c	0.9270	0.0017	S	16 24 39.09	+23 45 12.20	18.8	18.4	18.1	18.1	18.1	

CoNFIG-1 Data Table

(1)	(2)		(3)	(4)	(5)	(6)		(7)	(8)	(9)	(10)		(11)	(12)	(13)	(14)	(15)	(16)
246	16 25 57.66	+41 34 41.20	4C 41.32	1677.4	−0.20	C*		2.5500		S	16 25 57.68	+41 34 40.48	24.5	22.7	22.0	21.6	21.4	
247	16 28 03.57	+27 41 36.10	3C 341	1998.6	−0.82	II	c	0.4480		S	16 28 03.98	+27 41 39.34	21.4	20.6	19.5	18.5	18.3	
248	16 28 38.34	+39 33 04.70	3C 338	3678.7	−1.23	I^w	c	0.0298		S	16 28 38.23	+39 33 04.38	15.8	13.9	13.0	12.5	12.3	9.2^e
249	16 28 53.30	+44 19 05.20	3C 337	3155.8	−0.67	II	c	0.6300		S	16 28 52.58	+44 19 06.80	24.0	23.0	21.5	20.2	19.5	
250	16 29 37.52	+23 20 13.40	3C 340	2599.0	−0.68	II	c	0.7750		S	16 29 36.59	+23 20 12.77	23.3	22.3	21.4	20.7	19.6	
251	16 31 45.29	+11 56 03.30	4C 12.59	1733.7	−0.47	C		1.7920		S	16 31 45.17	+11 56 03.34	18.6	18.4	18.3	18.1	17.9	
252	16 34 33.86	+62 45 35.70	3C 343	5001.9	−0.48	C*		0.9880		S	16 34 33.70	+62 45 36.00^o						
253	16 35 15.51	+38 08 04.80	4C 38.41	2726.0	0.11	C*		1.8131	0.0017	S	16 35 15.50	+38 08 04.45	17.7	17.6	17.6	17.4	17.2	15.0
254	16 36 37.38	+26 48 06.60	3C 342	1336.1	−0.81	II	c	0.5610		S	16 36 36.50	+26 48 09.20	18.6	18.0	18.0	17.5	17.7	
255	16 38 28.22	+62 34 43.90	3C 343.1	4610.8	−0.49	C*		0.7500		S	16 38 28.20	+62 34 45.00^o						
256	16 42 58.77	+39 48 37.00	3C 345	7098.6	−0.24	C*		0.5939	0.0019	S	16 42 58.81	+39 48 37.04	16.8	16.5	16.4	16.2	16.1	12.4
257	16 43 05.93	+37 29 34.40	3C 344	1418.1	−0.88	II	p	0.5200		S	16 43 06.05	+37 29 30.77	21.4	21.1	20.0	19.3	19.1	
258	16 43 48.69	+17 15 48.80	3C 346	3666.2	−0.55	I	c	0.1617	0.0010	S	16 43 48.60	+17 15 49.42	18.9	17.3	16.1	15.7	15.3	12.7^e
259	16 47 41.83	+17 20 11.50	4C 17.71	2130.2	−0.23	C*		0.3140		S	16 47 41.84	+17 20 11.70						15.0
260	16 53 52.24	+39 45 36.60	4C 39.49	1558.0	−0.12	C		0.0336	0.0001	S	16 53 52.21	+39 45 36.61	15.3	13.8	13.0	12.6	12.3	9.6^e
261	16 59 27.57	+47 03 13.10	3C 349	3358.4	−0.69	II	c	0.2050		S	16 59 28.24	+47 02 57.95	21.3	20.5	20.2	20.2	20.0	
262	17 04 07.21	+29 46 59.50	4C 29.50	1413.9	−0.74	C		1.9270		S	17 04 07.16	+29 46 59.45	20.1	20.0	20.1	19.5	19.6	
263	17 04 43.03	+60 44 49.60	3C 351	3259.0	−0.70	II	c	0.3715	0.0001	S	17 04 41.37	+60 44 30.50	15.6	15.4	15.2	15.2	14.8	12.4
264	17 05 06.57	+38 40 37.60	3C 350	1302.4	−0.86	II	c	0.3460	0.0028	I	17 05 04.23	+38 40 38.60	20.7	20.2	19.5	18.4	18.4	
265	17 10 44.11	+46 01 30.30	3C 352	1865.5	−0.90	II	c	0.8060	0.0002	S	17 10 44.10	+46 01 29.00^o						
266	17 23 20.85	+34 17 57.30	4C 34.47	1610.2	−0.52	II	c	0.2060	0.0050	S	17 23 20.80	+34 17 57.98	15.4	15.4	15.5	15.1	15.5	12.9
267	17 24 18.40	+50 57 54.00	3C 356	1509.1	−0.99	II	c	1.0790		S	17 24 19.10	+50 57 40.00^o						
268	17 42 51.84	+61 45 51.00	4C 61.34	1354.7	−0.67	II	c	0.5230		S	17 42 51.58	+61 45 54.61	18.1	17.7	17.7	17.5	17.4	15.2
269	07 14 35.25	+45 40 00.10	4C 45.13	1386.4	−0.49	II	c											
270	14 54 20.30	+16 20 55.80	3C 306	1391.3	0.50	II	c	0.0456	0.0001	S	14 54 23.45	+16 21 19.04	16.2	14.2	13.2	12.8	12.5	12.2
271	08 31 20.33	+32 18 37.00	4C 32.25A	1773.5	0.53	II	c	0.0512	0.0002	S	08 31 27.49	+32 19 26.84	17.5	15.6	14.7	14.2	13.9	12.8
272	08 48 41.94	+05 55 35.00	4C 06.32	1319.5	−0.53	II	c	0.2206	0.0206	P	08 48 37.77	+05 55 18.50	21.8	19.5	18.0	17.5	17.2	15.2
273	12 28 11.77	+20 23 19.10	4C 20.29	1333.9	−0.57	II	c	0.6800		S	12 28 11.74	+20 23 52.49	18.0	17.8	17.7	17.6	17.4	15.3
274	07 44 17.50	+37 53 16.90	4C 38.21	1341.8	−1.11	C		1.0665	0.0018	S	07 44 17.47	+37 53 17.23	18.2	18.0	17.7	17.8	17.9	

CoNFIG-2 Data Table

(1)	(2)		(3)	(4)	(5)	(6)		(7)	(8)	(9)	(10)		(11)	(12)	(13)	(14)	(15)	(16)
1	09 20 11.16	+17 53 25.00	4C 18.29	1070.6	−0.88	C		0.4155	0.3312	P	09 20 11.12	+17 53 24.76	22.9	23.3	22.3	21.4	21.0	
2	09 20 58.48	+44 41 53.70	B0917+449	1017.2	−0.15	C*		2.1890	0.0017	S	09 20 58.46	+44 41 54.02	18.6	18.0	17.9	17.7	17.4	15.4
4	09 21 46.55	+37 54 10.10	4C 38.29	826.4	−0.88	II^{c}	c	1.1080	0.0010	S	09 21 46.51	+37 54 08.71	20.7	19.7	18.8	18.4	18.3	15.4
8	09 30 54.27	+58 55 16.60	4C 59.10	1082.9	−0.91	U		0.5128	0.1626	P	09 30 54.49	+58 55 17.83	22.5	21.8	21.0	20.6	20.5	
9	09 34 15.80	+49 08 21.00	0930+493	800.5	0.37	C*		2.5820	0.0090	S	09 34 15.77	+49 08 21.84	19.9	19.3	19.1	19.1	19.0	
10	09 35 04.06	+08 41 37.30	4C 08.31	1037.6	−0.74	II	p	0.3578	0.0312	P	09 35 04.06	+08 41 37.86	24.5	21.4	19.5	19.0	18.4	
11	09 35 06.62	+39 42 07.60	3C 221	1029.5	−0.93	II	p	0.4957	0.1000	R^{o}	09 35 06.68	+39 42 07.10^{o}			19.8^{o}			
12	09 36 32.02	+04 22 10.80	3C 222	971.1	−1.35	C		1.3400		S	09 36 31.90	+04 22 10.00^{o}						
14	09 41 22.70	−01 43 01.00	4C-01.19	830.0	−0.60	II	c	0.3820		S	09 41 22.59	−01 43 01.13	22.3	20.5	18.8	18.1	17.7	
19	09 43 19.16	−00 04 22.30	4C 00.30	1188.9	−0.72	C		0.4785	0.0268	P	09 43 19.23	−00 04 24.89	22.9	20.9	19.4	18.6	18.1	
21	09 45 13.81	+16 55 21.70	4C 17.49	1062.1	−0.90	II	c	0.5077	0.2036	P	09 45 13.61	+16 55 22.66	23.1	22.8	21.8	21.6	20.5	
23	09 47 44.60	+00 04 37.20	4C 00.31	935.8	−1.06	II	p											
29	09 53 38.99	+25 16 24.60	4C 25.29	993.1	−0.99	II	c											
30	09 54 56.81	+17 43 31.50	B0952+1757	1158.5	−0.35	C*		1.4758	0.0024	S	09 54 56.83	+17 43 31.22	17.4	17.2	17.1	17.0	17.1	15.7
31	09 54 07.03	+21 22 35.90	4C 21.26	948.8		II	c	0.2952		S	09 54 07.03	+21 22 35.94	18.9	18.3	17.7	17.5	16.7	14.3
32	09 56 49.88	+25 15 15.90	B0953+254	1080.1	0.53	C*		0.7076	0.0013	S	09 56 49.89	+25 15 16.09	18.2	17.8	17.8	18.0	17.8	15.3
34	09 58 20.92	+32 24 01.60	3C 232	1247.1	−0.79	S*		0.5306	0.0019	S	09 58 20.95	+32 24 02.27	16.3	15.9	15.9	15.8	15.8	13.8
35	09 58 28.78	−01 39 59.30	4C-01.20	1213.7	−0.59	C					09 58 28.78	−01 39 57.60	22.7	22.9	22.3	21.1	20.3	
36	10 00 17.51	+00 05 23.00	4C 00.34	923.7	−0.94	II	c	0.9055	0.0012	S	10 00 17.68	+00 05 23.68	19.0	18.6	18.6	18.6	18.3	
37	10 00 21.95	+22 33 18.20	4C 22.25	1116.3	−0.76	II	c	0.4190		S	10 00 21.80	+22 33 18.70	19.2	18.8	18.4	18.0	17.6	15.5
38	10 00 28.11	+14 01 34.10	4C 14.35	1166.4	−0.80	II	p	1.0264	0.0749	I	10 00 28.23	+14 01 31.01	22.3	22.5	22.7	21.2	20.4	
39	10 01 23.65	−00 26 08.80	4C-00.37	1221.0	−0.99	II	c	1.4956	0.0951	I	10 01 22.26	−00 26 12.70	24.3	24.6	22.8	22.1	21.2	
41	10 02 57.12	+19 51 53.50	4C 20.20	1226.5	−0.65	I	p	0.1677		S	10 02 57.06	+19 51 52.83	19.8	17.6	16.4	15.9	15.6	13.5^{e}
42	10 04 32.94	+31 51 51.50	4C 32.34	1263.8	−0.98	II	c	0.6793	0.0581	P	10 04 32.97	+31 51 51.66	22.0	21.2	19.9	18.6	19.0	
45	10 07 26.10	+12 48 56.21	4C 13.41	1216.1	−0.45	II	c	0.2400	0.0022	S	10 07 26.10	+12 48 56.22	15.4	15.4	15.3	15.2	15.2	12.8
46	10 07 41.51	+13 56 29.30	B1004+1411	936.3	−0.25	C*		2.7070	0.0050	S	10 07 41.50	+13 56 29.69	19.6	18.5	18.4	18.4	18.2	
47	10 07 42.54	+59 08 09.90	4C 59.11	1082.8	−0.88	II	c	0.5614	0.0064	I	10 07 42.25	+59 08 09.20	20.4	19.9	19.8	19.6	19.2	
49	10 09 55.50	+14 01 54.10	4C 14.36	994.6	−0.70	C		0.2150	0.0050	S	10 09 55.52	+14 01 54.34	19.9	18.4	17.3	16.8	16.5	13.9^{e}
52	10 14 16.03	+10 51 06.30	4C 11.34	902.2	−0.62	II	c	0.3880	0.0002	S	10 14 15.96	+10 51 05.71	22.9	20.8	19.0	18.3	17.8	
53	10 14 47.05	+23 01 12.70	4C 23.24	1095.5	−0.45	II	c	0.5662	0.0012	S	10 14 47.06	+23 01 16.64	17.6	17.3	17.4	17.4	17.4	14.3^{e}
54	10 14 48.92	+08 52 58.80	TXS 1012+091	877.4	−0.29	C												
55	10 15 58.26	+40 46 47.11	4C 41.22	1078.5	−0.29	II	c	0.1279	0.0002	S	10 15 58.25	+40 46 47.27	19.3	17.4	16.4	15.9	15.6	13.3^{e}
57	10 17 49.77	+27 32 07.70	3C 240	1274.7	−0.75	II	c	0.4678	0.0013	S	10 17 49.38	+27 32 04.13	18.9	18.3	18.3	17.9	17.6	15.0
59	10 22 30.31	+30 41 05.80	B1019+309	967.8		C*		1.3183	0.0016	S	10 22 30.31	+30 41 05.17	17.3	17.3	17.1	17.1	17.1	15.2
60	10 23 11.60	+39 48 17.20	4C 40.25	1122.6	−0.45	C*		1.2540	0.0020	S	10 23 11.57	+39 48 15.41	18.4	18.3	18.0	18.1	18.2	14.1
62	10 24 29.63	−00 52 55.20	B1021-0037	986.2	0.26	C*		2.5545	0.0010	S	10 24 29.59	−00 52 55.45	18.7	18.1	18.1	18.1	17.9	
63	10 25 20.72	+20 10 21.30	3C 242	1250.3	−0.89	II	c	0.4542	0.0339	P	10 25 20.81	+20 10 20.08	22.3	21.5	19.9	19.1	18.7	
64	10 25 29.87	+42 57 43.10	4C 43.19	852.4	−0.96	II	c	0.8083	0.1507	P	10 25 30.03	+42 57 46.15	22.1	21.8	21.5	20.6	20.7	
65	10 26 31.96	+06 27 32.70	3C 243	851.5	−1.17	II	c	1.7106	0.0026	S	10 26 31.96	+06 27 33.01	18.8	18.5	18.2	17.8	17.5	15.1
67	10 27 32.89	+48 17 06.40	3C 244	985.3	−0.57	II	c	0.2310	0.0009	S	10 27 33.59	+48 17 18.30	20.8	19.1	17.8	17.3	16.9	15.2
68	10 28 20.08	+15 11 29.50	4C 15.32	824.5	−0.90	C												
69	10 30 09.91	+00 37 40.20	4C 00.35	1077.1	−0.71	II	p	0.6108	0.0681	P	10 30 09.89	+00 37 39.86	23.1	21.5	20.6	19.6	19.2	
70	10 31 43.55	+52 25 37.90	4C 52.22	921.6	−0.67	II	c	0.1662	0.0012	S	10 31 43.51	+52 25 35.18	19.8	18.4	17.3	16.7	16.4	14.1^{e}
71	10 33 28.31	+17 42 44.70	4C 17.50	929.0	−0.69	II	c	1.0523	0.0421	I	10 33 28.13	+17 42 45.86	22.7	23.3	21.8	21.2	20.7	
77	10 42 36.53	+29 49 45.60	B2 1039+30B	841.2	−0.04	C												
79	10 46 18.04	+54 59 37.50	4C 55.21	1032.7	−0.96	II	c	0.3694	0.0394	P	10 46 20.49	+54 58 56.69	22.9	21.5	19.9	19.3	18.9	
80	10 46 34.99	+15 43 47.20	4C 15.34	1071.9	−0.72	U		0.9748	0.0427	I	10 46 34.92	+15 43 45.01	22.1	22.9	22.6	21.0	20.7	
81	10 48 34.23	+34 57 25.50	4C 35.23	1034.4	−0.64	C		1.5940		S	10 48 34.24	+34 57 24.95	22.1	21.3	20.8	20.1	20.1	
82	10 49 26.18	−02 54 52.70	4C-02.43	956.5	−0.81	II	c	0.7010	0.0874	P	10 49 25.87	−02 54 55.62	22.7	23.3	21.8	20.5	20.1	

CoNFIG-2 Data Table

(1)	(2)		(3)	(4)	(5)	(6)		(7)	(8)	(9)	(10)		(11)	(12)	(13)	(14)	(15)	(16)
83	10 51 48.80	+21 19 52.80	4C 21.28	1253.1	−0.29	C*		1.3000	0.0050	S	10 51 48.79	+21 19 52.32	18.6	18.8	18.3	18.4	18.5	15.7
85	10 57 15.77	+00 12 03.80	TXS 1054+004	898.1	−0.43	C*					10 57 15.77	+00 12 03.70	24.9	24.3	23.2	21.8	21.1	
89	11 00 02.02	+30 27 42.00	3C 248	991.4	−1.05	II	c	0.8313	0.1300	P	11 00 04.62	+30 27 07.75	21.7	21.5	20.9	20.5	19.7	
91	11 02 24.97	−02 35 34.10	4C-02.44	838.4	−0.72	C												
92	11 02 26.19	+55 50 03.30	4C 56.18	1206.4	−0.93	U		0.4059	0.0453	P	11 02 26.16	+55 50 05.96	24.8	21.6	20.0	19.3	19.0	
93	11 05 26.17	+20 52 17.40	TXS 1102+211	985.6	−0.66	C												
94	11 06 31.77	−00 52 51.50	4C-00.43	1065.6	−0.67	II	c	0.4260	0.0003	S	11 06 31.77	−00 52 52.36	16.2	16.1	16.3	16.3	16.1	13.9
95	11 07 15.02	+16 28 01.50	4C 16.30	868.6	−0.60	II^c	p	0.6301	0.0002	S	11 07 15.04	+16 28 02.32	16.9	16.4	16.4	16.4	16.5	14.0
97	11 08 37.60	+38 58 42.10	3C 251	919.7	−0.89	II	c	0.7810	0.0040	S	11 08 37.10	+38 58 47.00^o						
98	11 08 51.79	+25 00 52.10	3C 250	1090.0	−1.10	II	c	1.4836	0.1110	I	11 08 52.21	+25 00 56.54	23.1	24.7	24.1	22.1	22.6	
99	11 09 28.86	+37 44 31.40	B21106+37	1221.6	−0.04	C*		2.2900		S	11 09 28.80	+37 44 31.00^o						
102	11 11 20.09	+19 55 36.10	TXS 1108+201	1194.8	0.42	C*		0.2991	0.0010	S	11 11 20.07	+19 55 36.01	21.7	19.8	18.4	18.0	17.6	15.4
103	11 11 22.71	+03 09 10.40	4C 03.21	1017.7	−1.01	II	c											
105	11 11 43.62	+40 49 15.30	4C 41.23	819.2	−0.86	I^w	c	0.0737	0.0001	S	11 11 43.62	+40 49 14.53	17.2	15.1	14.2	13.7	13.4	11.4^e
110	11 17 33.85	−02 36 00.60	4C-02.46	996.1	−0.73	I	c	0.2014	0.0061	K	11 17 33.84	−02 36 00.40						14.1
111	11 18 12.23	+53 19 44.70	TXS 1115+536	919.2	−0.85	II	c	1.2418	0.0013	S	11 18 12.24	+53 19 43.90	19.0	18.8	18.3	18.1	18.1	
117	11 24 37.45	+04 56 18.80	4C 05.50	1145.4	−0.92	II	p	0.2828	0.0009	S	11 24 37.40	+04 56 18.92	20.0	19.0	17.4	17.0	16.5	15.1
118	11 24 43.90	+19 19 29.70	3C 258	874.7	−1.00	C		0.1650		S	11 24 43.80	+19 19 26.00^o						
119	11 25 53.70	+26 10 20.10	B1123+264	921.2	0.27	C*		2.3396	0.0048	S	11 25 53.71	+26 10 20.03	18.6	18.1	18.2	18.2	18.0	
120	11 26 08.53	+30 03 36.50	4C 30.21	933.6	−1.01	II	p											
122	11 26 27.13	+12 20 34.70	4C 12.41	1110.5	−0.89	II	p	0.6763	0.0109	I	11 26 27.12	+12 20 34.80	20.5	20.7	20.3	20.1	20.0	
123	11 29 35.97	+00 15 17.50	4C 00.40	979.5	−0.76	II	c	0.2110		S	11 29 35.94	+00 15 16.45	21.4	20.0	18.7	18.3	18.1	
124	11 29 47.93	+50 25 51.90	GB1 1126+507	926.9	−0.89	C		1.0037	0.3746	P	11 29 47.97	+50 25 51.42	22.0	21.8	21.5	21.7	20.1	
126	11 32 59.49	+10 23 42.70	4C 10.33	879.1	−0.88	II	p	0.5398	0.0014	S	11 32 59.49	+10 23 42.25	17.2	16.9	17.0	16.9	17.0	14.5
127	11 33 09.56	+33 43 12.60	4C 33.27	886.6	−0.77	II	c	0.2227	0.0002	S	11 33 09.41	+33 43 12.43	20.6	19.0	17.6	17.1	16.8	14.7
128	11 33 13.18	+50 08 39.90	TXS 1130+504	844.9	−0.76	II	c	0.3064	0.0426	P	11 33 13.17	+50 08 40.09	20.7	19.4	18.1	17.5	17.0	
130	11 34 54.61	+30 05 25.20	3C 261	1145.5	−1.00	II	c	0.6133	0.0002	S	11 34 54.49	+30 05 26.30	19.0	18.4	18.4	18.1	18.2	
131	11 35 13.04	−00 21 19.40	4C-00.45	1267.8	−0.61	C		0.1600	0.0020	S	11 35 13.01	−00 21 19.00	23.7	24.4	23.1	21.3	21.1	
133	11 37 29.68	+01 16 13.30	4C 01.31	1059.7	−0.89	C		0.4300		S	11 37 29.59	+01 16 13.94	19.9	18.9	18.0	17.4	17.2	14.5
134	11 40 17.03	+17 43 39.00	4C 17.52	1143.3	−0.57	I	c	0.0111		S	11 40 17.03	+17 43 38.28	24.5	20.2	18.3	18.0	19.6	
138	11 42 57.23	+21 29 12.50	TXS 1140+217	921.0	−1.10	II	c	1.3718	0.0015	S	11 42 57.22	+21 29 11.29	18.0	18.1	17.7	17.7	17.7	
139	11 42 58.78	+48 51 19.70	4C 49.21	958.6	−0.93	II	p	0.7338	0.0767	P	11 42 58.80	+48 51 18.79	20.6	20.1	19.5	18.6	19.0	
141	11 43 39.63	+46 21 20.70	4C 46.23	863.2	−0.90	II	p	0.1159	0.0001	S	11 43 39.60	+46 21 20.48	18.6	16.4	15.4	14.9	14.5	12.1^e
142	11 44 21.23	+29 58 25.30	4C 30.23	837.3	−0.91	II	c											
144	11 44 54.01	−00 31 36.50	4C-00.46	947.6	−0.97	II	c	1.1108	0.0683	G	11 44 53.62	−00 31 38.08	24.5	22.9	23.3	22.8	22.7	
148	11 47 14.71	+25 23 20.20	4C 25.36	879.0	−0.81	II	c	0.9812	0.1369	P	11 47 14.75	+25 23 19.21	23.7	22.3	21.8	21.2	19.8	
149	11 48 47.51	+04 55 27.70	4C 05.53	827.9	−1.03	II	c	0.4200		S	11 48 47.78	+04 55 25.20^o						
152	11 53 03.11	+11 07 20.40	4C 11.40	853.5	−1.01	II	c	0.4924	0.1613	P	11 53 03.32	+11 07 19.16	22.7	21.7	21.1	21.1	20.5	
153	11 53 12.54	+09 14 02.50	4C 09.39	809.2	−0.59	C*		0.6956	0.0011	S	11 53 12.55	+09 14 02.36	18.1	17.7	17.8	17.8	17.7	14.8
155	11 53 54.65	+40 36 52.90	B3 1151+408	1135.6	0.16	C*		0.9283	0.0006	S	11 53 54.67	+40 36 52.70	19.7	19.5	19.2	19.2	19.0	
157	11 55 13.61	+54 52 50.40	TXS 1152+551	1233.3	−0.82	II	c	0.7414	0.2175	P	11 55 12.72	+54 52 49.71	21.7	22.8	21.8	21.2	21.2	
161	11 57 34.91	+16 38 59.30	B1155+169	813.2	1.21	C*		1.0608	0.0018	S	11 57 34.84	+16 38 59.75	17.7	17.3	17.0	16.9	17.0	15.1
162	11 58 25.80	+24 50 17.70	TXS 1155+251	1021.2	0.16	C*		0.2016	0.0004	S	11 58 25.79	+24 50 18.10	20.1	18.8	17.6	17.1	16.8	13.3^e
165	11 59 48.83	+58 20 20.80	WSTB 14W26	1191.3	−0.36	C		0.6285	0.2635	P	11 59 48.77	+58 20 20.15	21.5	21.4	21.0	20.7	20.2	
166	12 00 31.19	+45 48 43.20	4C 46.25	1156.5	−0.71	C		0.7428		S	12 00 31.14	+45 48 42.34	22.6	22.1	21.4	20.7	20.5	
168	12 01 25.01	+25 20 24.00	4C 25.38	862.9	−0.68	II	c	1.2467	0.0769		12 01 25.08	+25 20 21.49	23.8	24.6	22.7	21.7	21.4	
169	12 02 04.19	+58 02 01.90	4C 58.23	843.2	−0.69	I^w	c	0.1011	0.0002	S	12 02 03.29	+58 02 05.89	19.8	17.7	16.8	16.4	16.1	14.5
170	12 02 32.27	−02 40 03.20	4C-02.50	906.1	−0.85	C												

CoNFIG-2 Data Table

(1)	(2)		(3)	(4)	(5)	(6)		(7)	(8)	(9)	(10)		(11)	(12)	(13)	(14)	(15)	(16)
171	12 03 21.95	+04 14 17.70	AO 1200+04	1146.1	−0.21	C*		1.2118	0.0014	S	12 03 21.94	+04 14 19.07	18.9	18.8	18.5	18.4	18.5	
173	12 04 18.46	+52 02 18.80	WSTB 14W50	962.3	−0.28	C		0.6510	0.2832	P	12 04 18.37	+52 02 18.92	26.4	22.6	21.4	21.9	21.6	
174	12 04 52.31	+29 29 12.40	4C 29.46	1230.6	−0.77	II	c	0.8608	0.0622	P	12 04 52.78	+29 30 04.28	20.7	19.9	19.2	18.4	17.6	14.2
180	12 14 47.73	−01 00 12.10	4C-00.48	1092.5	−0.84	II	c	1.4449	0.1148	R	12 14 48.71	−01 00 16.30	24.2	22.8	22.5	22.6	21.6	
181	12 15 14.69	+17 30 02.20	4C 17.54	1010.2	−0.68	S*		0.5831	0.2324	P	12 15 14.72	+17 30 02.34	22.1	22.2	21.4	21.2	20.3	
185	12 17 56.90	+25 29 27.20	3C 269	866.8	−0.83	II	c	0.3056	0.0011	I	12 17 56.88	+25 29 27.56	18.5	18.1	18.1	18.1	18.1	15.9
186	12 18 59.22	+19 55 28.90	4C 20.28	1047.0	−0.75	II	c	0.5687	0.0459	P	12 18 59.15	+19 55 28.09	22.0	21.1	19.8	18.8	18.6	
188	12 20 28.08	+09 28 26.90	4C 09.41	1064.4	−1.10	II	c	1.0822	0.0014	S	12 20 27.99	+09 28 27.41	18.6	18.5	18.2	18.1	18.1	
190	12 21 52.92	+31 30 56.70	4C 31.40	805.8	−1.06	II	c	0.8275	0.0009	S	12 21 53.41	+31 30 56.95	20.9	20.3	20.1	20.0	19.4	
191	12 22 22.59	+04 13 17.30	4C 04.42	800.3	−0.24	C*		0.9650		S	12 22 22.55	+04 13 15.78	17.2	16.9	16.8	16.6	16.4	15.0
193	12 24 52.44	+03 30 50.10	4C 03.23	1280.3	0.67	C*		0.9559	0.0011	S	12 24 52.42	+03 30 50.26	19.0	18.6	18.5	18.5	18.4	
196	12 26 25.60	+09 40 05.70	TXS 1223+099	1008.3	−0.63	I	p	0.3093	0.0799	P	12 26 25.59	+09 40 05.70	22.3	21.4	20.0	19.5	19.0	
198	12 28 11.77	+20 23 19.10	4C 20.29	1269.5	−0.66	II	c	0.6800		S	12 28 11.74	+20 23 52.49	18.0	17.8	17.7	17.6	17.4	15.3
200	12 29 32.62	+17 50 20.90	TXS 1227+181	931.0	−0.54	C		0.1935	0.0207	P	12 29 32.59	+17 50 20.62	20.8	18.9	17.5	17.1	16.5	14.0^e
204	12 32 05.31	−01 34 55.10	TXS 1229-013	807.4	−0.68	II	c	0.5930	0.0651	P	12 32 05.23	−01 34 56.00	24.5	23.0	21.4	20.3	19.5	
207	12 36 49.96	+36 55 18.00	4C 37.34	920.2	−0.91	II	p											
208	12 39 07.16	+ 5 19 24.50	4C 05.54	938.2	−0.83	II	c	0.4798	0.0333	P	12 39 09.24	+05 19 18.08	22.1	21.4	19.6	18.8	18.5	
209	12 39 09.05	+32 30 27.30	4C 32.40	827.8	−0.81	II	p	0.4486	0.0796	P	12 39 09.14	+32 30 27.58	22.3	21.5	20.5	20.4	19.2	
210	12 41 49.84	+57 30 36.90	TXS 1239+577	1299.2	−0.37	II	c											
214	12 47 07.40	+49 00 18.20	4C 49.25	1204.6	−0.54	C		0.2067	0.0011	S	12 47 07.33	+49 00 17.86	20.0	18.6	17.5	17.0	16.7	13.9^e
215	12 49 48.76	+33 23 15.80	4C 33.30	1289.2		II	c	0.4075	0.0284	P	12 49 51.05	+33 23 20.53	21.5	20.3	18.6	17.8	17.4	
216	12 51 35.43	+50 34 01.40	3C 277	1155.8	−0.99	II	c	0.4140		S	12 51 41.37	+50 34 24.30	24.8	23.0	21.7	20.1	19.4	
218	12 52 08.60	+52 45 30.80	TXS 1249+530	958.5	−1.14	II	p											
219	12 52 16.81	+47 15 39.00	3C 276	982.9	−1.08	II	c											
220	12 52 22.78	+03 15 50.40	TXS 1249+035	935.3	−0.73	I	p	0.0989	0.0001	S	12 52 22.61	+03 15 54.07	18.5	16.5	15.5	15.0	14.7	12.3^e
226	12 58 01.96	+44 35 20.60	4C 44.22	929.8	−0.93	II	p	0.1953	0.0223	P	12 58 00.87	+44 35 28.70	20.4	18.9	17.7	17.2	16.9	14.1^e
228	13 02 28.56	+58 18 46.90	TXS 1300+585	898.0	−0.51	C		0.7953	0.1968	P	13 02 28.58	+58 18 47.34	22.3	21.8	21.2	20.9	19.8	
229	13 04 28.87	+53 50 02.50	4C 54.30	908.9	−0.95	II	c											
230	13 04 43.69	−03 46 02.30	B1302-034	826.0	−0.68	S*		1.2500		S	13 04 43.80	−03 46 00.00^o						
232	13 07 54.01	+06 42 15.90	3C 281	1122.0	−0.87	II	c	0.5990		S	13 07 53.87	+06 42 08.83	24.4	24.1	22.1	20.9	20.3	
233	13 09 33.94	+11 54 24.20	4C 12.46	855.0	0.27	C*		0.3852	0.0027	S	13 09 33.93	+11 54 24.59	19.3	18.7	18.3	18.0	17.6	14.4
238	13 15 01.28	+20 44 30.10	4C 20.31	1098.7	−0.66	II	p	1.2332	0.0794	I	13 15 01.26	+20 44 30.09	23.5	24.3	23.9	21.6	21.6	
239	13 15 09.94	+ 8 41 44.60	4C 08.38	932.8	−0.03	II	c	0.0981	0.0129	P	13 15 09.85	+08 40 53.32	19.3	17.5	16.5	16.1	15.8	14.2
243	13 19 46.40	+51 48 06.70	4C 52.27	1092.6	−0.78	II	c	1.0574	0.0027	S	13 19 46.19	+51 48 05.76	17.0	16.9	16.7	16.7	16.8	14.6

CoNFIG-3 Data Table

(1)	(2)		(3)	(4)	(5)	(6)		(7)	(8)	(9)	(10)		(11)	(12)	(13)	(14)	(15)	(16)
1	14 41 28.26	+10 55 24.70	J1441+1055	422.7	−0.78	C					14 41 28.47	+10 55 25.18	23.2	24.5	23.9	21.6	20.6	
2	14 42 03.43	+25 05 04.30	TXS 1439+252	204.7		II	c	0.824	0.1123	P	14 42 04.01	+25 04 13.20	22.7	22.7	21.5	20.7	19.7	
3	14 42 03.93	+13 29 17.60	4C 13.53	706.0	−0.41	C					14 42 04.04	+13 29 16.04	18.7	18.5	18.2	18.0	17.9	
4	14 42 22.99	+14 54 58.20	TXS 1440+151	202.6	−0.97	II	c											
5	14 42 27.11	+14 31 39.90	TXS 1440+147	224.1	−0.95	II	c	1.0425	0.3905	P	14 42 27.23	+14 31 38.82	22.3	22.4	21.9	22.8	20.9	
6	14 42 48.37	+11 44 15.00	TXS 1440+119	200.7		II	c	0.6102	0.0882	P	14 42 48.36	+11 44 15.72	23.5	22.6	21.5	20.4	20.3	
7	14 43 01.74	+16 06 59.90	TXS 1440+163	242.7	−0.64	II	c	0.2481	0.0250	P	14 43 01.74	+16 06 59.94	21.3	19.6	18.2	17.7	17.4	15.4
8	14 43 02.77	+18 41 56.00	TXS 1440+189	219.9	−0.67	II	p											
9	14 43 47.18	+14 36 06.80	B1441+148	303.9	−0.72	C		1.4300		S	14 43 47.20	+14 36 06.08	18.3	18.3	18.1	17.9	17.9	
10	14 43 56.94	+25 01 44.50	PKS 1441+25	361.7		C*		0.0620		S	14 43 56.89	+25 01 44.54	20.0	19.6	19.3	19.1	18.9	
11	14 44 05.77	+20 35 18.30	TXS 1441+207	281.7	−0.51	C												
12	14 44 11.04	+26 01 50.80	GB6 1441+2614	273.5		II	c	0.0621		S	14 44 06.29	+26 01 11.50	17.1	15.6	14.8	14.4	14.2	
13	14 44 14.66	+19 48 22.00	TXS 1441+200	201.5	−0.86	C					14 44 14.70	+19 48 21.02	22.9	23.5	22.8	21.5	20.9	
14	14 44 25.07	+13 59 56.20	4C 14.54	607.5	−0.78	II	c	0.5656	0.0515	P	14 44 26.49	+14 00 14.23	23.0	22.1	20.3	19.3	19.0	
15	14 44 34.84	+19 21 33.00	GB6 1442+195	342.5	−0.67	I^w	c	0.1906	0.0003	S	14 44 33.71	+19 21 21.52	19.5	18.1	16.9	16.4	16.0	13.6^e
16	14 44 50.95	+11 31 55.30	GB6 1442+117	290.3	−0.76	II	c	0.8502	0.0015	S	14 44 50.73	+11 31 56.39	18.9	18.6	18.6	18.7	18.6	
17	14 45 04.85	+16 49 26.00	4C 16.41	410.4	−0.93	II	c	0.7126	0.0705	P	14 45 02.51	+16 49 21.10	24.9	23.4	21.9	20.2	19.3	
18	14 45 27.03	+24 38 04.00	BWE 1443+2450	212.1		C					14 45 27.05	+24 38 04.24	18.8	18.6	18.6	18.4	18.5	
19	14 45 32.32	+26 23 49.70	4C 26.44	303.9	−1.02	II	c	0.3176	0.0011	I	14 45 32.22	+26 23 49.70	18.6	18.4	18.3	18.2	18.2	
20	14 45 44.74	+23 02 39.40	TXS 1443+232	343.2	−0.82	II	p	1.1486	0.0029	S	14 45 44.74	+23 02 39.08	19.1	19.0	18.6	18.7	18.7	
21	14 45 57.34	+17 38 30.20	4C 17.60	826.9	−0.90	II	c	0.0653	0.0005	S	14 45 57.79	+17 38 28.64	17.7	15.9	15.0	14.6	14.3	12.0^e
22	14 45 58.32	+12 22 28.50	TXS 1443+125	395.6	−0.64	II	c	0.5134	0.0002	S	14 46 00.03	+12 22 40.52	18.4	18.0	18.1	17.8	17.7	15.5
23	14 46 19.87	+25 17 03.50	TXS 1444+254	355.2	−0.82	II	c											
24	14 46 35.32	+17 21 07.40	EQ 1444+175	754.1		C*					14 46 35.35	+17 21 07.60	18.9	18.8	18.5	18.4	18.2	15.3
25	14 46 43.33	+27 57 00.70	4C 28.37	1113.9	−0.66	C		0.7839	0.0725	P	14 46 43.33	+27 57 00.65	22.3	21.6	21.0	20.1	19.4	
26	14 46 50.83	+21 31 50.90	4C 21.42	529.6	−0.81	II	p	1.4000		S	14 46 51.22	+21 31 51.42	18.6	18.7	18.4	18.3	18.4	
27	14 46 52.13	+22 51 04.70	TXS 1444+230	337.7	−0.77	C					14 46 52.11	+22 51 03.71	21.3	20.8	20.5	20.2	20.0	
28	14 47 08.40	+17 47 52.90	4C 17.61	995.5	−0.92	C					14 47 08.37	+17 47 52.65	23.2	22.8	22.6	21.7	21.5	
29	14 47 44.55	+16 36 06.00	4C 16.42	371.0	−0.66	II	c	0.1868	0.1169	P	14 47 47.46	+16 35 44.90	24.4	21.5	20.8	20.3	19.9	
30	14 48 04.28	+14 47 04.60	WB 1445+1459	440.0	−0.60	I^w	c	0.2085	0.0002	S	14 48 02.60	+14 46 51.50	20.3	18.4	17.0	16.5	16.2	13.2^e
31	14 48 08.62	+16 34 39.50	TXS 1445+167	265.0	−1.11	II	c	0.3041	0.0178	K	14 48 08.84	+16 34 42.20	20.0	17.9	17.1	16.9	16.7	15.1
32	14 48 27.87	+27 33 18.80	TXS 1446+277	242.1	−0.48	C		0.2195	0.0141	P	14 48 27.80	+27 33 19.15	21.7	19.0	17.6	17.1	16.8	
33	14 48 42.66	+17 33 33.20	TXS 1446+177	362.2	−0.99	II	c	0.9988	0.0306	R	14 48 42.60	+17 33 32.47	22.6	22.5	21.6	21.8	22.0	
34	14 48 50.05	+20 25 34.80	3C 304	989.1	−0.91	II	p	0.2540		S	14 48 50.15	+20 25 32.92	21.5	20.0	18.8	18.4	17.9	
35	14 49 19.01	+21 05 48.00	TXS 1447+213	432.9	−0.30	II	c	0.2450	0.0226	P	14 49 20.23	+21 05 22.70	21.4	19.6	18.2	17.6	17.2	
36	14 49 27.59	+22 11 27.90	TXS 1447+224	276.1	−0.93	II	c	0.4820	0.0710	P	14 49 25.35	+22 12 08.88	21.7	21.0	20.1	19.6	18.8	
37	14 50 19.92	+15 10 44.00	TXS 1447+153	247.0	−0.74	C												
38	14 50 31.00	+16 15 47.60	TXS 1448+164	301.5	−0.95	II	c											
39	14 51 31.48	+13 43 24.40	TXS 1449+139	691.8	−0.14	C		0.6941	0.1619	P	14 51 31.52	+13 43 24.24	22.2	21.7	21.3	20.5	20.1	
40	14 51 38.62	+14 14 01.90	4C 14.55	359.9	−0.95	II	c	0.3065	0.0011	I	14 51 38.23	+14 14 02.11	20.6	18.9	18.3	18.1	18.0	
41	14 51 39.07	+19 36 24.80	TXS 1449+198	407.4	−0.86	C												
43	14 52 34.57	+29 48 20.50	TXS 1450+300	247.0	−0.28	C					14 52 34.59	+29 48 20.27	23.3	24.1	22.7	21.5	20.6	
44	14 53 06.08	+19 17 42.50	TXS 1450+194	219.5	−0.64	C				P	14 53 06.11	+19 17 42.00	22.1	21.5	20.1	19.5	19.1	
45	14 53 33.41	+18 54 01.00	TXS 1451+191	486.4	−0.69	II	p	0.8017	0.0911	P	14 53 33.40	+18 54 00.14	22.5	23.1	21.8	20.6	19.7	
46	14 53 38.10	+29 01 17.70	TXS 1451+292	265.3	−0.76	II	c	1.0360	0.0460	I	14 53 38.13	+29 01 17.11	22.6	23.0	22.4	21.2	20.5	
47	14 53 44.24	+10 25 57.90	B1451+1038	374.8	0.34	C*		1.7644	0.0051	S	14 53 44.24	+10 25 57.58	21.6	20.1	19.4	19.0	18.7	
48	14 53 53.61	+26 48 33.40	B1451+270	518.6	−0.02	C*					14 53 53.60	+26 48 33.41	20.7	20.1	19.6	19.2	18.8	
49	14 54 08.37	+11 37 34.40	TXS 1451+118	451.6	−0.77	II	c	0.5234	0.0338	P	14 54 08.24	+11 37 37.53	24.0	22.2	20.4	19.4	18.9	

CoNFIG-3 Data Table

(1)	(2)		(3)	(4)	(5)	(6)		(7)	(8)	(9)	(10)		(11)	(12)	(13)	(14)	(15)	(16)
51	14 54 20.86	+16 24 25.10	B1452+166	228.4		C*					14 54 20.85	+16 24 24.41	19.3	18.9	18.4	18.2	18.0	
52	14 54 22.75	+25 39 55.50	TXS 1452+258	232.4	−0.71	II	p	0.2186	0.0865	P	14 54 22.84	+25 39 55.73	22.4	20.9	19.7	19.3	19.0	
53	14 54 29.16	+20 15 26.10	TXS 1452+204	237.5	−1.03	II	c											
54	14 54 32.30	+29 55 58.50	TXS 1452+301	730.7	−0.54	C*		0.5800		S	14 54 32.30	+29 55 58.01	20.5	20.3	20.3	19.6	19.5	
55	14 54 42.58	+27 32 11.30	TXS 1452+277	211.1	−0.80	II	c	0.5321	0.0363	P	14 54 42.23	+27 32 11.84	26.3	22.3	20.2	19.3	19.1	
56	14 55 07.32	+14 12 22.20	TXS 1452+144	246.9	−0.76	II	c	0.2538	0.0729	P	14 55 07.36	+14 12 21.96	24.5	22.1	21.0	20.2	19.7	
57	14 55 55.36	+11 51 44.70	NGC 5782	385.3	−0.34	I	c	0.0322	0.0002	S	14 55 55.27	+11 51 41.51	15.9	14.0	13.1	12.7	12.5	10.1^e
58	14 56 05.65	+16 26 52.80	4C 16.43	1290.3	−0.53	II	c	0.2897	0.0148	P	14 56 05.67	+16 26 54.89	21.3	19.4	17.9	17.3	16.9	13.8^e
59	14 56 21.94	+26 35 56.40	TXS 1454+268	345.4	−0.78	II	c											
60	14 56 28.69	+13 02 41.10	TXS 1454+132	260.7	−1.15	II	p											
61	14 56 39.93	+18 08 17.50	4C 18.39	408.6	−1.09	II	c	0.5423	0.0040	I	14 56 39.86	+18 08 17.40	20.2	19.8	19.5	19.2	19.2	
62	14 56 52.03	+24 15 19.30	TXS 1454+244	508.3	−0.84	II	c	0.6678	0.2089	P	14 56 52.00	+24 15 19.44	26.6	22.3	21.7	21.0	21.8	
63	14 56 53.43	+27 41 39.20	7C 1454+2753	321.6		II	c	0.9468	0.0374	I	14 56 53.46	+27 41 37.18	25.3	23.4	22.5	21.0	20.0	
64	14 57 00.72	+13 47 06.50	TXS 1454+139	276.2	−0.80	II	c	0.5671	0.0946	P	14 57 00.69	+13 47 04.88	21.5	20.5	19.7	18.9	18.7	
65	14 57 05.05	+26 58 10.60	TXS 1454+271	295.0	−1.11	II	c	0.8593	0.0217	I	14 57 05.05	+26 58 10.74	21.7	21.8	21.2	20.7	20.5	
66	14 57 23.36	+24 59 17.30	TXS 1455+251	237.2	−0.72	II	c	0.3887	0.0021	I	14 57 23.09	+24 59 15.43	19.1	18.8	18.6	18.7	18.6	
67	14 57 43.45	+24 35 08.30	PKS 1455+24	794.4	−0.52	C*												
68	14 57 48.71	+25 06 35.10	TXS 1455+253	580.9	−0.77	II	c											
69	14 57 53.80	+28 32 20.00	4C 28.38	972.1		II	c	0.1409		S	14 57 53.82	+28 32 18.74	19.2	17.3	16.2	15.6	15.3	13.2^e
70	14 57 57.40	+11 44 22.10	4C 11.47	559.9	−0.94	II	c	1.4381	0.1241	I	14 57 57.31	+11 44 22.49	25.2	23.0	22.2	22.0	20.8	
71	14 58 02.01	+29 28 31.40	TXS 1455+296	232.9	−0.88	C					14 58 02.03	+29 28 31.12	19.9	19.8	19.7	19.5	19.4	
72	14 58 02.75	+18 39 33.30	TXS 1455+188	253.8	−0.75	C												
73	14 58 05.26	+14 34 10.00	4C 14.56	431.1	−0.95	II	p	1.0463	0.0545	I	14 58 05.31	+14 34 08.83	21.5	24.0	22.0	21.2	21.5	
74	14 58 33.88	+18 30 56.10	4C 18.40	499.0	−0.89	II	p	1.0334	0.1942	P	14 58 33.89	+18 30 56.09	22.2	22.1	21.8	21.4	20.5	
75	14 58 34.64	+14 09 51.20	TXS 1456+143	312.6	−0.74	II	c	0.6044	0.0464	P	14 58 34.58	+14 09 51.70	25.6	22.3	21.0	19.9	19.4	
76	14 58 38.91	+24 58 57.40	TXS 1456+251	236.7	−0.96	II	p											
77	14 59 14.57	+23 56 33.60	TXS 1457+241	217.2	−0.90	II	c											
78	14 59 42.07	+29 03 34.10	B2 1457+29	367.0		II	p	0.1460		S	14 59 41.95	+29 03 31.86	19.4	17.5	16.4	16.0	15.6	13.4^e
79	15 00 24.05	+20 12 37.80	TXS 1458+204	294.1		I	c	0.0722	0.0196	P	15 00 24.17	+20 12 40.07	17.7	15.7	14.8	14.4	14.1	12.0^e
80	15 00 21.36	+14 34 59.80	4C 14.57	376.5	−0.96	II	c	0.1288	0.0015	K	15 00 21.35	+14 35 01.79	16.9	15.3	14.7	14.5	14.4	13.0
81	15 00 53.33	+17 39 07.60	TXS 1458+178	206.4	−1.05	II	c	1.2303	0.0564	I	15 00 53.33	+17 39 07.10	22.0	22.3	22.4	21.6	21.3	
82	15 01 28.50	+21 34 20.70	4C 21.44	298.5	−0.64	I	p	0.2700	0.0135	P	15 01 28.25	+21 34 23.90	21.0	18.6	17.0	16.4	16.1	13.9^e
83	15 01 36.72	+27 44 24.00	TXS 1459+279	342.7	−0.89	II	c	1.2859	0.0823	I	15 01 36.88	+27 44 20.37	23.2	25.1	22.4	21.8	20.6	
84	15 01 38.33	+13 24 49.60	TXS 1459+136	250.2	−1.17	C		0.5425	0.2465	P	15 01 38.37	+13 24 50.04	22.9	22.2	21.7	21.4	21.8	
85	15 01 58.81	+19 14 05.30	TXS 1459+194	312.2	−0.88	II	c	0.4941	0.0386	P	15 01 58.86	+19 14 05.28	24.2	21.2	19.7	18.9	18.5	
86	15 02 00.35	+24 39 17.80	BWE 1459+2451	273.6	−0.55	II	c											
87	15 02 00.56	+13 11 54.30	TXS 1459+133	314.0	−0.73	II	c	0.7816	0.1063	P	15 02 00.56	+13 11 55.86	22.8	24.0	21.6	20.7	19.7	
88	15 02 51.38	+25 44 14.90	TXS 1500+259	250.7	−0.84	II	c											
89	15 03 01.63	+18 20 32.40	TXS 1500+185	316.5	−0.81	II	p	0.2958	0.0558	P	15 03 01.65	+18 20 31.19	21.6	20.5	19.2	18.6	18.4	
90	15 03 08.07	+12 37 02.20	TXS 1500+128	235.3	−0.72	II	c	0.6452	0.1105	P	15 03 08.12	+12 37 03.00	21.5	22.4	20.9	20.4	19.6	
91	15 03 22.40	+19 33 04.10	TXS 1501+197	232.6	−0.86	II	c	0.5586	0.0935	P	15 03 22.54	+19 32 59.82	21.6	21.5	20.5	19.9	19.7	
92	15 03 29.52	+10 33 31.20	TXS 1501+107	281.8	−0.89	C												
93	15 03 39.51	+10 16 02.80	MRC 1501+104	340.8	−0.74	I	p	0.0950		S	15 03 39.51	+10 16 03.58	19.6	17.7	16.8	16.3	16.0	13.2^e
94	15 03 51.32	+12 28 07.40	TXS 1501+126	299.0		II	c											
95	15 03 58.47	+12 30 25.60	1503+1251	268.1	−1.58	II	c											
97	15 04 17.22	+10 57 35.40	TXS 1501+111	252.8	−0.64	C					15 04 17.21	+10 57 36.25	24.9	22.9	22.2	21.5	20.8	
99	15 04 26.71	+28 54 30.60	TXS 1502+291	583.2	−0.57	C*					15 04 26.70	+28 54 30.53	18.9	18.5	18.5	18.4	18.2	

CoNFIG-3 Data Table

(1)	(2)		(3)	(4)	(5)	(6)		(7)	(8)	(9)	(10)		(11)	(12)	(13)	(14)	(15)	(16)
101	15 05 00.08	+11 58 43.90	TXS 1502+121	205.9	−0.91	C					15 05 00.11	+11 58 44.08	20.8	20.5	20.3	20.0	20.0	
102	15 06 19.33	+20 27 41.50	TXS 1504+206	294.9	−0.96	II	c	0.4960	0.0402	P	15 06 19.40	+20 27 42.73	26.5	21.9	20.3	19.3	18.9	
103	15 07 09.23	+16 07 16.70	WB 1504+1618	513.1	−0.93	II	c	0.6007	0.0074	I	15 07 09.43	+16 07 16.68	24.8	21.3	20.2	19.8	19.5	
104	15 07 21.88	+10 18 46.30	B1507+105	403.2	−0.43	C		0.0781	0.0002	S	15 07 21.88	+10 18 44.96	18.5	16.2	15.2	14.8	14.5	13.0
105	15 07 39.40	+11 04 01.00	GB6 B1505+113	226.4	−0.65	II	c	0.4755	0.0001	S	15 07 39.50	+11 04 03.72	18.3	17.9	17.9	17.6	17.4	15.0
106	15 07 41.89	+12 08 04.30	4C 12.54	421.0	−1.04	II	c											
107	15 07 47.06	+24 34 30.40	TXS 1505+247	314.1	−1.02	II	c	2.4083	0.0018	S	15 07 47.20	+24 34 28.00	19.8	19.1	19.2	19.1	18.8	
108	15 08 05.12	+18 52 43.80	TXS 1505+190	220.1	−1.01	II	p	0.3190	0.0012	I	15 08 05.14	+18 52 43.25	18.6	18.5	18.4	18.2	18.2	
109	15 08 39.31	+18 58 60.00	TXS 1506+191	299.4	−1.12	C		0.5371	0.2103	P	15 08 39.33	+18 58 59.45	23.2	22.5	21.8	21.5	20.5	
110	15 08 48.64	+28 50 09.50	TXS 1506+290	391.2	−0.58	C												
111	15 09 00.22	+24 19 50.50	TXS 1506+245	287.4	−0.81	II	c	1.0377	0.0567	I	15 09 01.50	+24 20 01.85	25.0	23.2	23.0	21.2	20.6	
112	15 09 04.80	+28 39 26.70	TXS 1506+288	252.4	−0.73	C					15 09 04.79	+28 39 26.06	22.8	22.5	22.0	20.9	20.6	
113	15 09 15.60	+14 06 14.80	4C 14.58	402.7	−1.08	C												
114	15 09 16.35	+16 58 57.20	TXS 1506+171	233.5	−0.97	II	c											
115	15 09 42.80	+29 39 02.80	TXS 1507+298	205.6	−0.92	II	c	0.9136	0.0470	I	15 09 42.89	+29 39 02.12	23.5	24.6	22.5	20.9	19.8	
116	15 09 42.80	+15 56 59.10	PKS 1507+161	284.9		C												
117	15 09 50.53	+15 57 25.70	J1509+1557	386.0	−0.86	C		0.1850	0.0104	P	15 09 50.57	+15 57 25.56	20.3	18.2	17.0	16.5	16.1	13.6^e
118	15 10 02.49	+23 22 03.10	TXS 1507+235	257.6	−0.96	II	c											
119	15 10 39.49	+20 19 07.00	TXS 1508+205	212.0	−0.68	II	c											
120	15 10 43.15	+12 40 52.30	TXS 1508+128	273.3	−0.76	II	c	1.1775	0.0421	I	15 10 44.86	+12 41 03.50	23.7	23.1	22.3	21.5	21.2	
121	15 10 49.12	+14 37 26.20	TXS 1508+148	214.2	−1.06	II	c	0.7248	0.0103	I	15 10 49.11	+14 37 27.37	20.9	20.7	20.3	20.3	20.1	
122	15 10 50.01	+10 42 14.10	TXS 1508+108	220.2	−0.96	II	c	1.1561	0.0651	I	15 10 50.08	+10 42 12.50	22.3	23.9	22.9	21.5	21.6	
123	15 10 56.69	+18 02 38.90	1410+1804	305.7		C												
124	15 11 05.59	+22 08 06.40	TXS 1508+223	411.1	−0.44	C*					15 11 05.57	+22 08 06.58	23.9	22.9	22.3	22.0	21.0	
125	15 11 09.08	+18 01 53.80	Cul 1508+182	375.9	−0.95	I	c	0.1159	0.0003	S	15 11 08.79	+18 01 53.20	18.8	16.5	15.4	15.0	14.5	12.2^e
126	15 11 15.58	+18 08 04.90	TXS 1508+183	281.9	−0.73	C												
127	15 11 29.43	+10 01 43.80	4C 10.40	644.7	−0.85	II	c	2.1000		S	15 11 29.59	+10 01 40.33	21.9	22.0	21.5	21.2	20.8	
128	15 11 31.60	+28 22 41.40	TXS 1509+285	207.9	−0.97	II	c	1.2259	0.0845	R	15 11 31.88	+28 22 41.30	22.8	23.4	22.1	21.9	22.0	
129	15 11 45.70	+21 08 03.10	TXS 1509+213	270.6	−0.94	II	c											
130	15 12 07.48	+22 47 14.60	TXS 1509+229	280.1	−1.10	II	c											
131	15 12 12.07	+15 40 25.50	4C 15.45	993.5	−0.75	II	c	0.8280		S	15 12 12.26	+15 40 25.75	18.1	17.9	17.9	18.0	17.9	15.5
132	15 12 32.56	+14 56 36.70	TXS 1510+151	223.7	−0.96	C					15 12 32.53	+14 56 37.18	19.5	19.3	19.2	18.9	18.9	
133	15 13 27.61	+22 30 23.50	TXS 1511+226	205.4	−0.81	C												
134	15 13 29.57	+10 11 03.90	TXS 1511+103	221.4	−0.89	II	c	1.5464	0.0017	S	15 13 29.29	+10 11 05.53	17.9	17.6	17.4	17.3	17.4	15.5
137	15 13 45.74	+24 11 02.80	7C 1511+2422	367.3		II	c	0.0700	0.0002	S	15 13 53.97	+24 12 32.22	18.6	16.5	15.5	15.0	14.6	13.2
138	15 14 03.55	+22 23 31.50	TXS 1511+225	268.0	−0.84	C		0.1554	0.0224	P	15 14 03.42	+22 23 30.55	20.1	18.4	17.7	17.2	17.0	14.7
139	15 14 14.64	+23 27 11.20	7C 1512+2337	247.0		II	p	0.1046	0.0165	P	15 14 14.68	+23 27 08.38	18.4	16.4	15.4	15.0	14.6	12.3^e
140	15 14 15.61	+15 41 59.60	TXS 1511+158	278.2	−1.18	II	p											
141	15 14 31.84	+12 34 17.80	TXS 1512+127	323.0	−0.76	C		0.5756	0.0592	P	15 14 31.89	+12 34 18.08	22.4	22.0	20.7	19.7	19.3	
142	15 14 49.50	+10 17 00.90	TXS 1512+104	436.7	−0.52	I	c	0.0572	0.0002	S	15 14 49.36	+10 17 03.23	17.3	15.2	14.3	13.9	13.6	11.6^e
143	15 15 03.43	+22 31 45.40	TXS 1512+227	208.4	−0.78	I	c	0.3295	0.0013	I	15 15 03.29	+22 31 43.86	18.5	18.2	18.3	18.3	18.4	
144	15 15 23.74	+10 18 37.30	TXS 1512+104B	237.8	−0.94	II	c	1.1059	0.0445	I	15 15 23.76	+10 18 38.92	24.3	22.9	22.6	21.4	20.6	
145	15 15 54.17	+24 58 40.40	TXS 1513+251	219.7	−0.27	C												
146	15 16 02.98	+14 18 22.90	TXS 1513+144	296.3		II	c	0.2202	0.0289	P	15 16 08.23	+14 17 21.57	22.0	20.0	18.6	18.0	17.7	14.8
148	15 16 56.81	+19 32 13.40	TXS 1514+197	464.1	0.10	C*		0.6500		S	15 16 56.80	+19 32 13.02	19.4	18.8	18.3	17.8	17.5	14.1
149	15 17 04.56	+21 22 42.90	TXS 1514+215	243.3	−0.86	II	c	0.2787	0.0336	P	15 17 04.61	+21 22 41.98	22.3	20.7	19.0	18.5	18.0	
150	15 17 23.58	+29 55 30.40	TXS 1515+301	320.5	−0.99	II	c	1.8420	0.2172	R	15 17 23.53	+29 55 31.60	23.4	22.5	23.2	23.7	22.9	

CoNFIG-3 Data Table

(1)	(2)		(3)	(4)	(5)	(6)		(7)	(8)	(9)	(10)		(11)	(12)	(13)	(14)	(15)	(16)
151	15 17 24.70	+17 29 28.30	TXS 1515+176	226.0	−0.42	II	c	0.2419	0.0388	P	15 17 25.01	+17 29 21.37	19.9	19.2	18.2	17.8	17.5	15.3
152	15 17 49.52	+14 27 59.30	TXS 1515+146	201.8	−0.71	II	c											
153	15 17 51.37	+10 00 26.90	4C 10.41	229.5	−1.48	II	c	0.8129	0.0725	P	15 17 51.03	+09 59 36.72	22.7	21.9	21.1	20.3	19.3	
154	15 17 53.32	+26 48 39.50	TXS 1515+269	284.1	−0.67	II	c	0.9560	0.0389	I	15 17 53.24	+26 48 41.69	25.6	25.3	22.1	21.0	19.8	
155	15 18 05.11	+19 42 43.90	TXS 1515+198	423.2	−1.00	II	p	0.7581	0.1275	P	15 18 05.15	+19 42 44.42	22.0	21.5	21.0	20.4	19.8	
156	15 18 14.06	+15 49 32.60	TXS 1515+160	219.3	−0.93	II	c	1.1964	0.0567	I	15 18 13.99	+15 49 32.04	23.0	23.8	22.8	21.6	20.5	
157	15 18 23.16	+22 58 35.20	TXS 1516+231	244.1	−1.03	C												
158	15 18 32.14	+11 18 45.40	MRC 1516+114	405.5	−1.11	C												
159	15 18 35.97	+10 32 12.60	TXS 1516+107	409.1	−0.72	C												
160	15 18 40.02	+24 27 05.20	4C 24.33	291.3	−1.20	I	p	1.8470		S	15 18 39.90	+24 27 03.00^o						
161	15 19 03.03	+28 49 45.50	TXS 1516+290	214.9	−0.97	C												
163	15 20 29.84	+15 26 13.20	4C 15.47	556.9	−0.78	II	p											
164	15 21 13.53	+22 42 46.20	TXS 1519+228	261.8	−1.10	II	c	0.4837	0.0041	I	15 21 13.48	+22 42 46.84	19.5	19.4	19.5	19.3	19.0	
165	15 21 16.47	+15 12 09.90	TXS 1519+153	347.0	−0.75	U		0.2193	0.0114	P	15 21 16.43	+15 12 10.37	20.8	18.9	17.6	17.1	16.7	13.9^e
166	15 22 12.15	+10 41 31.00	TXS 1519+108	499.4	−0.82	II	c	0.2040		S	15 22 12.18	+10 41 30.48	21.2	19.5	18.0	17.5	17.1	
167	15 22 17.09	+10 13 00.50	TXS 1519+103	333.4	−0.71	II	c	0.2510	0.0481	P	15 22 17.26	+10 12 58.61	22.0	20.4	19.0	18.5	18.1	
168	15 22 19.66	+21 19 57.20	TXS 1520+215	298.0	−1.04	C					15 22 19.68	+21 19 57.32	23.3	19.9	19.5	19.3	19.2	
169	15 22 24.16	+21 58 08.80	TXS 1520+221	333.6	−0.83	II	c											
170	15 23 21.74	+13 32 29.40	4C 13.54	351.2	−1.04	C		0.9617	0.1788	P	15 23 21.79	+13 32 29.80	22.2	22.1	21.7	21.1	19.8	
171	15 23 25.27	+27 04 57.70	4C 27.31	347.5	−1.03	II	c	0.3758	0.0016	I	15 23 25.20	+27 04 57.40	19.4	19.0	18.9	18.6	18.4	
172	15 23 27.56	+11 30 23.90	TXS 1521+116	407.2	−0.57	I	p	0.2030		S	15 23 27.75	+11 30 24.23	20.1	18.7	17.9	17.5	17.0	15.0
173	15 23 28.40	+28 36 04.10	4C 28.39	835.6		I^w	c	0.0822		S	15 23 26.91	+28 37 32.54	18.0	16.0	15.0	14.5	14.2	13.3
174	15 23 56.93	+10 55 44.10	4C 11.49	1060.2	−0.78	U		0.4110		S	15 23 56.96	+10 55 48.47	22.2	20.3	19.7	19.4	19.3	
175	15 23 58.49	+16 14 47.60	1523+1625	234.8	−0.59	C		0.7961	0.1255	P	15 23 58.45	+16 14 47.65	23.1	26.0	21.4	20.4	19.4	
176	15 24 05.26	+29 00 23.60	TXS 1522+291	279.1	−0.54	C												
177	15 24 12.71	+19 23 59.70	TXS 1521+195	263.9	−0.89	II	c	1.2349	0.0720	I	15 24 12.69	+19 23 58.24	23.5	23.7	22.8	21.7	20.6	
178	15 24 41.60	+15 21 21.70	TXS 1522+155	445.0	−0.28	C		0.6280		S	15 24 41.61	+15 21 21.10	18.3	18.0	18.1	18.0	18.0	15.1
179	15 24 54.42	+27 57 07.70	TXS 1522+281	209.6	−0.89	II	c											
180	15 25 02.88	+11 07 45.00	TXS 1522+113	407.7	−0.52	C*		0.3326	0.0012	S	15 25 02.93	+11 07 44.11	19.4	19.3	18.4	18.2	17.5	15.0
181	15 25 08.80	+12 53 18.10	BWE 1522+1303	219.7		II	c	0.2570	0.0008	S	15 25 11.68	+12 52 58.02	20.6	19.9	18.6	18.1	17.6	15.1
182	15 25 32.87	+15 56 11.40	4C 16.45	485.7	−0.95	C					15 25 32.93	+15 56 09.80	25.1	23.5	23.2	21.9	21.5	
183	15 26 09.24	+17 02 26.70	TXS 1523+172	317.1	−0.47	C												
184	15 26 31.81	+14 44 59.20	TXS 1524+149	231.0	−0.75	II	c	0.6677	0.1220	P	15 26 31.91	+14 44 59.50	25.3	23.3	21.8	20.6	20.0	
185	15 26 33.87	+12 53 07.60	BWE 1524+1302	234.4	−1.02	II	c											
186	15 27 15.68	+20 53 23.00	TXS 1525+210	217.9	−0.82	II	c											
187	15 27 32.48	+11 54 32.20	4C 12.55	479.8	−1.04	II	c											
188	15 27 40.01	+15 21 57.90	TXS 1525+155	308.0	−0.64	C					15 27 40.00	+15 21 56.92	22.0	20.8	20.7	21.0	20.9	
189	15 27 44.61	+28 55 06.60	TXS 1525+290	212.8	−0.49	I	c	0.0652		S	15 27 44.41	+28 55 6.57	17.4	15.4	14.5	14.0	13.7	11.1^e
190	15 27 57.80	+22 33 01.30	TXS 1525+227	335.4	−0.75	II	p	0.2530		S	15 27 57.89	+22 33 00.36	16.7	16.7	16.6	16.6	16.5	
191	15 28 06.39	+13 23 32.30	TXS 1525+135	225.0	−0.89	II	c	0.6760	0.0011	S	15 28 06.63	+13 23 45.86	19.6	19.0	18.7	18.8	18.5	
192	15 29 09.51	+17 13 26.80	TXS 1526+173	409.4	−0.94	II	c	0.7970	0.0159	I	15 29 09.60	+17 13 28.02	21.0	20.9	20.7	20.5	20.6	
193	15 29 46.19	+15 39 44.50	4C 15.48	536.8	−0.83	II	c	0.3523	0.0341	P	15 29 45.93	+15 39 40.46	23.9	20.8	19.3	18.6	18.1	15.3
194	15 29 51.76	+19 04 34.60	TXS 1527+192	604.8	−0.66	C					15 29 51.71	+19 04 34.93	20.6	19.9	19.8	19.7	19.4	
195	15 30 04.69	+29 00 09.30	7C 1528+2910	258.3		II	c	0.0839		S	15 30 10.28	+29 00 30.60						13.1
196	15 30 05.11	+23 16 22.20	TXS 1527+234	277.6	−0.40	II	c	0.1049	0.0178	P	15 30 07.97	+23 16 16.03	18.2	16.1	15.1	14.6	14.2	13.0
197	15 30 49.02	+27 21 27.50	TXS 1528+275	209.6	−0.56	C												
199	15 31 48.52	+10 55 39.90	TXS 1529+110	200.5	−0.77	II	c											
200	15 31 49.73	+22 25 05.90	TXS 1529+225	304.8	−0.68	C												

CoNFIG-3 Data Table

(1)	(2)		(3)	(4)	(5)	(6)		(7)	(8)	(9)	(10)		(11)	(12)	(13)	(14)	(15)	(16)
201	15 32 28.50	+24 15 29.90	J153233.19	328.5		II	c	0.5640		S	15 32 33.18	+24 15 25.81	20.6	20.2	19.7	18.6	18.3	
202	15 32 34.03	+20 06 38.80	4C 20.36	577.7	−0.88	II	c											
203	15 32 44.30	+28 03 46.40	B2 1530+28	381.0	−0.43	I	c	0.0732		S	15 32 44.74	+28 03 47.30	19.3	17.4	16.5	16.1	15.7	13.5^e
204	15 32 50.67	+22 41 35.20	TXS 1530+228	222.9	−0.61	C												
205	15 32 58.12	+15 56 05.80	TXS 1530+161	284.5	−0.88	II	c											
206	15 33 14.49	+15 16 42.20	4C 15.49	947.5	−0.69	C												
207	15 33 15.08	+13 32 24.30	4C 13.55	1113.1	−0.85	II	c	0.7710		S	15 33 15.07	+13 32 25.20	20.4	19.9	19.8	19.8	19.2	
208	15 34 17.83	+10 17 08.40	Cul 1531+104	336.5	−0.96	I	c	0.1411	0.0116	P	15 34 18.64	+10 16 47.55	20.3	18.1	17.0	16.5	16.1	13.5^e
209	15 34 22.66	+13 49 17.10	TXS 1532+139	809.0	−0.64	II	p	0.2095	0.0631	P	15 34 22.64	+13 49 16.90	21.1	19.3	18.0	17.4	17.0	
210	15 34 46.22	+19 18 10.20	4C 19.50	674.7	−0.76	C												
211	15 34 57.26	+23 30 11.10	ARP 220	326.3	−0.21	C		0.0181	0.0001	S	15 34 57.21	+23 30 13.25	15.5	13.8	13.0	12.6	12.3	
212	15 35 19.47	+27 52 56.80	TXS 1533+280	302.7	−0.92	II	p	0.5337	0.0465	P	15 35 19.41	+27 52 55.34	22.1	21.2	19.9	19.0	18.6	
213	15 35 49.55	+14 03 50.90	TXS 1533+142	299.1	−0.69	I	p											
214	15 36 11.93	+13 12 35.50	TXS 1533+133	210.3	−0.73	C					15 36 11.93	+13 12 35.20	23.0	23.8	22.9	22.1	21.3	
215	15 36 34.02	+17 16 07.40	4C 17.63	368.7	−1.04	C												
216	15 37 07.76	+26 48 28.50	TXS 1534+269	263.1		I^w	c	0.2626	0.0168	P	15 37 07.34	+26 48 23.22	21.6	19.6	18.2	17.6	17.2	
217	15 37 08.01	+14 24 47.10	TXS 1534+145	204.8	−0.98	II	c											
219	15 37 45.72	+23 02 24.20	BWE 1535+2312	200.2		C												
220	15 38 34.18	+23 18 36.80	TXS 1536+234	259.6	−0.29	C												
221	15 39 16.46	+14 16 22.60	TXS 1536+144	203.7	−0.90	II	c	0.7339	0.0761	P	15 39 15.16	+14 16 03.21	21.6	20.9	20.3	19.4	19.2	
222	15 39 25.11	+16 04 00.30	TXS 1537+162	412.5	−0.31	C*					15 39 25.10	+16 04 00.26	20.0	19.4	19.2	19.2	18.9	
223	15 40 09.02	+14 21 14.00	TXS 1537+145	569.3	−0.77	II	p	0.7503	0.0104	I	15 40 09.20	+14 21 14.47	21.0	20.7	20.2	20.4	19.9	
225	15 41 04.72	+18 05 50.90	TXS 1538+182	276.6	−0.89	U		0.6149	0.0062	I	15 41 04.76	+18 05 50.06	20.2	20.0	19.8	19.9	19.9	
226	15 41 10.39	+15 44 02.60	4C 15.50	217.9	−1.42	C												
227	15 42 19.54	+17 56 08.20	4C 18.43	529.8	−0.81	II	c	1.6671	0.0020	S	15 42 19.54	+17 56 07.80	19.5	19.3	19.3	19.0	19.1	
228	15 42 20.49	+24 01 55.10	TXS 1540+241	273.4	−0.81	II	c	0.5462	0.0297	P	15 42 20.38	+24 01 49.70	23.3	21.8	20.1	19.1	18.4	
229	15 42 56.17	+10 54 34.70	GB6 B1540+11	303.0	−0.92	II	c	0.9920		S	15 42 56.12	+10 54 36.58	19.0	18.9	18.6	18.6	18.6	
230	15 43 23.83	+21 45 34.80	TXS 1541+219	208.1	−0.83	II	c											
231	15 43 28.53	+22 52 32.80	TXS 1541+230	219.1	−0.57	II	c	0.2201	0.0002	S	15 43 28.58	+22 52 32.74	16.0	24.9	16.9	16.7	16.9	13.8^e
232	15 43 41.41	+13 31 08.50	TXS 1541+136	303.0	−0.80	II	c	0.6047	0.1362	P	15 43 39.51	+13 30 43.10	22.9	22.5	21.5	21.0	20.1	
233	15 43 43.81	+18 47 20.40	TXS 1541+189	356.2	−0.49	C		1.3960		S	15 43 43.81	+18 47 19.75	19.2	19.4	19.1	19.0	19.0	
234	15 44 17.49	+14 10 13.80	TXS 1541+143	217.8	−1.06	II	c											
235	15 45 02.48	+13 45 47.30	TXS 1542+139	231.7	−0.97	C					15 45 02.49	+13 45 45.86	22.9	21.7	21.1	20.4	20.1	
236	15 45 55.05	+19 06 29.30	4C 19.51	927.7	−0.72	U		1.2473	0.0595	I	15 45 55.06	+19 06 28.73	23.8	24.4	22.6	21.7	20.9	
237	15 45 55.06	+23 11 57.90	TXS 1543+233	228.2	−0.49	C		0.7433	0.1229	P	15 45 55.06	+23 11 57.12	23.3	22.5	21.8	20.8	20.5	
238	15 46 02.56	+17 54 38.40	TXS 1543+180	229.9	−0.93	II	c											
239	15 46 05.99	+27 49 17.30	TXS 1544+279	217.1	−0.88	II	p	0.8172	0.1124	P	15 46 06.00	+27 49 17.69	22.5	22.5	21.7	20.7	19.8	
240	15 46 31.47	+21 57 41.30	TXS 1544+221	427.2	−0.69	II	c	0.7343	0.2006	P	15 46 31.41	+21 57 40.21	22.2	23.2	22.0	21.3	21.4	
241	15 47 07.52	+11 42 49.80	GB6 1544+1152	367.1	−0.65	II	c	0.7764	0.0256	I	15 47 10.73	+11 43 40.40	23.7	22.7	21.6	20.5	20.4	
242	15 47 12.96	+18 04 10.80	4C 18.44	419.9	−0.94	II	c	0.5368	0.0332	P	15 47 12.95	+18 04 09.23	23.6	21.7	20.1	19.2	18.8	
243	15 47 21.00	+27 48 22.00	TXS 1545+279	274.0	−0.81	II	c	0.5741	0.0049	I	15 47 20.99	+27 48 21.28	20.4	20.5	19.9	19.7	19.5	
244	15 47 30.07	+14 56 55.70	BWE 1545+1505	203.7		I	c	0.0947	0.0172	P	15 47 29.59	+14 56 56.98	18.2	16.3	15.4	15.0	14.6	12.1^e
246	15 49 04.81	+26 44 14.50	TXS 1546+268	260.8	−0.64	II	c	0.5947	0.0460	P	15 49 05.62	+26 43 31.45	24.3	22.8	21.2	20.2	19.4	
247	15 48 07.46	+14 51 17.60	4C 15.51	398.6	−1.00	II	p											
248	15 49 36.64	+18 35 00.10	4C 18.45	584.6	−0.88	II	c	1.4420		S	15 49 36.59	+18 35 00.89	21.1	21.5	21.1	21.0	21.0	
250	15 50 12.00	+27 17 58.20	TXS 1548+274	282.8	−0.61	II	p											

CoNFIG-3 Data Table

(1)	(2)		(3)	(4)	(5)	(6)		(7)	(8)	(9)	(10)		(11)	(12)	(13)	(14)	(15)	(16)
251	15 50 38.88	+18 39 01.20	TXS 1548+188	214.5	−0.94	II	p											
252	15 50 43.51	+11 20 58.50	4C 11.50	828.3	−0.74	I	p	0.4360		S	15 50 43.59	+11 20 47.47	18.6	18.5	18.6	18.0	17.9	15.1
253	15 51 11.66	+26 06 14.30	TXS 1549+262	455.3	−0.88	II	c	0.6965	0.0941	P	15 51 11.61	+26 06 12.67	25.1	22.8	21.6	20.4	20.0	
255	15 51 36.81	+10 36 22.70	TXS 1549+107	530.7	−0.66	II	c	0.3984	0.0204	P	15 51 40.30	+10 35 48.66	22.5	19.6	18.0	17.3	16.8	
256	15 51 45.36	+12 43 25.10	TXS 1549+128	250.1	−0.93	C												
257	15 52 10.54	+18 42 07.80	TXS 1549+188	274.7	−0.81	U		0.5555	0.0510	P	15 52 10.47	+18 42 05.26	25.0	23.2	21.1	20.1	19.6	
258	15 52 10.97	+22 45 08.00	TXS 1550+229	545.5	−0.68	C	c	1.2960	0.0701		15 52 11.14	+22 45 13.18	23.6	23.6	22.6	21.8	21.0	
259	15 52 24.01	+11 12 45.20	TXS 1550+113	211.9	−0.72	C					15 52 23.92	+11 12 43.90	23.8	24.1	22.5	22.3	22.1	
261	15 53 05.37	+14 01 16.60	J1553+1401	303.3	−0.94	II	c	0.6776	0.0087	I	15 53 06.19	+14 00 58.74	20.9	20.2	20.1	20.1	19.7	
262	15 53 09.93	+21 00 43.70	TXS 1550+211	244.9	−0.84	II	c											
263	15 53 19.50	+17 49 43.10	TXS 1551+179	383.7	−0.91	II	c	0.6901	0.0820	P	15 53 19.59	+17 49 40.55	21.4	20.9	20.1	18.8	18.9	
264	15 53 27.68	+27 30 55.80	TXS 1551+276	228.5	−0.64	C												
265	15 53 32.77	+12 56 50.80	B1551+1305	947.7	−0.33	C*		1.2900		S	15 53 32.70	+12 56 51.72	17.3	17.2	17.1	17.1	17.1	
266	15 53 43.61	+23 48 04.70	4C 23.42	732.1		I	c	0.1150		S	15 53 43.59	+23 48 25.40	18.1	16.3	15.4	14.9	14.6	12.4^e
267	15 53 50.45	+25 01 25.30	TXS 1551+251	367.8	−0.70	U												
268	15 53 54.37	+21 59 27.50	TXS 1551+221	530.0	−0.72	II	c	0.7454	0.1361	P	15 53 54.24	+21 59 29.60	22.5	23.3	22.0	21.2	20.6	
269	15 54 34.04	+25 19 19.40	TXS 1552+254	394.6	−0.79	C												
270	15 54 39.26	+19 47 18.70	4C 19.52	1094.5	−0.78	C		1.3400		S	15 54 39.23	+19 47 18.02	19.9	19.7	18.8	18.6	18.6	
271	15 54 54.57	+14 59 40.80	TXS 1552+151	277.7	−0.87	II	c	0.6063	0.0914	P	15 54 54.34	+14 59 41.80	26.9	23.5	21.6	20.6	19.7	
272	15 55 0.57	+21 41 59.50	TXS 1552+218	233.6	−0.40	C		0.8645	0.0028	S	15 55 00.58	+21 41 59.82	18.5	18.1	17.7	17.4	17.1	14.4
273	15 55 31.35	+27 45 40.70	TXS 1553+279	218.6	−0.73	I	p	0.6732	0.0729	P	15 55 31.40	+27 45 40.00	22.3	21.9	21.0	20.0	19.6	
274	15 55 32.85	+20 09 39.70	BWE 1553+2018	212.6		C												
275	15 55 43.09	+11 11 24.50	TXS 1553+113	312.0	−0.28	C*		0.3600		S	15 55 43.04	+11 11 24.32	14.8	14.5	15.3	14.0	13.9	11.2
276	15 55 51.00	+24 06 15.00	4C 24.35	481.9	−0.98	II	c	0.5864	0.0054	I	15 55 50.98	+24 06 18.00	21.0	20.5	20.2	19.8	19.6	
277	15 55 52.29	+13 18 37.50	TXS 1553+134	202.9	−0.69	U		1.5481	0.1100	R	15 55 52.24	+13 18 37.30	24.3	23.6	22.7	22.6	22.0	
279	15 56 30.55	+22 07 29.70	TXS 1554+222	343.4	−0.87	U												
280	15 56 37.78	+20 00 51.70	7C 1554+2009	289.9		C		0.3036	0.1879	P								
281	15 56 43.27	+14 18 32.80	TXS 1554+144	271.0		II	c											
282^e	15 56 47.07	+10 37 55.70	4C 10.44	415.5	−0.74	I	p	0.1790	0.0192	P	15 56 46.85	+10 37 57.76	20.4	17.4	16.3	15.8	15.4	12.9^e
283	15 57 38.81	+10 12 28.10	TXS 1555+103	267.7	−0.89	C												
284	15 59 06.89	+12 10 26.90	4C 12.56	688.8	−0.76	II	c	0.2853	0.0227	P	15 59 07.06	+12 10 30.50	22.3	20.1	18.5	17.9	17.5	
285	15 59 16.81	+11 15 45.70	4C 11.51	667.7	−0.76	II	c	0.8753	0.0158	I	15 59 16.79	+11 15 46.33	21.7	21.4	21.2	20.8	20.6	
286	15 59 24.98	+16 24 41.30	J1559+1624	321.3		C												
287	15 59 54.25	+16 18 38.40	4C 16.46	987.1	−0.55	C												

CoNFIG-4 Data Table

(1)	(2)		(3)	(4)	(5)	(6)		(7)	(8)	(9)	(10)		(11)	(12)	(13)	(14)	(15)	(16)
1	14 08 18.51	+00 13 09.50	J140818+00	113.8	−0.93	C		1.2377	0.0050	S	14 08 18.46	+00 13 09.26	21.8	21.5	20.9	21.0	20.9	
2	14 08 28.14	+02 25 48.70	TXS 1405+026	243.7	−0.64	I	p	0.1782	0.0438	P	14 08 28.42	+02 25 50.34	20.8	19.4	18.4	17.9	17.5	
3	14 08 32.29	+00 31 33.90	1408+0050	61.2		II	c	1.6734	0.0025	S	14 08 32.65	+00 31 38.53	19.8	19.7	19.6	19.4	19.4	
4	14 08 32.70	−01 31 19.50	J140832+00	73.3		C												
5	14 08 33.31	+01 16 22.10	TXS 1406+015	601.3	−0.60	U												
6	14 08 37.71	+02 48 29.40	1408+0281	77.0		II	c											
7	14 08 46.83	+01 33 56.60	TXS 1406+018	173.6	−1.07	U												
8	14 08 52.43	+02 42 48.60	1408+0271	58.3		U		1.1929	0.0795	I	14 08 52.73	+02 42 50.65	22.6	23.1	22.5	21.6	20.6	
9	14 09 14.92	−03 17 03.70	TXS 1406-030	147.4	−0.77	C		0.5862	0.1907	P	14 09 14.91	−03 17 03.98	22.8	22.2	21.7	21.3	21.7	
10	14 09 23.53	−00 04 36.40	1409-0008	68.9		C												
11	14 09 28.95	−01 57 20.30	J140929-01	90.3		II	p	0.6377	0.0015	S	14 09 29.14	−01 57 17.68	17.5	17.2	17.4	17.3	17.5	15.0
12	14 09 31.43	−01 00 53.20	TXS 1406-007	69.8	−1.11	II	c											
13	14 09 48.25	−02 30 55.90	TXS 1407-022	87.5	−1.02	C					14 09 48.29	−02 30 56.27	21.8	21.6	21.6	21.3	21.3	
14	14 09 52.02	−03 03 10.30	1409-0307	163.6		II	c	0.1380	0.0002	S	14 09 48.85	−03 02 32.53	19.6	17.4	16.3	15.8	15.3	14.0
15	14 09 56.27	−02 46 05.10	B1407-0231	73.0		II	p	1.2640	0.0027	S	14 09 56.32	−02 46 04.01	17.6	17.6	17.3	17.4	17.4	15.4
16	14 09 57.00	−01 21 04.70	1409-0135	71.4		I	p	0.2498	0.0358	P	14 09 57.09	−01 21 05.72	21.8	20.1	18.7	18.2	17.9	
17	14 09 58.48	−01 09 14.10	TXS 1407-009	150.2	−1.17	II	p											
19	14 09 59.89	+01 14 50.00	1409+0125	53.6		C												
20	14 10 04.66	+02 03 07.10	B1407+022	333.5	−0.63	C*		1.0586	0.0021	S	14 10 04.66	+02 03 06.88	19.1	18.5	18.1	17.7	17.4	14.2
21	14 10 19.21	−01 08 03.10	1410-0113	54.0		C		0.7824	0.4442	P	14 10 19.28	−01 08 04.06	22.0	21.9	21.7	21.9	21.0	
22	14 10 25.85	−00 41 51.50	1410-0069	66.3		C												
23	14 10 35.33	−00 41 53.30	TXS 1408-004	178.7	−1.21	U												
24	14 11 04.35	−03 00 43.30	B1408-0246	277.3	−0.65	I	p	1.5305	0.0019	S	14 11 04.26	−03 00 43.38	19.1	18.8	18.8	18.7	18.7	
25	14 11 07.85	+00 36 07.80	J141107+00	242.0		C*		1.7246	0.0027	S	14 11 07.84	+00 36 07.16	18.4	18.3	18.4	18.1	18.2	
26	14 11 08.29	+01 24 41.10	TXS 1408+016	187.5	−1.27	II	c											
27	14 11 10.28	−00 35 59.10	TXS 1408-003	103.3	−1.09	II	c											
28	14 11 14.61	+02 17 22.50	1411+0229	86.5		U		0.1667	0.0002	S	14 11 14.58	+02 17 24.00	20.5	19.0	17.8	17.2	17.1	
29	14 11 23.53	+00 42 40.10	TXS 1408+009	426.5	−0.34	II	c	2.2663	0.0016	S	14 11 23.51	+00 42 52.97	18.8	18.2	18.1	18.0	17.8	
30	14 11 35.32	−03 20 19.60	MRC 1408-030	348.2	−0.89	II	c											
31	14 12 02.34	+02 54 39.60	TXS 1409+031	644.3	−0.82	C		0.9250	0.2848	P	14 12 02.39	+02 54 39.85	20.8	21.1	20.9	20.8	20.2	
32	14 12 05.27	−03 19 29.10	TXS 1409-030	360.2	−0.90	II	c											
33	14 12 46.22	+02 29 26.20	TXS 1410+027	120.9	−1.00	II	c											
34	14 12 51.56	−02 08 34.50	TXS 1410-019	388.2	−0.85	C												
35	14 12 51.98	−00 45 07.70	1412-0075	61.8		II	c	0.8161	0.1286	P	14 12 52.27	−00 45 07.31	24.3	22.5	21.6	20.8	19.8	
36	14 13 14.84	−03 12 27.00	NGC 5506	338.8	−0.34	I	p	0.0061	0.0012	S	14 13 14.88	−03 12 27.32	14.5	12.7	12.0	11.6	11.2	8.2^e
37	14 13 14.94	−00 22 56.60	4C -00.54	233.4	−1.06	II	c	2.3630	0.0010	S	14 13 15.15	−00 22 58.84	25.2	22.5	22.0	22.6	22.4	
38	14 13 26.43	−01 46 46.70	TXS 1410-015	84.3	−0.93	II	p											
39	14 13 27.39	+02 37 28.80	TXS 1410+028	55.9	−1.32	II	c	1.3513	0.1190	I	14 13 27.45	+02 37 28.42	23.7	23.7	22.2	21.9	20.8	
40	14 13 29.35	−02 09 31.00	1413-0216	115.6		C												
41	14 13 38.87	−02 33 15.10	1413-0255	59.1		II	p	0.4832	0.0747	P	14 13 38.86	−02 33 17.93	21.4	21.1	20.2	19.6	19.2	
42	14 13 41.97	+01 11 26.60	TXS 1411+014	195.4	−0.40	C		0.7255	0.0585	P	14 13 41.94	+01 11 26.05	23.6	23.0	21.5	20.2	19.7	
43	14 13 52.16	+01 42 41.00	TXS 1411+019	140.8	−0.71	II	c	0.4764	0.0035	I	14 13 52.22	+01 42 40.10	19.3	19.0	19.1	19.2	19.1	
44	14 14 09.37	+01 49 10.80	1414+0182	55.3		II	c	0.2532	0.0002	S	14 14 08.88	+01 48 59.54	20.8	18.6	17.1	16.6	16.3	14.6
45	14 14 23.04	−00 01 38.00	TXS 1411+002	152.6	−0.75	II	c											
46	14 14 35.80	+02 56 18.30	TXS 1412+031	135.9	−0.73	II	c											
47	14 14 57.34	+00 12 17.90	LEDA 184576	110.4		I^w	c	0.1271	0.0001	S	14 14 56.91	+00 12 10.94	21.3	19.8	18.8	18.4	18.0	
48	14 15 10.01	+00 36 21.30	1415+0060	68.8		II	c											
49	14 15 11.41	−01 37 02.80	N274Z243	113.7		I	p	0.1500	0.0002	S	14 15 13.99	−01 37 03.76	19.1	17.1	15.9	15.4	15.0	13.9
50	14 15 28.72	+01 05 54.20	N342Z086	107.2		I	p	0.1647	0.0002	S	14 15 28.71	+01 05 47.51	20.3	17.8	16.6	16.1	15.8	13.6^e

CoNFIG-4 Data Table

(1)	(2)		(3)	(4)	(5)	(6)		(7)	(8)	(9)	(10)		(11)	(12)	(13)	(14)	(15)	(16)
51	14 15 30.47	+02 23 01.30	TXS 1412+026	153.9	−0.79	II	p											
52	14 15 53.96	+02 10 31.90	1415+0217	86.5		C		0.5991	0.0753	P	14 15 53.89	+02 10 34.14	22.2	22.7	20.4	19.7	19.6	
53	14 16 04.11	+00 29 15.40	TXS 1413+007	107.2	−1.11	II	c	0.9250	0.0702	Z	14 16 04.22	+00 29 13.99	25.0	24.1	24.3	24.0	20.5	
54	14 16 09.42	−01 25 13.60	TXS 1413-011	114.2	−0.67	II	p	0.6789	0.0838	P	14 16 09.66	−01 25 14.74	23.5	23.7	21.7	20.6	19.7	
55	14 16 13.74	+02 19 22.50	1416+0219	256.2		I^w	c	0.1583	0.0011	S	14 16 13.37	+02 19 07.82	18.9	17.8	16.8	16.3	16.1	13.1^e
56	14 16 43.04	−02 56 11.30	J141643-02	93.6		C		0.1330	0.0002	S	14 16 43.03	−02 56 11.98	20.4	18.3	17.3	16.8	16.4	13.9^e
57	14 16 56.31	+02 22 33.30	1416+0237	60.9		C					14 16 56.21	+02 22 33.53	24.5	23.3	24.1	22.6	20.0	
58	14 16 59.89	−00 57 31.90	TXS 1414-007	69.9	−1.50	U												
59	14 17 39.24	+00 40 04.00	TXS 1415+008	145.5	−0.53	II	c											
60	14 18 24.53	−01 20 01.00	TXS 1415-011	200.0	−0.96	U												
61	14 18 24.69	+01 07 27.30	TXS 1415+013	131.2	−0.79	II	c											
62	14 18 28.14	+01 27 54.30	TXS 1415+016	240.7	−1.11	II	c	0.5745	0.0812	P	14 18 28.31	+01 27 52.85	21.2	21.3	20.0	19.4	18.8	
63	14 18 38.44	−02 31 05.90	TXS 1416-022	105.9	−0.66	II	c	1.3311	0.0754	I	14 18 38.36	−02 31 04.60	23.1	23.1	23.2	21.8	21.7	
64	14 18 41.25	+00 23 59.20	TXS 1416+006	52.4	−1.23	II	c	0.7936	0.0749	P	14 18 39.70	+00 23 50.26	22.7	23.3	21.6	20.7	19.4	
65	14 18 59.20	−03 22 51.80	TXS 1416-031	290.3	−1.08	C												
66	14 19 08.14	+01 08 55.50	1419+0115	57.1		C					14 19 08.19	+01 08 56.29	24.2	23.6	22.5	21.4	20.6	
67	14 19 08.97	−03 14 33.00	1419-0324	145.5		II	c	0.8488	0.3090	P	14 19 08.99	−03 14 33.00	21.4	21.2	21.0	20.8	20.1	
68	14 19 13.33	−00 13 52.90	TXS 1416-000	436.1	−0.98	II	c											
69	14 19 24.71	+00 16 59.90	TXS 1416+005	178.5	−1.14	C												
70	14 19 24.82	−01 49 32.00	4C -01.33	502.7	−0.79	II	p	0.5877	0.0695	P	14 19 24.85	−01 49 31.94	24.3	22.5	21.1	20.1	20.1	
71	14 19 32.35	+00 31 18.10	J141932+00	70.2		II	c	0.7300	0.0050	S	14 19 32.59	+00 31 20.39	19.3	19.0	19.1	19.1	19.0	
72	14 20 33.39	−00 32 34.80	J142033-00	77.0		II	c	2.6770	0.0064	S	14 20 33.26	−00 32 33.36	19.3	18.8	18.7	18.7	18.6	
73	14 20 34.17	−00 54 59.80	TXS 1417-006	203.4	−0.64	C												
74	14 20 55.66	−00 09 38.90	J142055-00	53.6		C		2.1934	0.0016	S	14 20 55.62	−00 09 40.25	19.7	19.3	19.4	19.1	18.8	
75	14 21 11.07	+02 48 32.80	TXS 1418+030	332.7	−0.79	II	c											
76	14 21 13.56	−02 46 46.00	4C -02.60	527.9	−0.87	II	c	0.5692	0.0368	P	14 21 13.55	−02 46 45.95	26.6	22.4	20.2	19.1	18.7	
77	14 21 42.64	+01 24 42.50	TXS 1419+016	64.9	−0.85	U												
78	14 22 35.63	−01 52 12.40	J142235-01	113.1		II	c	0.6662	0.0013	S	14 22 35.89	−01 52 11.21	19.1	18.8	18.9	18.9	18.8	
79	14 23 03.43	+01 39 58.70	TXS 1420+018	210.4	−0.47	C												
80	14 23 12.37	+02 20 35.40	1423+0220	170.8		II	c	0.6415	0.0806	P	14 23 14.55	+02 20 27.95	23.5	21.6	20.6	19.7	19.6	
81	14 23 26.70	−00 49 56.50	4C -00.55	492.9	−0.89	II	c	0.8198	0.0347	I	14 23 27.28	−00 49 19.50	23.2	23.5	22.2	20.6	19.4	
82	14 23 29.14	−02 45 21.80	1423-0276	58.0		II	p											
83	14 23 44.68	+01 20 36.80	TXS 1421+015	53.2	−0.89	U												
84	14 23 56.98	+00 31 15.00	1423+0052	51.4		II	p											
85	14 24 03.40	+00 29 58.70	N344Z154	95.5		I	p	0.1250	0.0002	S	14 24 03.34	+00 29 57.84	19.2	17.1	16.1	15.7	15.3	12.5^e
86	14 24 18.85	+00 55 12.20	TXS 1421+011	72.7	−0.53	C		0.6391	0.0829	P	14 24 18.79	+00 55 12.65	23.1	23.2	21.3	20.4	19.8	
87	14 24 19.81	+00 25 34.20	TXS 1421+006	157.4	−0.71	II	c	1.2031	0.0627	I	14 24 19.74	+00 25 34.86	24.7	22.9	22.2	21.6	21.1	
88	14 24 39.49	−01 44 33.40	1424-0174	67.0		II	c	0.9953	0.0541	I	14 24 39.60	−01 44 33.43	24.9	23.8	22.5	21.1	20.5	
89	14 24 40.65	−03 23 29.80	4C -03.51	550.7	−0.81	II	c											
90	14 25 01.42	−02 38 36.70	1425-0264	178.1	−0.87	II	p	0.6320	0.1537	P	14 25 01.27	−02 38 35.70	22.6	22.2	21.6	21.2	20.6	
91	14 25 09.14	−02 27 15.80	J142509-02	52.7		C		1.6906	0.0019	S	14 25 09.14	−02 27 17.03	19.1	19.0	19.0	18.7	18.8	
92	14 25 09.19	−01 16 01.90	TXS 1422-010	149.9	−0.79	II	c	0.4786	0.0033	I	14 25 09.22	−01 15 59.36	19.9	19.6	19.6	19.2	19.0	
93	14 25 45.72	+00 22 42.00	J142545+00	70.3		C		0.3263	0.0012	S	14 25 45.91	+00 22 42.71	18.7	18.7	18.5	18.4	17.9	
94	14 25 50.20	−00 23 15.70	1423-0005	157.4	−0.75	II	c	0.6949	0.0432	P	14 25 50.14	−00 23 14.71	25.2	22.8	20.7	19.5	19.0	
95	14 25 55.95	+02 46 56.80	TXS 1423+030	290.9	−0.88	II	p											
96	14 25 59.00	+01 38 24.00	TXS 1423+018	97.4	−1.35	II	c	0.8002	0.3590	P	14 25 59.16	+01 38 23.28	21.5	21.1	21.5	21.0	24.5	
97	14 26 12.96	+02 00 39.60	1426+0201	66.8		C												
98	14 26 15.51	+00 50 21.70	N344Z014	96.7		I^w	c	0.1250	0.0002	S	14 26 16.34	+00 50 15.36	18.6	16.8	15.8	15.3	14.9	12.9^e
99	14 26 23.75	−03 21 28.80	TXS 1423-031	118.3	−0.72	C												
100	14 26 30.42	+01 42 36.10	TXS 1423+019	90.8	−1.05	II	c											

CoNFIG-4 Data Table

(1)	(2)		(3)	(4)	(5)	(6)		(7)	(8)	(9)	(10)		(11)	(12)	(13)	(14)	(15)	(16)
101	14 26 49.60	−00 47 18.30	J142649-00	87.7		C		1.8200	0.0050	S	14 26 49.59	−00 47 17.84	19.3	19.2	19.3	19.1	19.2	
102	14 26 49.84	+00 55 59.90	1426+0093	57.9		II	p											
103	14 26 55.09	−02 49 20.90	J142655-02	60.3		C		2.2350	0.0050	S	14 26 55.11	−02 49 20.46	20.2	19.6	19.4	19.2	18.9	
104	14 26 55.47	−02 15 45.10	1426-0226	167.1		C					14 26 55.48	−02 15 44.21	22.3	22.1	21.3	20.9	20.1	
105	14 27 11.20	−01 52 12.70	1427-0187	52.0	−1.51	U												
106	14 27 39.70	+00 21 44.60	TXS 1425+005	110.3	−1.28	II	c											
107	14 27 46.92	+00 28 47.40	J142746+00	86.7		II	c	1.2610	0.0014	S	14 27 46.80	+00 28 44.60	19.4	19.4	18.9	18.9	18.9	
108	14 27 46.97	+00 42 33.10	4C 00.49	349.1	−0.98	C												
109	14 27 52.85	−01 25 26.40	1427-0142	317.3	−0.99	C												
111	14 28 10.34	+02 57 41.30	1428+0296	58.0		C					14 28 10.40	+02 57 39.42	26.0	22.1	20.7	18.8	17.7	15.3
113	14 28 41.93	−03 27 07.80	1428-0345	60.8		C												
114	14 28 47.61	+01 35 12.30	1428+0159	71.7		C					14 28 47.62	+01 35 15.04	23.3	23.0	21.8	21.9	22.0	
115	14 29 04.11	+02 51 39.90	TXS 1426+030	608.9	−0.42	U		0.3011	0.0225	P	14 29 04.10	+02 51 40.36	23.0	20.1	18.5	18.0	17.6	15.2
116	14 29 30.20	−01 55 44.30	1429-0193	101.3		C												
117	14 29 46.17	−01 57 03.50	TXS 1427-017	123.1	−1.19	C					14 29 46.17	−01 57 03.49	24.4	23.6	22.2	21.6	20.6	
118	14 29 48.66	−01 12 52.30	4C-01.35	675.1	−0.85	C		1.4951	0.0027	S	14 29 48.66	−01 12 52.24	20.3	19.8	19.2	18.7	18.5	
119	14 30 00.95	+00 46 26.30	TXS 1427+009	120.7	−0.73	II	c											
120	14 30 23.24	−01 55 17.70	1430-0192	117.6		II	c	0.4299	0.1651	P	14 30 25.15	−01 55 12.00	21.7	21.4	20.8	20.7	20.1	
121	14 30 30.32	−00 40 22.70	1427-0026	146.1	−1.12	C		0.5969	0.1698	P	14 30 30.27	−00 40 23.27	23.0	22.5	21.8	21.3	20.7	
122	14 30 30.53	+01 01 04.90	TXS 1427+012	171.4	−0.96	II	c											
123	14 30 31.45	−00 09 08.00	1430-0015	53.0		C					14 30 31.30	−00 09 07.61	21.7	20.7	20.6	20.7	20.2	
124	14 30 36.51	+00 33 41.40	TXS 1428+007	64.7	−1.01	U												
125	14 31 10.48	−01 33 37.60	TXS 1428-013	120.8	−0.71	II	c	1.3671	0.0893	I	14 31 10.45	−01 33 35.00	25.6	24.4	22.6	21.9	21.3	
126	14 31 13.10	−00 52 40.30	J143413-00	76.0		C		1.6364	0.0017	S	14 31 13.15	−00 52 38.39	20.2	19.9	19.7	19.4	19.4	
127	14 31 34.19	−00 55 16.40	1431-0092	59.4		C												
128	14 31 38.25	−00 55 34.60	1431-0093	93.1		II	c	1.4774	0.1390	I	14 31 38.45	−00 55 31.93	24.9	22.4	22.4	22.1	23.3	
129	14 31 46.86	−00 50 13.00	TXS 1429-006	82.4	−1.10	II	p	0.4818	0.1757	P	14 31 46.78	−00 50 17.45	23.3	21.9	21.5	21.2	21.4	
130	14 31 53.62	−01 21 59.10	TXS 1429-011	72.2	−1.13	C												
131	14 32 06.30	+02 37 09.40	1432+0262	55.8		II	c	0.7386	0.1229	P	14 32 06.25	+02 37 11.40	21.9	24.8	20.8	19.7	18.8	
132	14 32 37.84	−01 17 57.30	1432-0130	58.7		C												
133	14 32 38.09	−03 03 18.30	1432-0305	58.4		II	c	1.1568	0.1153	I	14 32 38.10	−03 03 18.36	23.2	23.4	22.3	21.5	20.8	
134	14 32 44.31	−00 59 13.80	J143244-00	130.5		II	c	1.0270	0.0022	S	14 32 44.44	−00 59 15.14	17.5	17.4	17.1	17.1	17.2	15.3
135	14 32 49.09	+00 47 04.30	1432+0078	76.4		II	c											
136	14 32 54.19	−01 59 33.60	TXS 1430-017	169.3	−0.92	C					14 32 54.18	−01 59 34.80	22.9	23.5	22.5	20.6	20.0	
137	14 32 59.25	+00 54 55.20	TXS 1430+011	199.5	−0.60	II	p	0.4822	0.0239	P	14 32 59.83	+00 54 53.60	25.3	21.5	19.8	18.9	18.4	
138	14 33 01.45	−00 28 50.80	TXS 1430-002	168.7	−1.30	II	c											
139	14 33 08.83	+00 44 35.50	1433+0074	70.1		C												
140	14 33 14.16	−00 18 06.70	TXS 1430-000	201.2		C												
141	14 33 24.80	−02 20 45.10	1433-0234	256.0		C		0.3735	0.0408	P	14 33 24.80	−02 20 45.74	23.4	21.9	20.0	19.5	19.1	
142	14 33 46.59	+02 17 55.90	GB6 B1431+0230	170.8		II	c	0.3509	0.0246	P	14 33 46.70	+02 17 55.82	22.0	20.4	18.7	18.1	17.8	15.4
143	14 33 46.69	−02 23 22.50	1433-0239	53.6		I	c	0.1916	0.0250	P	14 33 46.77	−02 23 19.18	20.9	19.2	18.0	17.5	17.1	
144	14 33 50.13	+02 28 24.90	1433+0247	53.6		C												
145	14 33 52.09	+00 37 30.30	TXS 1431+008	275.2	−0.72	II	c	0.5031	0.0003	S	14 33 51.88	+00 37 23.51	23.5	21.7	19.8	18.9	18.5	
146	14 34 10.56	+01 36 46.90	1434+0158	475.4		I^w	c	0.1379	0.0002	S	14 34 09.03	+01 37 01.00	19.0	16.8	15.7	15.2	14.8	12.2^e
147	14 34 03.22	+01 03 51.50	TXS 1431+012	64.9	−0.89	C					14 34 03.18	+01 03 50.70	22.9	23.2	22.3	21.8	21.3	
148	14 34 05.22	−00 23 04.30	TXS 1431-001	156.6	−0.87	II	c											
149	14 34 10.14	−01 23 24.80	TXS 1431-011	122.2	−1.07	II	c	1.0202	0.0015	S	14 34 10.77	−01 23 41.72	19.8	19.6	19.3	19.3	19.4	
150	14 34 49.27	−02 15 09.20	TXS 1432-020	112.5	−0.90	II	c	0.2905	0.0002	S	14 34 49.04	−02 14 59.42	22.0	19.7	18.0	17.5	17.1	15.0

CoNFIG-4 Data Table

(1)	(2)		(3)	(4)	(5)	(6)		(7)	(8)	(9)	(10)		(11)	(12)	(13)	(14)	(15)	(16)
151	14 34 52.84	+02 36 03.00	TXS 1432+028	322.1	−0.81	II	c											
152	14 35 21.30	−02 40 51.70	1435-0268	62.9		I^w	c	0.4999	0.0242	P	14 35 21.02	−02 40 56.70	26.3	21.9	19.9	18.9	18.4	
153	14 35 23.20	+02 25 42.80	1435+0243	71.5		II	c	1.0272	0.0655	I	14 35 23.69	+02 25 45.05	22.7	23.1	22.8	21.2	20.5	
154	14 35 41.65	−01 47 25.90	TXS 1433-015	132.2	−0.95	II	c	1.4496	0.1145	I	14 35 40.75	−01 47 24.20	22.1	22.0	22.1	22.1	21.0	
155	14 36 09.04	+01 48 49.20	1436+0181	52.7		C					14 36 09.20	+01 48 47.74	21.7	21.4	21.0	20.6	20.4	
156	14 36 30.26	+00 35 19.80	TXS 1433+008	123.0	−0.43	C												
157	14 36 37.02	−02 14 31.10	1436-0224	59.8		C					14 36 37.09	−02 14 31.85	23.1	23.7	22.4	21.6	21.0	
158	14 37 10.23	−03 04 57.80	1437-0308	50.0		C												
159	14 37 21.09	−00 33 18.10	TXS 1434-003	365.0	−0.63	C					14 37 21.16	−00 33 19.48	21.0	20.8	20.5	20.6	20.1	
160	14 37 22.79	−03 03 07.30	TXS 1434-028	120.0	−1.09	II	p											
161	14 37 31.82	+01 18 58.40	TXS 1434+015	108.8	−1.06	C		0.3419	0.0002	S	14 37 31.86	+01 18 58.14	23.0	21.2	19.7	19.3	18.7	
162	14 37 31.86	+01 43 25.20	TXS 1434+019	370.3	−2.35	II	c											
163	14 37 36.74	+01 45 03.20	1437+0175	276.7		II	c											
164	14 37 37.48	+02 56 10.00	TXS 1435+031	195.4	−1.15	II	c											
166	14 37 42.80	−00 15 04.20	1437-0025	67.0		I^w	c	0.1375	0.0001	S	14 37 43.21	−00 15 12.51	19.4	17.1	16.0	15.5	15.2	12.9^e
167	14 37 48.30	−01 47 09.40	J143748-01	52.1		C		1.3079	0.0022	S	14 37 48.28	−01 47 10.79	15.6	15.6	15.3	15.3	15.4	13.5
168	14 37 56.68	−00 41 16.10	1437-0069	61.6		II	c											
169	14 37 56.76	+01 56 38.30	J143757+01	86.7		II	p	1.1832	0.0020	S	14 37 56.93	+01 56 38.83	19.7	20.0	19.7	19.6	19.9	
170	14 38 00.61	+02 37 03.20	TXS 1435+028	56.9	−1.11	U		1.0353	0.0672	I	14 38 00.68	+02 37 02.96	23.3	24.0	22.7	21.2	20.3	
171	14 38 00.84	+00 23 23.80	TXS 1435+006	111.9	−1.10	C												
172	14 38 06.05	+01 24 30.20	1438+0141	75.2		C		0.4981	0.0002	S	14 38 06.03	+01 24 29.48	22.0	21.4	19.6	18.8	18.2	
173	14 38 10.41	−01 42 05.30	1438-0170	58.1		C					14 38 10.22	−01 42 04.32	26.2	23.4	21.8	20.8	20.3	
174	14 38 14.19	+01 13 30.40	1438+0122	75.1		C		0.6674	0.0373	P	14 38 14.20	+01 13 29.71	23.9	21.4	20.2	19.1	18.3	
175	14 38 17.17	+01 50 31.70	TXS 1435+020	115.8	−0.95	II	c											
176	14 38 20.57	−01 20 06.60	1438-0133	57.3		I	p	0.2924	0.0193	P	14 38 20.51	−01 20 06.14	22.0	19.7	18.2	17.6	17.2	15.0
177	14 38 20.96	−02 39 52.90	4C -02.61	322.6	−0.75	II	c	1.5495	0.0020	S	14 38 20.93	−02 39 53.14	19.3	19.2	19.0	18.7	18.6	
178	14 38 25.93	−01 00 01.50	1438-0100	100.0		I	c	0.2175	0.0001	S	14 38 25.61	−01 00 03.42	23.7	22.0	20.8	20.4	20.0	
179	14 38 33.63	−00 05 26.40	4C 00.50	506.3	−0.90	II	c	0.7037	0.0990	P	14 38 33.51	−00 05 25.04	22.7	22.2	21.3	20.3	19.6	
180	14 38 33.64	+00 13 29.80	1438+0022	82.1		II	c	0.8937	0.2755	P	14 38 33.58	+00 13 28.78	21.8	21.3	21.3	20.6	20.1	
181	14 38 41.86	−00 45 25.00	1438-0076	111.9		C												
182	14 38 43.38	+00 57 57.50	TXS 1436+011	67.3	−1.36	II	p	0.7700	0.0130	I	14 38 43.19	+00 57 58.57	24.4	22.3	20.9	20.4	20.0	
183	14 38 43.41	−00 48 51.00	1438-0081	57.2		II	p	1.3724	0.0865	I	14 38 43.27	−00 48 50.40	22.7	22.4	22.6	21.9	21.1	
184	14 38 48.87	+00 40 59.20	1438+0068	164.8		I^w	c	0.1503	0.0001	S	14 38 48.39	+00 40 56.60	20.1	18.4	17.4	16.9	16.6	14.9
185	14 38 49.11	−00 51 16.50	1438-0085	133.5		II	c											
186	14 38 53.93	−02 42 08.20	TXS 1436-024	146.9	−1.01	C												
187	14 39 39.50	+00 43 35.20	TXS 1437+009	122.3	−0.86	II	c											
188	14 39 43.36	−00 18 59.50	TXS 1437-001	133.2	−0.80	II	c	0.8901	0.3379	P	14 39 43.11	−00 18 53.35	23.1	22.6	21.9	22.4	22.1	

A2 Complementary Samples: 3CRR Sample

3CRR Data Table

Radio position (J2000)		Name	$S_{178\mathrm{MHz}}$	α	Type	redsh.
RA	DEC		(Jy)			
00 38 13.76	+32 53 39.9	3C19	3.6	−0.63	II	0.4820
00 40 20.08	+51 47 10.2	3C20	11.0	−0.66	II	0.3500
01 04 39.10	+32 08 43.3	3C31	5.2	−0.57	I	0.0167
01 06 14.54	+13 04 14.8	3C33	11.3	−0.76	II	0.0595
01 06 06.48	+72 55 59.2	3C33.1	3.6	−0.62	II	0.1810
01 23 54.74	+32 57 38.3	3C41	3.7	−0.51	II	0.7800
01 33 40.42	+20 42 10.6	3C47	3.8	−0.98	II	0.4250
01 34 49.82	+32 54 20.4	3C48	17.8	−0.59	C	0.3670
02 10 37.10	+86 05 18.5	3C61.1	6.9	−0.77	II	0.1860
02 20 01.78	+42 45 54.6	3C66B	8.8	−0.50	I	0.0215
03 07 11.48	+16 54 36.9	3C79	5.0	−0.92	II	0.2559
03 14 56.92	+41 40 33.0	3C83.1B	7.4	−0.62	I	0.0255
03 16 29.55	+41 19 52.1	3C84	12.3	−0.78	I	0.0172
03 56 10.21	+10 17 31.7	3C98	9.4	−0.78	II	0.0306
04 10 54.85	+11 04 39.5	3C109	4.1	−0.85	II	0.3056
04 33 55.21	+29 34 12.6	3C123	44.6	−0.70	II	0.2177
04 59 54.27	+25 12 12.1	3C133	5.3	−0.70	II	0.2775
05 18 16.52	+16 35 26.6	3C138	8.6	−0.46	C	0.7590
05 38 43.53	+49 49 42.9	3C147	23.4	−0.46	C	0.5450
06 05 44.44	+48 04 48.8	3C153	3.9	−0.66	II	0.2769
06 51 11.05	+54 12 50.0	3C171	3.5	−0.87	II	0.2384
09 51 44.20	+69 55 03.0	3C231	8.2	−0.28	I	0.0009

A3 Complementary Samples: CENSORS

CENSORS Data Table

Name	Radio position (J2000)		$S_{1.4\mathrm{GHz}}$	Type	redsh.
	RA	DEC		(mJy)	
CENSORS-001	09 51 29.07	-20 50 30.10	659.5	II	1.1550
CENSORS-002	09 46 50.21	-20 20 44.40	452.3	C	0.9130
CENSORS-003	09 50 31.39	-21 02 44.80	355.3	C	0.7900
CENSORS-004	09 49 53.60	-21 56 18.40	283.0	II	1.0130
CENSORS-005	09 53 44.42	-21 36 02.50	244.7	II	1.5880
CENSORS-006	09 51 43.63	-21 23 58.00	239.7	U	0.5470
CENSORS-007	09 45 56.71	-21 16 54.40	148.2	II	1.4370
CENSORS-008	09 57 30.07	-21 30 59.80	126.3	II	0.2710
CENSORS-009	09 49 35.43	-21 56 23.50	118.2	C	0.2420
CENSORS-010	09 47 26.99	-21 26 22.60	79.4	II	1.0740
CENSORS-011	09 53 29.51	-20 02 12.50	78.1	C	1.5890
CENSORS-012	09 46 41.13	-20 29 27.30	70.4	U	0.8210
CENSORS-013	09 54 28.97	-21 56 55.00	66.3	II	2.9500
CENSORS-014	09 54 47.66	-20 59 43.80	65.6	II	1.4450
CENSORS-015	09 46 51.12	-20 53 17.80	63.0	II	1.4170
CENSORS-016	09 57 51.42	-21 33 24.20	61.7	II	3.1260
CENSORS-017	09 52 42.95	-19 58 20.40	61.5	II	0.8930
CENSORS-018	09 55 13.60	-21 23 03.10	58.3	C	0.1090
CENSORS-019	09 53 30.69	-21 35 50.00	55.1	II	1.2050
CENSORS-020	09 46 04.75	-21 15 11.40	54.2	C	1.7330
CENSORS-021	09 47 58.94	-21 21 50.90	54.0	C	1.2190
CENSORS-022	09 57 30.92	-21 32 39.50	52.9	U	0.9070
CENSORS-023	09 56 30.01	-20 01 31.00	52.4	II	1.9290
CENSORS-024	09 54 38.33	-21 04 25.10	51.0	C	3.4310
CENSORS-025	09 48 04.05	-21 47 36.80	49.2	C	2.0220
CENSORS-026	09 52 17.69	-20 08 36.20	44.4	U	1.0450
CENSORS-027	09 51 49.78	-21 24 57.70	40.4	II	0.4230
CENSORS-028	09 46 31.32	-20 26 07.20	40.1	II	0.4720
CENSORS-029	09 48 15.71	-21 40 06.30	38.2	I	0.9650
CENSORS-030	09 45 55.86	-20 28 30.20	37.8	I	0.1080
CENSORS-031	09 45 19.60	-21 42 43.80	37.3	II	0.8770
CENSORS-032	09 51 41.02	-20 11 18.40	35.3	II	1.1510

CENSORS Data Table

Name	Radio position (J2000)		$S_{1.4\mathrm{GHz}}$	Type	redsh.
	RA	DEC		(mJy)	
CENSORS-033	09 53 04.71	-20 44 09.80	34.3	II	1.2030
CENSORS-034	09 47 53.55	-21 47 19.60	34.2	C	1.3190
CENSORS-035	09 54 52.43	-21 19 29.00	34.1	II	0.4730
CENSORS-036	09 49 33.23	-21 27 08.30	32.3	C	1.4850
CENSORS-037	09 49 19.44	-21 51 35.40	31.8	II	0.5110
CENSORS-038	09 51 16.77	-20 56 38.40	31.7	II	2.1160
CENSORS-039	09 48 35.99	-21 06 22.60	31.5	II	1.5720
CENSORS-040	09 50 58.63	-21 14 20.30	30.9	C	1.1580
CENSORS-041	09 49 18.18	-20 54 45.40	27.5	I	0.2950
CENSORS-042	09 52 01.86	-21 15 52.30	26.5	U	1.2540
CENSORS-043	09 52 59.17	-21 48 42.40	26.4	II	0.7780
CENSORS-044	09 54 27.06	-20 29 46.50	26.1	U	0.7900
CENSORS-045	09 57 42.91	-20 06 36.10	25.5	I	0.7960
CENSORS-046	09 54 03.02	-20 25 13.20	25.2	C	0.7180
CENSORS-047	09 47 03.32	-20 50 02.20	25.2	II	0.5080
CENSORS-048	09 54 28.28	-20 39 26.60	24.2	C	1.6060
CENSORS-049	09 53 23.18	-20 13 43.50	23.8	C	0.4100
CENSORS-050	09 52 12.71	-21 02 36.30	22.3	II	1.5290
CENSORS-051	09 51 22.89	-21 51 55.10	21.7	C	2.9550
CENSORS-052	09 45 42.64	-21 15 44.90	21.7	U	1.6245
CENSORS-053	09 51 32.40	-21 00 29.60	21.6	II	0.4260
CENSORS-054	09 53 20.56	-21 43 59.20	21.4	U	0.4100
CENSORS-055	09 49 30.56	-20 23 34.20	21.4	II	0.5570
CENSORS-056	09 50 43.20	-21 26 40.70	20.8	II	1.4830
CENSORS-057	09 51 21.02	-21 29 55.40	20.7	II	1.1960
CENSORS-059	09 48 42.44	-21 52 24.80	19.1	II	1.0700
CENSORS-060	09 51 48.66	-20 31 52.90	18.9	C	1.6220
CENSORS-061	09 48 01.87	-20 09 11.40	18.5	II	1.4520
CENSORS-062	09 49 45.67	-21 50 06.20	18.4	II	0.5740
CENSORS-063	09 45 29.51	-21 18 50.50	18.4	II	0.3140
CENSORS-064	09 48 59.78	-20 50 08.50	18.1	I	0.7500
CENSORS-065	09 57 26.04	-20 13 05.70	17.9	II	0.5490
CENSORS-066	09 50 46.38	-21 32 55.10	17.4	II	0.3550
CENSORS-067	09 57 31.87	-21 20 26.70	17.3	II	0.4280
CENSORS-068	09 54 51.96	-21 30 16.10	17.2	C	0.5140
CENSORS-069	09 56 02.36	-21 56 04.20	17.0	U	0.5910
CENSORS-070	09 48 10.91	-20 00 59.90	17.0	II	0.6450
CENSORS-071	09 55 41.89	-20 39 39.20	16.7	U	2.8570
CENSORS-072	09 49 25.99	-20 37 24.20	16.5	C	2.4270
CENSORS-073	09 56 28.10	-20 48 45.30	16.2	II	1.3640
CENSORS-074	09 49 29.75	-21 29 38.60	16.0	U	0.6670
CENSORS-075	09 45 26.97	-20 33 55.00	15.7	II	0.2650
CENSORS-076	09 57 45.89	-21 23 23.60	15.3	C	0.2820
CENSORS-077	09 49 42.98	-20 37 45.50	15.0	U	1.5120
CENSORS-078	09 55 59.23	-20 42 51.60	14.6	II	0.4130
CENSORS-079	09 45 48.48	-21 59 06.10	14.6	S	1.2550
CENSORS-080	09 54 53.26	-21 15 12.90	14.5	S	0.3660
CENSORS-081	09 54 16.43	-21 29 01.60	14.5	II	0.4620
CENSORS-082	09 50 53.62	-21 33 07.50	13.6	I	0.5370
CENSORS-083	09 51 29.69	-20 16 42.80	13.5	C	0.5210
CENSORS-084	09 55 45.19	-21 25 23.00	13.5	II	1.9200
CENSORS-085	09 55 23.82	-21 29 57.20	13.4	I	1.2030
CENSORS-086	09 48 04.20	-20 34 34.80	13.2	C	0.8170
CENSORS-087	09 45 56.03	-21 20 51.00	13.2	II	1.2610
CENSORS-088	09 45 20.95	-22 01 22.20	13.1	C	1.0640
CENSORS-089	09 53 09.24	-20 01 21.30	13.0	II	0.9090
CENSORS-090	09 47 34.47	-21 26 58.00	12.8	U	1.2610
CENSORS-091	09 48 22.16	-21 05 08.90	12.7	C	1.2420
CENSORS-092	09 52 55.92	-20 51 45.40	12.6	II	0.7430
CENSORS-093	09 46 18.86	-20 37 57.40	12.2	I	0.1830
CENSORS-094	09 45 21.12	-20 43 21.40	12.2	II	1.6480
CENSORS-095	09 54 21.48	-21 48 07.20	12.2	U	0.0450
CENSORS-096	09 49 25.99	-20 05 20.20	12.0	U	2.7060

CENSORS Data Table

Name	Radio position (J2000)		$S_{1.4\mathrm{GHz}}$	Type	redsh.
	RA	DEC		(mJy)	
CENSORS-097	09 54 36.32	-21 44 26.60	12.0	II	1.6350
CENSORS-098	09 49 35.13	-21 58 10.50	11.8	U	1.6350
CENSORS-099	09 57 2.25	-21 56 51.80	11.6	C	0.7380
CENSORS-100	09 50 48.57	-21 54 57.10	11.5	II	1.2880
CENSORS-101	09 52 50.38	-21 31 48.00	11.4	U	1.0430
CENSORS-102	09 46 49.27	-21 16 48.70	11.1	I	0.4680
CENSORS-103	09 47 28.14	-21 28 57.90	10.7	II	1.2610
CENSORS-104	09 57 39.51	-20 03 22.60	10.7	II	0.8840
CENSORS-105	09 47 24.38	-21 05 02.30	10.6	II	3.3770
CENSORS-106	09 56 06.94	-20 05 43.80	10.5	I	1.2850
CENSORS-107	09 45 37.77	-21 11 14.20	10.3	II	0.5120
CENSORS-108	09 56 49.76	-20 35 25.90	10.2	C	0.2300
CENSORS-109	09 52 10.91	-20 50 11.20	10.1	C	0.7190
CENSORS-110	09 55 11.49	-20 30 18.70	10.1	I	0.2820
CENSORS-111	09 47 44.76	-21 12 23.60	10.0	U	0.4110
CENSORS-112	09 56 42.31	-21 19 44.60	9.8	C	1.7500
CENSORS-113	09 47 10.01	-20 35 52.80	9.7	II	0.9420
CENSORS-114	09 56 04.45	-21 44 36.70	9.6	C	1.4260
CENSORS-115	09 57 24.93	-20 22 48.00	9.6	II	0.5450
CENSORS-116	09 57 35.35	-20 29 35.40	9.6	C	2.6370
CENSORS-117	09 54 10.54	-21 58 00.90	9.5	II	1.2040
CENSORS-118	09 47 48.55	-20 48 34.00	9.4	U	2.2940
CENSORS-119	09 49 02.22	-21 15 05.50	9.4	II	1.4840
CENSORS-120	09 53 57.38	-20 36 51.30	9.1	C	2.8290
CENSORS-121	09 52 01.20	-20 24 56.50	9.0	C	0.2460
CENSORS-122	09 56 37.11	-20 19 05.50	9.0	II	0.2500
CENSORS-123	09 54 31.06	-20 35 38.00	8.7	C	0.8250
CENSORS-124	09 49 10.88	-20 21 53.00	8.7	I	0.0126
CENSORS-125	09 49 22.31	-21 18 19.40	8.4	II	0.7010
CENSORS-126	09 47 50.58	-21 42 08.20	8.4	II	0.3820
CENSORS-127	09 49 24.64	-21 11 12.00	8.3	U	0.9220
CENSORS-128	09 49 02.78	-20 16 11.50	8.3	C	1.1160
CENSORS-129	09 52 26.51	-20 01 07.10	8.3	II	2.4210
CENSORS-130	09 57 22.18	-21 01 06.00	8.2	C	2.8780
CENSORS-131	09 51 48.94	-21 33 41.60	8.2	I	0.4700
CENSORS-132	09 46 02.36	-21 51 44.20	7.9	C	2.5450
CENSORS-133	09 51 29.36	-20 25 34.60	7.8	II	1.3350
CENSORS-134	09 49 49.00	-21 34 33.70	7.8	II	2.3540
CENSORS-135	09 47 48.33	-21 00 40.40	7.8	II	1.3160
CENSORS-136	09 54 41.85	-20 49 43.00	7.5	C	0.6290
CENSORS-137	09 50 38.80	-21 41 08.40	7.4	II	0.5260

A4 Complementary Samples: Lynx & Hercules Sample

Lynx & Hercules Data Table

Radio position (J2000)		Name	$S_{1.4\mathrm{GHz}}$	Type	redsh.
RA	DEC		(mJy)		
08 43 40.72	+44 39 24.7	60w067	1.4	I	1.800
08 43 46.86	+44 35 49.7	60w071	0.9	II	1.250
08 43 52.89	+44 24 29.0	60w084	1.8	I	0.127
08 44 03.58	+44 38 10.2	55w165a	0.6	I	0.680
08 44 04.06	+44 31 19.4	55w116	1.2	I	0.851
08 44 12.33	+44 31 14.9	55w118	0.6	I	0.660
08 44 14.54	+44 35 00.2	55w120	2.0	C	1.350
08 44 14.93	+44 38 52.2	55w121	4.7	C	2.570
08 44 17.83	+44 35 36.9	55w165b	0.5	II	0.750
08 44 27.55	+44 43 07.4	55w122	1.8	II	0.550
08 44 33.05	+44 50 15.3	55w123	3.3	I	0.870
08 44 33.69	+44 46 13.0	55w166	0.5	C	0.990
08 44 35.51	+44 46 04.1	55w124	1.0	I	1.335
08 44 37.12	+44 50 34.7	55w127	1.1	I	0.060
08 44 37.24	+44 26 00.4	55w128	2.2	I	1.189
08 44 41.10	+44 21 37.7	55w131	2.6	II	1.124
08 44 42.50	+44 45 32.5	60w016	0.6	C	0.840
08 44 45.14	+44 32 23.9	55w132	1.0	II	4.400
08 44 46.90	+44 44 37.9	55w133	1.6	I	2.240
08 44 54.51	+44 46 22.0	55w135	1.8	I	0.090
08 45 03.29	+44 28 15.1	55w137	0.9	I	0.151
08 45 04.25	+44 25 53.3	55w140	0.6	I	1.685
08 45 05.49	+44 25 45.0	55w138	2.4	I	2.810
08 45 06.06	+44 40 41.2	55w136	0.8	II	2.120
08 45 14.00	+44 53 08.7	60w024	0.5	C	0.773
08 45 23.83	+44 50 24.6	55w141	1.7	C	1.800
08 45 27.17	+44 55 25.9	55w143a	7.1	I	2.150
08 45 29.47	+44 50 37.4	55w143b	0.9	II	2.210
08 45 40.47	+44 23 20.1	60w032	0.6	C	1.800
08 45 41.30	+44 40 11.9	55w147	12.1	I	1.070
08 45 46.89	+44 25 11.6	55w149	1.8	II	0.151
08 45 50.92	+44 39 51.5	55w150	4.1	I	0.470
08 46 00.34	+44 43 22.1	60w039	0.5	II	0.151
08 46 04.44	+44 45 52.7	55w154	1.4	II	0.330
08 46 06.67	+44 51 27.5	55w155	6.7	I	3.700
08 46 06.82	+44 50 54.1	55w156	0.8	I	0.860
08 46 08.50	+44 36 47.1	55w157	0.9	C	0.557
08 46 27.32	+44 29 56.9	55w159a	1.3	I	1.290
08 46 34.76	+44 41 39.2	55w159b	18.1	I	0.311
08 46 33.37	+44 41 24.4	55w160	0.8	C	0.600
08 46 36.02	+44 30 53.5	55w161	2.5	C	0.440
08 46 39.86	+44 33 44.5	60w055	0.9	I	0.718
17 18 32.76	+49 55 53.4	66w009a	1.1	II	0.650
17 18 33.73	+49 56 03.2	66w009b	0.7	II	0.156
17 18 34.14	+49 58 53.0	53w052	8.0	I	0.460
17 18 47.30	+49 45 49.0	53w054a	2.1	C	1.510
17 18 49.97	+49 46 12.2	53w054b	2.1	C	3.500
17 18 53.51	+49 52 39.1	66w014	3.3	II	0.
17 19 07.29	+49 45 44.8	53w057	2.0	C	1.850
17 19 20.18	+50 00 21.2	53w059	19.4	I	1.650
17 19 27.34	+49 44 01.9	53w061	4.8	I	2.880
17 19 31.93	+49 59 06.2	53w062	0.7	U	0.610
17 19 40.05	+49 57 39.2	53w065	5.5	I	1.185
17 19 42.96	+50 01 03.9	53w066	4.3	I	1.820
17 19 51.27	+50 10 58.7	53w067	21.9	I	0.759
17 19 52.11	+50 02 12.7	66w027	0.6	II	0.086
17 20 02.52	+49 44 51.0	53w069	3.8	I	1.432
17 20 06.07	+50 06 01.7	53w070	2.6	C	1.315
17 20 06.87	+49 43 57.0	66w031	0.8	I	0.812
17 20 12.32	+49 57 09.7	66w035	0.6	I	2.260
17 20 21.46	+49 46 58.3	66w036	0.8	I	0.924
17 20 42.37	+49 43 49.1	53w075	96.8	C	2.150
17 20 52.59	+49 42 52.4	66w042	0.8	I	0.650

Lynx & Hercules Data Table

Radio position (J2000) RA	DEC	Name	$S_{1.4\mathrm{GHz}}$ (mJy)	Type	redsh.
17 20 55.82	+49 41 02.2	53w076	1.9	I	0.390
17 21 01.32	+49 48 34.0	53w077	6.5	II	0.800
17 21 05.43	+49 56 56.0	66w047	0.6	I	0.370
17 21 11.25	+49 58 32.4	66w049	1.4	II	0.950
17 21 18.17	+50 03 35.2	53w078	0.7	I	0.270
17 21 22.75	+50 10 31.0	53w079	11.7	U	0.548
17 21 37.48	+49 55 36.8	53w080	25.9	II	0.546
17 21 37.86	+49 57 57.6	53w081	12.1	U	2.060
17 21 37.64	+50 08 27.4	53w082	2.5	II	2.040
17 21 48.23	+49 47 07.3	66w058	1.9	U	2.300
17 21 48.95	+50 02 39.7	53w083	5.0	U	0.628
17 21 50.43	+49 48 30.5	53w084	0.7	U	2.730
17 21 52.48	+49 54 34.1	53w085	4.5	I	1.350
17 21 56.42	+49 53 39.8	53w086a	1.6	I	0.460
17 21 57.65	+49 53 33.8	53w086b	2.4	I	0.730
17 21 59.10	+50 08 42.9	53w087	5.6	I	3.700
17 21 58.90	+50 11 52.7	53w088	14.1	I	1.773
17 22 01.05	+50 06 54.7	53w089	3.0	I	0.635

APPENDIX B: CONTOUR PLOTS

CoNFIG-1: NVSS (red) and FIRST (blue) or VLA observation Gendre & Wall (2008) (green) contours of extended sources, against Supercosmos Sky Survey background. The pink square, purple stars and orange triangle point to the NVSS, FIRST and optical identification coordinates.

CoNFIG-2, 3 and 4: NVSS (red) and FIRST (blue) or VLA 1.4GHz A-configuration observation (purple) contours of extended sources in the CoNFIG catalogue, against Supercosmos Sky Survey background. The pink square and green star point to the NVSS and optical identification coordinates.

CENSORS:VLA 1.4GHz A-configuration observation (purple) contours of sources in the CENSORS sample, against Supercosmos Sky Survey background. The pink square points to the radio centroid (or the catalogued radio source coordinates).

CoNFIG-1



C1-003: 4C 53.16



C1-006: 4C 31.30



C1-007: DA 240



C1-008: NGC 2484



C1-009: 4C 37.21



C1-010: TXS 0757+503



C1-011: 3C 192



C1-012: 3C 194



C1-013: 4C 32.24

CoNFIG-1



C1-014: 3C 196



C1-015: 4C 52.18



C1-016: 3C 197.1



C1-021: 3C 200



C1-023: 4C 51.25



C1-024: 3C 202



C1-026: 4C 45.17



C1-027: 3C 205



C1-028: 3C 207



C1-030: NGC 2656



C1-031: 4C 31.32



C1-032: 3C 208

CoNFIG-1



C1-033: 3C 208.1



C1-035: 3C 211



C1-036: 3C 210



C1-037: 3C 212



C1-038: 3C 213.1



C1-040: 3C 215



C1-041: 4C 41.19



C1-042: 3C 217



C1-044: 4C 16.27



C1-045: 4C 17.48



C1-046: 3C 219



C1-047: 4C 53.18

CoNFIG-1



C1-049: 3C 220.2



C1-050: 3C 223



C1-051: 3C 223.1



C1-052: 3C 225A



C1-053: 3C 225



C1-054: 4C 02.29



C1-055: 3C 226



C1-056: 3C 227



C1-058: 3C 228



C1-059: 3C 230



C1-060: 3C 229



C1-063: 3C 234

CoNFIG-1



C1-064: 3C 236



C1-065: 4C 44.19



C1-067: 3C 238



C1-068: 3C 239



C1-069: 4C 39.29



C1-070: 4C 48.29A



C1-071: 3C 241



C1-072: 4C 59.13



C1-073: 4C 46.21



C1-074: 3C 244.1



C1-075: 4C 50.30



C1-078: 4C 03.18

CoNFIG-1



C1-081: 4C 20.24



C1-083: 3C 247



C1-084: 3C 249



C1-087: 4C 37.29



C1-088: 3C 252



C1-089: 4C 43.21



C1-090: 3C 253



C1-091: 3C 254



C1-092: 4C 29.41



C1-093: 3C 255



C1-095: 3C 256



C1-096: 3C 257

CoNFIG-1



C1-098: TXS 1128+455



C1-099: 4C 43.22



C1-101: 4C 61.23



C1-102: 4C 12.42



C1-104: 4C 01.32



C1-105: 3C 263.1



C1-106: 4C 37.32



C1-107: 3C 264



C1-108: 3C 265



C1-109: 3C 266



C1-110: 3C 267



C1-113: 4C 29.44

CoNFIG-1



C1-114: 4C 55.22



C1-115: 4C 59.17



C1-119: 3C 268.2



C1-120: 4C -04.40



C1-121: 4C 04.40



C1-122: 3C 268.4



C1-123: 4C 20.27



C1-126: 4C 53.24



C1-128: 4C 04.41



C1-129: 3C 270



C1-130: 3C 270.1



C1-131: 3C 272

CoNFIG-1



C1-133: M84



C1-136: PKS 1227+119



C1-137: M87



C1-139: 3C 274.1



C1-140: 4C 16.33



C1-141: 3C 275



C1-142: 3C 275.1



C1-144: 4C 09.44



C1-146: 4C 02.34



C1-147: 3C 277.2



C1-148: 3C 277.3



C1-150: 3C 280

CoNFIG-1



C1-151: 3C 280.1



C1-152: 4C 09.45



C1-153: 4C 00.46



C1-155: 3C 284



C1-157: 4C 07.32



C1-158: 4C 29.47



C1-160: 4C 17.56



C1-161: 4C 11.45



C1-162: 3C 285



C1-163: 4C 03.27



C1-165: 4C 32.44B



C1-168: 3C 287.1

CoNFIG-1



C1-169: 4C -06.35



C1-170: 3C 288



C1-171: 3C 288.1



C1-172: 4C 05.57



C1-174: 3C 289



C1-176: 3C 293



C1-178: 4C 01.39



C1-179: 4C 19.44



C1-180: PKS 1355+01



C1-182: 3C 294



C1-183: 3C 295



C1-184: 4C -05.60

CoNFIG-1



C1-186: NGC 5532



C1-187: 3C 297



C1-189: 3C 299



C1-190: 3C 300



C1-191: 4C 20.33



C1-192: 4C 24.31



C1-193: 3C 300.1



C1-194: 4C 07.36



C1-197: 3C 303



C1-199: 4C 00.52



C1-200: 3C 305



C1-201: 4C -04.53

CoNFIG-1



C1-203: B2 1502+28



C1-205: 3C 310



C1-207: 3C 313



C1-208: 4C 01.42



C1-209: 3C 315



C1-211: 4C 00.56



C1-213: 3C 316



C1-216: 3C 319



C1-218: 3C 320



C1-219: 3C 321



C1-221: 3C 322



C1-222: 4C 13.56

CoNFIG-1



C1-224: 3C 323



C1-226: 3C 323.1



C1-227: 3C 324



C1-228: 3C 325



C1-230: 3C 326



C1-231: 3C 326.1



C1-232: 4C 43.35



C1-234: 3C 327



C1-237: 3C 329



C1-238: 3C 331



C1-241: 3C 333



C1-242: NGC 6109

CoNFIG-1



C1-243: 3C 332



C1-244: 3C 334



C1-245:3C 336



C1-247: 3C 341



C1-248: 3C 338



C1-249: 3C 337



C1-250: 3C 340



C1-254: 3C 342



C1-257: 3C 344



C1-258: 3C 346



C1-261: 3C 349



C1-263: 3C 351

CoNFIG-1



C1-264: 3C 350



C1-265: 3C 352



C1-266: 4C 34.47



C1-267: 3C 356



C1-268: 4C 61.34



C1-269: 4C 45.13



C1-270: 3C 306



C1-271: 4C 32.25A



C1-272: 4C 06.32



C1-273: 4C 20.29

CoNFIG-2



C2-004: 4C 38.29



C2-008: 4C 59.10



C2-010: 4C 08.31



C2-011: 3C 221



C2-014: 4C -01.19



C2-021: 4C 17.49



C2-023: 4C 00.31



C2-029: 4C 25.29



C2-031: 4C 21.26



C2-036: 4C 00.34



C2-037: 4C 22.25



C2-038: 4C 14.35

CoNFIG-2



C2-039: 4C -00.37



C2-041: 4C 20.20



C2-042: 4C 32.34



C2-045: 4C 13.41



C2-047: 4C 59.11



C2-052: 4C 11.34



C2-053: 4C 23.24



C2-055: 4C 41.22



C2-057: 3C 240



C2-063: 3C 242



C2-064: 4C 43.19



C2-065: 3C 243

CoNFIG-2



C2-067: 3C 244



C2-069: 4C 00.35



C2-070: 4C 52.22



C2-071: 4C 17.50



C2-079: 4C 55.21



C2-080: 4C 15.34



C2-082: 4C -02.43



C2-089: 3C 248



C2-092: 4C 56.18



C2-094: 4C -00.43



C2-095: 4C 16.30



C2-097: 3C 251

CoNFIG-2



C2-098: 3C 250



C2-103: 4C 03.21



C2-105: 4C 41.23



C2-110: 4C -02.46



C2-111: TXS 1115+536



C2-117: 4C 05.50



C2-120: 4C 30.21



C2-122: 4C 12.41



C2-123: 4C 00.40



C2-126: 4C 10.33



C2-127: 4C 33.27



C2-128: TXS 1130+504

CoNFIG-2



C2-130: 3C 261



C2-134: 4C 17.52



C2-138: TXS 1140+217



C2-139: 4C 49.21



C2-141: 4C 46.23



C2-142: 4C 30.23



C2-144: 4C -00.46



C2-148: 4C 25.36



C2-149: 4C 05.53



C2-152: 4C 11.40



C2-157: TXS 1152+551



C2-168: 4C 25.38

CoNFIG-2



C2-169: 4C 58.23



C2-174: 4C 29.46



C2-180: 4C -00.48



C2-185: 3C 269



C2-186: 4C 20.28



C2-188: 4C 09.41



C2-190: 4C 31.40



C2-196: TXS 1223+099



C2-198: 4C 20.29



C2-204: TXS 1229-013



C2-207: 4C 37.34



C2-208: 4C 05.54

CoNFIG-2



C2-209: 4C 32.40



C2-210: TXS 1239+577



C2-215: 4C 33.30



C2-216: 3C 277



C2-218: TXS 1249+530



C2-219: 3C 276



C2-220: TXS 1249+035



C2-226: 4C 44.22



C2-229: 4C 54.30



C2-232: 3C 281



C2-238: 4C 20.31



C2-239: 4C 08.38

CoNFIG-2



C2-243: 4C 52.27

CoNFIG-3



C3-002: TXS 1439+252



C3-004: TXS 1440+151



C3-005: TXS 1440+147



C3-006: TXS 1440+119



C3-007: TXS 1440+163



C3-008: TXS 1440+189



C3-012: GB6 1441+2614



C3-014: 4C 14.54



C3-015: GB6 1442+195



C3-016: GB6 1442+117



C3-017: 4C 16.41



C3-019: 4C 26.44

CoNFIG-3



C3-020: TXS 1443+232



C3-021: 4C 17.60



C3-022: TXS 1443+125



C3-023: TXS 1444+254



C3-026: 4C 21.42



C3-029: 4C 16.42



C3-030: WB 1445+1459



C3-031: TXS 1445+167



C3-033: TXS 1446+177



C3-034: 3C 304



C3-035: TXS 1447+213



C3-036: TXS 1447+224

CoNFIG-3



C3-038: TXS 1448+164



C3-040: 4C 14.55



C3-045: TXS 1451+191



C3-046: TXS 1451+292



C3-049: TXS 1451+118



C3-052: TXS 1452+258



C3-053: TXS 1452+204



C3-055: TXS 1452+277



C3-056: TXS 1452+144



C3-057: NGC 5782



C3-058: 4C 16.43



C3-059: TXS 1454+268

CoNFIG-3



C3-060: TXS 1454+132



C3-061: 4C 18.39



C3-062: TXS 1454+244



C3-063: 7C 1454+2753



C3-064: TXS 1454+139



C3-065: TXS 1454+271



C3-066: TXS 1455+251



C3-068: TXS 1455+253



C3-069: 4C 28.38



C3-070: 4C 11.47



C3-073: 4C 14.56



C3-074: 4C 18.40

CoNFIG-3



C3-075: TXS 1456+143



C3-076: TXS 1456+251



C3-077: TXS 1457+241



C3-078: B2 1457+29



C3-079: TXS 1458+204



C3-080: 4C 14.57



C3-081: TXS 1458+178



C3-082: 4C 21.44



C3-083: TXS 1459+279



C3-085: TXS 1459+194



C3-086: BWE 1459+2451



C3-087: TXS 1459+133

CoNFIG-3



C3-088: TXS 1500+259



C3-089: TXS 1500+185



C3-090: TXS 1500+128



C3-091: TXS 1501+197



C3-093: MRC 1501+104



C3-094: TXS 1501+126



C3-095: 1503+1251



C3-102: TXS 1504+206



C3-103: WB 1504+1618



C3-105: GB6 B1505+113



C3-106: 4C 12.54



C3-107: TXS 1505+247

CoNFIG-3



C3-108: TXS 1505+190



C3-111: TXS 1506+245



C3-114: TXS 1506+171



C3-115: TXS 1507+298



C3-118:TXS 1507+235



C3-119: TXS 1508+205



C3-120: TXS 1508+128



C3-121:TXS 1508+148



C3-122: TXS 1508+108



C3-125: Cul 1508+182



C3-127: 4C 10.40



C3-128: TXS 1509+28

CoNFIG-3



C3-129: TXS 1509+213



C3-130: TXS 1509+229



C3-131: 4C 15.45



C3-134: TXS 1511+103



C3-137: 7C 1511+2422



C3-139: 7C 1512+2337



C3-140: TXS 1511+158



C3-142: TXS 1512+104



C3-143: TXS 1512+227



C3-144: TXS 1512+104B



C3-146: TXS 1513+144



C3-149: TXS 1514+215

CoNFIG-3



C3-150: TXS 1515+301



C3-151: TXS 1515+176



C3-152:TXS 1515+146



C3-153: 4C 10.41



C3-154: TXS 1515+269



C3-155: TXS 1515+198



C3-156: TXS 1515+160



C3-160: 4C 24.33



C3-163: 4C 15.47



C3-164: TXS 1519+228



C3-165: TXS 1519+153



C3-166: TXS 1519+108

CoNFIG-3



C3-167: TXS 1519+103



C3-169: TXS 1520+221



C3-171: 4C 27.31



C3-172: TXS 1521+116



C3-173: 4C 28.39



C3-174: 4C 11.49



C3-177: TXS 1521+195



C3-179: TXS 1522+281



C3-181: BWE 1522+1303



C3-184: TXS 1524+149



C3-185: BWE 1524+1302



C3-186: TXS 1525+210

CoNFIG-3



C3-187: 4C 12.55



C3-189: TXS 1525+290



C3-190: TXS 1525+227



C3-191: TXS 1525+135



C3-192: TXS 1526+173



C3-193: 4C 15.48



C3-195: 7C 1528+2910



C3-196: TXS 1527+234



C3-199: TXS 1529+110



C3-201: J153233.19



C3-202: 4C 20.36



C3-203: B2 1530+28

CoNFIG-3



C3-205: TXS 1530+161



C3-207: 4C 13.55



C3-208: Cul 1531+104



C3-209: TXS 1532+139



C3-212: TXS 1533+280



C3-213: TXS 1533+142



C3-216: TXS 1534+269



C3-217: TXS 1534+145



C3-221: TXS 1536+144



C3-223: TXS 1537+145



C3-225: TXS 1538+182



C3-227: 4C 18.43

CoNFIG-3



C3-228: TXS 1540+241



C3-229: GB6 B1540+11



C3-230: TXS 1541+219



C3-231: TXS 1541+230



C3-232: TXS 1541+136



C3-234: TXS 1541+143



C3-236: 4C 19.51



C3-238: TXS 1543+180



C3-239: TXS 1544+279



C3-240: TXS 1544+221



C3-241: GB6 1544+1152



C3-242: 4C 18.44

CoNFIG-3



C3-243: TXS 1545+279



C3-244: BWE 1545+1505



C3-246: TXS 1546+268



C3-247: 4C 15.51



C3-248: 4C 18.45



C3-250: TXS 1548+274



C3-251: TXS 1548+188



C3-252: 4C 11.50



C3-253: TXS 1549+262



C3-255: TXS 1549+107



C3-257: TXS 1549+188



C3-261: J1553+1401

CoNFIG-3



C3-262: TXS 1550+211



C3-263: TXS 1551+179



C3-266: 4C 23.42



C3-267: TXS 1551+251



C3-268: TXS 1551+221



C3-271: TXS 1552+151



C3-273: TXS 1553+279



C3-276: 4C 24.35



C3-277: TXS 1553+134



C3-279: TXS 1554+222



C3-281: TXS 1554+144



C3-282: 4C 10.44

CoNFIG-3



C3-284: 4C 12.56



C3-285: 4C 11.51

CoNFIG-4



C4-002: TXS 1405+026



C4-003: 1408+0050



C4-005: TXS 1406+015



C4-006: 1408+0281



C4-007: TXS 1406+018



C4-008: 1408+0271



C4-011: J140929-01



C4-012: TXS 1406-007



C4-014: 1409-0307



C4-015: B1407-0231



C4-016: 1409-0135



C4-017: TXS 1407-009

CoNFIG-4



C4-023: TXS 1408-004



C4-024: B1408-0246



C4-026: TXS 1408+016



C4-027: TXS 1408-003



C4-028: 1411+0229



C4-029: TXS 1408+009



C4-030: MRC 1408-030



C4-032: TXS 1409-030



C4-033: TXS 1410+027



C4-035: 1412-0075



C4-036: NGC 5506



C4-037: 4C -00.54

CoNFIG-4



C4-038: TXS 1410-015



C4-039: TXS 1410+028



C4-041: 1413-0255



C4-043: TXS 1411+019



C4-044: 1414+0182



C4-045: TXS 1411+002



C4-046: TXS 1412+031



C4-047: LEDA 184576



C4-048: 1415+0060



C4-049: N274Z243



C4-050: N342Z086



C4-051: TXS 1412+026

CoNFIG-4



C4-053: TXS 1413+007



C4-054: TXS 1413-011



C4-055: 1416+0219



C4-058: TXS 1414-007



C4-059: TXS 1415+008



C4-060: TXS 1415-011



C4-061: TXS 1415+013



C4-062: TXS 1415+016



C4-063: TXS 1416-022



C4-064: TXS 1416+006



C4-067: 1419-0324



C4-068: TXS 1416-000

CoNFIG-4



C4-070: 4C -01.33



C4-071: J141932+00



C4-072: J142033-00



C4-075: TXS 1418+030



C4-076: 4C -02.60



C4-077: TXS 1419+016



C4-078: J142235-01



C4-080: 1423+0220



C4-081: 4C -00.55



C4-082: 1423-0276



C4-083: TXS 1421+015



C4-084: 1423+0052

CoNFIG-4



C4-085: N344Z154



C4-087: TXS 1421+006



C4-088: 1424-0174



C4-089: 4C -03.51



C4-090: 1425-0264



C4-092: TXS 1422-010



C4-094: 1423-0005



C4-095: TXS 1423+030



C4-096: TXS 1423+018



C4-098: N344Z014



C4-100: TXS 1423+019



C4-102: 1426+0093

CoNFIG-4



C4-105: 1427-0187



C4-106: TXS 1425+005



C4-107: J142746+00



C4-115: TXS 1426+030



C4-119: TXS 1427+009



C4-120:1430-0192



C4-122: TXS 1427+012



C4-124: TXS 1428+007



C4-125: TXS 1428-013



C4-128: 1431-0093



C4-129: TXS 1429-006



C4-131: 1432+0262

CoNFIG-4



C4-133: 1432-0305



C4-134: J143244-00



C4-135: 1432+0078



C4-137: TXS 1430+011



C4-138: TXS 1430-002



C4-142: GB6 B1431+0230



C4-143: 1433-0239



C4-145: TXS 1431+008



C4-146: 1434+0158



C4-148: TXS 1431-001



C4-149: TXS 1431-011



C4-150: TXS 1432-020

CoNFIG-4



C4-151: TXS 1432+028



C4-152: 1435-0268



C4-153: 1435+0243



C4-154: TXS 1433-015



C4-160: TXS 1434-028



C4-162: TXS 1434+019



C4-163: 1437+0175



C4-164: TXS 1435+031



C4-166: 1437-0025



C4-168: 1437-0069



C4-169: J143757+01



C4-170: TXS 1435+028

CoNFIG-4



C4-175: TXS 1435+020



C4-176: 1438-0133



C4-177: 4C -02.61



C4-178: 1438-0100



C4-179: 4C 00.50



C4-180: 1438+0022



C4-182: TXS 1436+011



C4-183: 1438-0081



C4-184: 1438+0068



C4-185: 1438-0085



C4-187: TXS 1437+009



C4-188: TXS 1437-001

CENSORS



CENSORS-004



CENSORS-005



CENSORS-007



CENSORS-014



CENSORS-015



CENSORS-016



CENSORS-017



CENSORS-020



CENSORS-035



CENSORS-038



CENSORS-039



CENSORS-040

CENSORS



CENSORS-043



CENSORS-045



CENSORS-047



CENSORS-050



CENSORS-051



CENSORS-053



CENSORS-063



CENSORS-064



CENSORS-065



CENSORS-066



CENSORS-071

CENSORS



CENSORS-075



CENSORS-076



CENSORS-078



CENSORS-079



CENSORS-087



CENSORS-094



CENSORS-099



CENSORS-100



CENSORS-105



CENSORS-106



CENSORS-107



CENSORS-109

CENSORS



CENSORS-117



CENSORS-118



CENSORS-119



CENSORS-132



CENSORS-136